

Centre for Entomological Studies Ankara

established in 1966

Information about the scientific activities of the Cesa

Announcements- General News - Expeditions-Publications - Visitors - Workshops - Seminars -

Free irregular online issues of the Cesa News are regularly archived in the recognized "Internet Archive", in accordance with the Rules of the ICZN

recognized "Internet Archive", in accordance with the Rules of the ICZN

Nr.120

It is dangerous to be right, when the government is wrong

2 January 2016

Research Article

http://zoobank.org/urn:lsid:zoobank.org:pub:D6938A94-187E-41E7-9D0E-17885F3E6775

François- Marie Arouet "Voltaire" (1694-1778)

# Annotated list of the genus group names of *Lepidoptera* of Iran

#### Ahmet Ömer Koçak Muhabbet Kemal

**Abstract**: Annotated list of the genus group names of *Lepidoptera* of Iran. *Cesa News* 120: 1-104, 1 fig.

In this paper, totally 1447 genus group names of 57 families of Iranian Lepidoptera are arranged alphabetically. Synonymous names, and original references to each taxa are added. During preparation, following points are also studied and discussed: references to generic names, homonymy case in family *Pyralidae*, and an establishment of a new subgenus in family *Geometridae*.

**Key words**: Genera, new taxon, new name, taxonomy, nomenclature, *Pyralidae, Geometridae, Lepidoptera*, Iran.

List of the genus group names of Lepidoptera of Iran is published here for the first time. Totally 1447 valid names of 57 families are arranged alphabetically in two parts: Butterflies and moths. During the preparation of this study, the authors focus on the following points: (1) controlling of the original references, including selections of the type-species; (2) taxonomical problems of the genus group classifications; (3) controlling the homonymy cases. For the reasons described above, the present paper comprises more than a simple generic list of the Iranian Lepidoptera.

Controlling of the original references

First of all, our database within the info-system of the Cesa, and the following published monumental Works, entitled "Generic names of moths of the World" by the British Museum Natural History (London) are used for this purpose (Nye, 1975; Fletcher, 1979; Watson, Fletcher & Nye, 1980; Fletcher & Nye, 1982, 1984; Nye & Fletcher, 1986)¹. Separately, the best and most

<sup>&</sup>lt;sup>1</sup> **Nye,I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. - **Watson,A.**, **Fletcher,D.S. & I.W.B.Nye**, 1980, Noctuoidea (part). [In] Nye,I.W.B. The Generic Names of Moths of the World. vol. 2, London. - **Fletcher,D.S.**, 1979, Geometridae. [In] Nye,I.W.B. The Generic Names of Moths of the

#### Centre for Entomological Studies Ankara

comprehensive web page on this matter, entitled "Butterflies and Moths of the World Generic names and their type-species" compiled by B. Pitkins & P.Jenkins (Natural History Museum) 2 is referenced for final decision. At the end of this process, serious discrepancies especially on the references of the generic names emerge. These incorrect references are listed below.

A taxonomical note on the genus Rhodostrophia Hbn.

Rhodostrophia is an heterogenous genus in the family Geometridae. There are some genus group names established availably according to the related Rules of the ICZN within this genus. However, they are considered by some authors as junior synonyms of the genus name Rhodostrophia. On the other hand, the heterogenity problem is solved by creating species group names, with no nomenclatural value. In the present paper, the genus Rhodostrophia is divided into subgeneric groups as much as possible. One new subgenus Asiatrophia is proposed for Pellonia auctata Stgr., showing quiet different genitalic structures of the male from the type-species of the nominate subgenus. The brief description of this subgenus is given below.

### A case of homonymy

During the preparation of this study, the authors become aware of a junior homonym name in the family *Pyralidae*. This case is also discussed below.

No work can be absolutely perfect. However, our current presentation can be considered only as a useful attempt for the readers. The content of our database is continuously corrected by the first author.

### Discrepancies on the references of some generic names

The following list comprises some incorrect references, used in the web page "Butterflies and Moths of the World Generic names and their type-species" compiled by B. Pitkin & P.Jenkins (Natural History Museum) 3.

The incorrect references marked by grey.

Arctiidae: Palearctia kindermanni Staudinger, 1867. Mém. Acad. Sci. St. Pétersb. (7) 8 (1, Lepid. Ost-Sibiriens): 89, pl.7

Geometridae: Cidaria multipunctata Staudinger, 1897. J. Bombay nat. Hist. Soc. 11: 645.

Geometridae: Geometra mahometaria Herrich-Schäffer, 1853. In: Boisduval & Guenée, Hist. nat. Ins. 1 (1): wrapper, pl.

Hesperiidae: Astictopterus (Psolos) ulunda Staudinger, 1889. Dt. ent. Z. 2: 147.

Hesperiidae: Psolos Staudinger, 1889. Dt. ent. Z. 2: 147.

Noctuidae: Anomogyna (Calanomogyna) sincera Herrich-Schäffer, 1851. Ent. Rdsch. 55: 587, pl.3: 287-288.

Noctuidae: Dryobota amurensis Staudinger, 1892. Z. wien. ent. Ges. 39: 218.

Noctuidae: Rhabdophera messrae Staudinger, 1898. Dt. ent. Z. 10: 296, pl.9 fig. 18.

Noctuidae: Rhabdophera Staudinger, 1898. Dt. ent. Z. 10: 296.

Notodontidae: Drymonia dimidiata Herrich-Schäffer, 1856. Beitr. Gesch. Schmett. 2 (2): 53, pl. (2) 4, fig. v.

Notodontidae: Sumeria dipotamica Tams,1938. Trans. R. ent. Soc. Lond. (B) 7: 144, figs. 1-7.

Notodontidae: Sumeria Tams,1938. Trans. R. ent. Soc. Lond. (B) 7: 144

Nymphalidae: Pseudacraea sibyllina Staudinger, 1890. Dt. ent. Z. 2: 338, pl.3 fig.8.

Nymphalidae: Pseudathyma Staudinger, 1891. Dt. ent. Z. 4: 90. Oecophoridae: Lampros kindermanni Herrich-Schäffer, 1852. Mém. Acad. Sci. St. Pétersb. (7) 8 (1): 89, pl.7 fig. 19.

Pieridae: Andina Staudinger, 1894. Gross-Schmett. Erde 5: ii, note.

Pieridae: Trifurcula huanaco Staudinger, 1894. Dt. ent. Z. 7: 56, pl.1 figs. 7, 16, 18.

Pyralidae: Ancylosoma Roesler,1973, in Romanoff, Mém. Lépid.: iv [key], 567.

Pyralidae: Eipleurina Chapman,1912. Trans. R. ent. Soc. Lond. 1911: 507.

Pyralidae: Myelois cinerea Staudinger, 1880. Ann. Mag. nat. Hist. (5) 6: 228.

Pyralidae: Titanio pulchellalis Staudinger, ? Year. Dt. ent. Z. 5: pl. 3 fig.20.

Pyralidae: Witlesia Chapman,1912. Trans. R. ent. Soc. Lond. 1911: 507.

World. vol. 3, xx+243 pp. 2 frontispieces, London. - Fletcher, D.S. & I.W.B.Nye, 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., The Generic Names of Moths of the World vol.4. xiv+192 pp., 1 frontispiece, London. - Fletcher, D.S. & I.W.B.Nye, 1984, Pyraloidea. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol.5. xv+185pp., London. - Nye,I.W.B. & D.S.Fletcher, 1986, Microlepidoptera. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol. 6. London.

<sup>&</sup>lt;sup>2</sup> http://www.nhm.ac.uk/our-science/data/butmoth/

<sup>3</sup> The first author attempted several times to establish an intercommunication with Mr. B.Pitkin, by using the way of "Contact and enquiries", but at every turn, the e-mail of the author has been rejected. Only one time, it was possible to send a message to B.Pitkin, by using an other way in the web page of the Museum, but couldnot get any answer. For that reason, this list of the incorrect references are mentioned here, but reluctantly.

Pyralidae: Zophodia antiquella Herrich-Schäffer, 1855. Nouv. Genres Espéces Phycitidae Galleridae 6: 147. [1852, ibidem 4: Pyralidides pl.21, figs. 147, 148 (legend non-binominal).

Sphingidae: Hyles deserticola Staudinger,1901. Contr. nat. Hist. Lepid. N. Am. 3 (1): 20, pl.2 fig.15.

Zygaenidae: Procris amasina Herrich-Schäffer, 1851. Dt. ent. Z. 6: 1.

## Genus Rhodostrophia Hbn.,[1823]

The genus is divided here into the following subgenera: *Rhodostrophia* Hbn. (s.str.) (typespecies: *Phalaena calabra* Petagna,1786), *Pellonia* Dup. (type-species: *[Phalaena] vibicaria* Clerck,1759), *Pydna* H-Sch. (type-species: *Fidonia badiaria* Freyer,1842) *Apostates* W.Warren,1897 (type-species: *Apostates albiclathrata* W.Warren,1897) (see. nr. 479-483, in the list below).

The species *Pellonia auctata* Stgr. is currently included to nominate subgenus *Rhodostrophia* (or *calabra* species gr.) (see Hausmann (2004)). *P. auctata* Stgr. is easily distinguishable from *P. calabra* Pet. by the following features: Especially fore-wing shape and markings are different from *R. calabra* of Europe. Fore-wing apex remarkably pointed. In the male genitalia uncus weak but very long, slightly bifid apically. Gnathos very short, strongly pointed. Valva well-developed, broad, long, its outer part has a peculiar hemispherically arranged processes, these structures are unknown in any male genitalia of European *Rhodostrophia* species. Valva apically quadrangular, with very long spine-like process. Aedeagus slightly curved, with a tuberculated, elongated plate inside (**Fig.1**).

Externally and also their male genitalia of the species in the *calabra* species group (*pudorata*, *sieversi*, *cretacaria*, *calabra*, *discopunctata*) are very similar to each other <sup>4</sup>. Unlike of them, *Pellonia auctata* Stgr. has a different place in the genus; therefore we propose here a new subgenus:

**Asiotrophia** (subgen.n.), with the type-species: *Pellonia auctata* Staudinger,1879 (here designated). <a href="http://zoobank.org/urn:lsid:zoobank.org/act:A54A7DA4-4056-4AEE-86D3-5CF7CD8D9729">http://zoobank.org/urn:lsid:zoobank.org/act:A54A7DA4-4056-4AEE-86D3-5CF7CD8D9729</a>

The species *R.* (*A.*) auctata (Stgr.) is confined to the mountainous region of Asiatic Turkey, Caucasus and Northern Iraq and Iran, inhabiting in the tragacanthic mountain steppe. Bivoltine. Adult flight period is from April to September. Unknown in Europe.



**Fig. 1** – *Rhodostrophia (Asiotrophia) auctata* (Stgr.). Male genitalia GP2035, East Turkey, Van Pr., Gevaș, M Kemal (Cesa)

<sup>&</sup>lt;sup>4</sup> cf. **Hausmann,A.**, 2004. The Geometrid Moths of Europe vol.2, pp. 370-384, figs. 167-174.

## Pyralidae

#### Iranomecyna nom. nov.

http://zoobank.org/urn:lsid:zoobank.org:act:A96909CC-DB8B-4125-85B1-D0C0B4029806

Amsel established a genus name *Paramecyna* in 1961 (Ark. Zool. (2) 13: 419). This monotypic genus is currently considered as a valid name. However, *Paramecyna* Amsel,1961 is junior homonym of *Paramecyna* Aurivillius,1910 ([in] Sjöstedt, Ergeb. Schwed. Exp. Kilimandjaro 1 (7): 149 [*Coleoptera*]); therefore, it cannot be used as a valid name under the Homonymy Rules of the ICZN. There is no other available name for the taxon; therefore, we propose here a replacement name, *Iranomecyna* nom. nov. for *Paramecyna* Amsel, 1961 (nec Aurivillius,1910).

Type-species: *Paramecyna dimorphalis* Amsel,1961. The species and its genus is currently confined to Iran.

## List of the genus group names of Iranian Lepidoptera

### **Butterflies**

Totally 206 genus group names of 8 families are listed alphabetically. Synonymous names and original references to each taxa are added.

## Argynnidae

- **1. Aglais Dalman,1816** (Argynnidae) Synonym(s): *Aglais Dalman,1816; Ichnusa Reuss,1939* Original Reference: Aglais Dalman,1816, K. svenska Vetensk-Akad. Handl., Stockholm 1816 (1): 56. Typespecies: Papilio urticae Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by original designation.
- **2. Argynnis (Fabriciana) Reuss,1920** (Argynnidae) Synonym(s): Fabriciana Reuss,1920; Profabriciana Reuss,1926. Original Reference: Fabriciana Reuss,1920, Ent. Mitt. 9: 92, nota. Typespecies: Papilio niobe Linnaeus,1758, Syst. Nat. (Ed.10)1: 481, by original designation.
- **3. Argynnis (Pandoriana) B.C.S.Warren,1942** (Argynnidae) Synonym(s): *Pandoriana B.C.S.Warren,1942* Original Reference: Pandoriana B.C.S.Warren,1942, Entomologist 75: 245-246. Type-species: Papilio maja Cramer,[1775], Uitl. Kapellen 1(1): 39, Pl.25, figs. B, C, by original designation.
- **4. Argynnis (Speyeria) Scudder,1872** (Argynnidae) Synonym(s): *Speyeria Scudder,1872; Mesoacidalia Reuss,1926* Original Reference: Speyeria Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 44. Type-species: Papilio idalia Drury,[1773], by original designation.
- **5. Argynnis (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Argynnis Fabricius,1807*; *Mesodryas Reuss,1927*. Original Reference: Argynnis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 283. Typespecies: Papilio paphia Linnaeus,1758, Syst. Ent. (Ed.10)1: 481, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.:440.
- **6. Argynnis Fabricius,1807** (Argynnidae) Synonym(s): *Argynnis Fabricius,1807*; *Mesodryas Reuss,1927*. Original Reference: Argynnis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 283. Typespecies: Papilio paphia Linnaeus,1758, Syst. Ent. (Ed.10)1: 481, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.:440.
- **7. Boloria (Clossiana) Reuss,1920** (Argynnidae) Synonym(s): Clossiana Reuss,1920 <u>Original Reference</u>: Clossiana Reuss,1920, Ent. Mitt. 9: 192, nota. Type-species: Papilio selene [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend: 321, by original designation.
- 8. Brenthis Hübner,[1819] (Argynnidae) Synonym(s): Brenthis Hübner,[1819]; Neobrenthis Koçak,1980. Original Reference: Brenthis Hübner,[1819], Verz. bekannt. Schmett.: 30. Typespecies: Papilio hecate [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend: 179, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 45
- 9. Euapatura Ebert,1971 (Argynnidae) Synonym(s): Euapatura Ebert,1971; Protapatura Igarashi,1971.

  Original Reference: Euapatura Ebert,1971, Beitr. naturk. Forsch. SWDtl. 30 (1): 65. Type-species: Euapatura mirza Ebert,1971, Beitr. naturk. Forsch. SWDtl.30(1): 65, by original designation.
- 10. Euphydryas (Eurodryas) Higgins,1978 (Argynnidae) Synonym(s): Eurodryas Higgins,1978; Oreodryas Lastukhin,2008; Taigadryas Lastukhin,2008; Protodryas Lastukhin,2008 nec

- Reuss,1928; Afrodryas Lastukhin,2008 nec Stoneham,1957 Original Reference: Eurodryas Higgins,1978, Entomologist's Gaz. 29: 114. Type-species: Papilio aurinia Rottemburg,1775, by original designation.
- 11. Euphydryas Scudder,1872 (Argynnidae) Synonym(s): Euphydryas Scudder,1872 Original Reference: Euphydryas Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 48. Type-species: Papilio phaeton Drury,[1773], by original designation.
- **Hypolimnas Hübner,[1819]** (Argynnidae) Synonym(s): *Hypolimnas Hübner,[1819]; Diadema Bosiduval,[1832]; Eucalia Felder,1861; Euralia Westwood,[1850]* Original Reference: Hypolimnas Hübner,[1819], Verz. bekannt. Schmett. (3): 45. Type-species: Papilio pipleis Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 194.
- 13. Inachis Hübner,[1819] (Argynnidae) Synonym(s): Inachis Hübner,[1819] Original Reference: Inachis Hübner,[1819], Verz. bekannt. Schmett. (3):37. Type-species: Papilio io Linnaeus,1758, Syst. Nat. (Ed.10)1: 472, by monotypy.
- 14. Issoria Hübner,[1819] (Argynnidae) Synonym(s): Issoria Hübner,[1819]; Rathora Moore,[1900]; Yramea Reuss,1920; Kukenthaliella Reuss,1921; Prokuekenthaliella Reuss,1926; Pseudorathora Reuss,1926; Chilargynnis Bryk,1945 Original Reference: Issoria Hübner,[1819], Verz. bekannt. Schmett. (2): 31. Type-species: Papilio lathonia Linnaeus,1758, Syst. Nat. (Ed.10)1: 481, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:198.
- 15. Limenitis (Azuritis) Boudinot,1986 (Argynnidae) Synonym(s): Azuritis Boudinot,1986 Original Reference: Azuritis Boudinot,1986, Nouv. Rev. ent. (n.s.) 2 (4): 405. Type-species: Limenitis camilla var. reducta Staudinger,1901, by original designation.
- 16. Limenitis Fabricius,1807 (Argynnidae) Synonym(s): Limenitis Fabricius,1807; Nymphalus Boitard,1828; Limonetes Billberg,1820; Nympha Krause,1839. Original Reference: Limenitis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio populi Linnaeus,1758, by subsequent designation by Dalman (1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 55).
- 17. **Melitaea (Cinclidia) Hübner,[1819]** (Argynnidae) Synonym(s): *Cinclidia Hübner,[1819]* Original Reference: Cinclidia Hübner,[1819], Verz. bekannt. Schmett. (2): 29. Type-species: Papilio phoebe [Denis & Schiffermüller],1775, by subsequent designation by Scudder,1875, Bull. Buffalo Soc. nat. Sci. 2: 266.
- **18. Melitaea (Didymaeformis) Verity,1950** (Argynnidae) Synonym(s): *Didymaeformis Verity,1950*. <u>Original Reference:</u> Didymaeformis Verity,1950, Farfalle diurne d'Italia 4: 89, 90. Type-species: Papilio didyma Esper,[1777], by original designation.
- 19. Melitaea (s.str.) Fabricius,1807 (Argynnidae) Synonym(s): Melitaea Fabricius,1807 Original Reference: Melitaea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio cinxia Linnaeus,1758, Syst. Nat. (Ed.10)1: 480, by subsequent designation by Westwood,1840, Introd. Class. Ins. 2, syn.: 88.
- 20. **Melitaea Fabricius,1807** (Argynnidae) Synonym(s): *Melitaea Fabricius,1807*; *Lucina Rafinesque,1815*; *Schoenis Hübner,[1819]*; *Melinaea Sodoffsky,1837*. Original Reference: Melitaea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio cinxia Linnaeus,1758, Syst. Nat. (Ed.10)1: 480, by subsequent designation by Westwood,1840, Introd. Class. Ins. 2, syn.: 88.
- 21. Neptis (s.str.) Fabricius,1807 (Argynnidae) Synonym(s): Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920. Original Reference: Neptis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: Papilio aceris Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
- **Neptis Fabricius,1807** (Argynnidae) Synonym(s): Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920. Original Reference: Neptis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: Papilio aceris Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
- 23. Nymphalis Kluk,1802 (Argynnidae) Synonym(s): Nymphalis Kluk,1802; Hamadryas Hübner,[1806]; Scudderia Grote,1873 nec Stal,1873; Euvanessa Scudder,1889; Antiopana Korb,2005 Original Reference: Nymphalis Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4: 86. Type-species: Papilio

- polychloros Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by subsequent designation by Hemming, 1933, Entomologist 66: 223.
- 24. Polygonia (Comma) Rennie,1832 (Argynnidae) Synonym(s): Comma Rennie,1832. Original Reference: Comma Rennie,1832, Conspectus Butts Moths: 8. Type-species: Papilio calbum Linnaeus,1758, by monotypy.
- **Polygonia Hübner,[1819]** (Argynnidae) Synonym(s): *Polygonia Hübner,[1819]; Eugonia Hübner,[1819]; Grapta Kirby,1837*. Original Reference: Polygonia Hübner,[1819], Verz. bekannt. Schmett. (3):36. Type-species: Papilio c-aureum Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1872: 30.
- **26. Precis (Junonia) Hübner,[1819]** (Argynnidae) Synonym(s): *Junonia Hübner,[1819]* Original Reference: Junonia Hübner,[1819], Verz. bekannt. Schmett.: 34. Type-species: Papilio lavinia Cramer,1775, by subsequent designation by Scudder,1872.
- **Precis Hübner,[1819]** (Argynnidae) Synonym(s): *Precis Hübner,[1819]* Original Reference: Precis Hübner,[1819], Verz. bekannt. Schmett. (3): 33. Type-species: Papilio octavia Cramer,[1777], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 256.
- 28. Thaleropis Staudinger,1871 (Argynnidae) Synonym(s): Thaleropis Staudinger,1871 Original Reference: Thaleropis Staudinger,1871, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 17. Type-species: Vanessa ionia Fischer de Waldheim & Eversmann,1851, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2, by monotypy.
- 29. Vanessa (Cynthia) Fabricius,1807 (Argynnidae) Synonym(s): *Cynthia Fabricius,1807; Neopyrameis Scudder,1889; Fieldia Niculescu,1979 (praeocc.); Neofieldia Özdikmen,2008.* Original Reference: Cynthia Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio cardui Linnaeus,1758, Syst. Nat. (Ed.10)1: 475, by subsequent designation by Westwood,1840, Introd. class. Ins. 2, syn.: 87.
- **30. Vanessa (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Vanessa Fabricius,1807*; *Pyrameis Hübner,[1819]*; *Ammiralis Rennie,1832*; *Phanessa Sodoffsky,1837*. <u>Original Reference:</u> Vanessa Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio atalanta Linnaeus,1758, Syst. Nat. (Ed.10)1: 478, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 354, 440.
- 31. Vanessa Fabricius,1807 (Argynnidae) Synonym(s): Vanessa Fabricius,1807; Pyrameis Hübner,[1819]; Ammiralis Rennie,1832; Phanessa Sodoffsky,1837. Original Reference: Vanessa Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio atalanta Linnaeus,1758, Syst. Nat. (Ed.10)1: 478, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 354, 440.

#### Danaidae

- **Danaus (Anosia) Hübner,[1816]** (Danaidae) Synonym(s): *Limnas Hübner,[1806] (rejected; Opinion 278, 1954); Anosia Hübner,[1816]; Panlymnas Bryk,1937.* Original Reference: Anosia Hübner,[1816], Verz. bekannt. Schmett. (1): 16. Type-species: Papilio gilippus Cramer,[1775], Uitl. Kapellen 1(3): 41, Pl. 26, figs. E, F, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 113.
- 33. Danaus Kluk,1802 (Danaidae) Synonym(s): Danaus Kluk,1802; Danaida Latreille,1804; Danais Latreille,1807; Festivus Crotch,1872; Tasitia Moore,1883; Danaomorpha Kremky,1925; Panlymnas Bryk,1937.

  Original Reference: Danaus Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4: 84. Type-species: Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10)1: 471, by subsequent designation by Hemming,1933, Entomologist 66: 222.

## Hesperiidae

34. Carcharodus (Lavatheria) Verity,1940 (Hesperiidae) Synonym(s): Lavatheria Verity,1940 Original Reference: Lavatheria Verity,1940, Le Farfalle diurn. d'Italia 1: 11,22. Typespecies: Papilio lavatherae Esper, [1783], Die Schmett. 1(Bd 2) Forst. Tagschmett.: 148, pl.82, fig.4, by original designation.

- **35. Carcharodus (Reverdinus) Ragusa,1919** (Hesperiidae) Synonym(s): *Reverdinus Ragusa,1919* Original Reference: Reverdinus Ragusa,1919, Nat. sicil. 23(7/12): 172. Type-species: Papilio altheae Hübner,[1803], Samml. eur. Schmett.: pl. Pap.90, figs.452-453. by subsequent designation by Lindsey,1925, Ann. ent. Soc. Amer. 18: 100.
- **36.** Carcharodus (s.str.) Hübner,[1819] (Hesperiidae) Synonym(s): *Carcharodus Hübner,[1819]; Spilothyrus Duponchel,1835* Original Reference: Carcharodus Hübner,[1819], Verz. bekannt. Schmett. (7): 110. Type-species: Papilio alceae Esper,[1780], by the Commission under its Plenary Power (Opinion 181 (1947, Opin. int. Comm. zool. Nom. 2: 589-621)).
- 37. Carcharodus Hübner,[1819] (Hesperiidae) Synonym(s): Carcharodus Hübner,[1819]; Spilothyrus Duponchel,1835 Original Reference: Carcharodus Hübner,[1819], Verz. bekannt. Schmett. (7):110. Type-species: Papilio alceae Esper,[1780], Die Schmett. 1(Bd 2) Forts Tagschmett.:4, pl.51 fig.3, by subsequent designation by ICZN, Op.181.
- **38. Eogenes Mabille,1909** (Hesperiidae) Synonym(s): *Eogenes Mabille,1909*; *Elwesia Evans,1926 nec Hampsn,1894*; *Chitralia Evans,1932* Original Reference: Eogenes Mabille,1909, [in] Seitz, Gross-Schmett. Erde 1: 349. Type-species: Hesperia alcides Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:38, by monotypy.
- 39. Erynnis (Hesperopegasus) Seven,2002 (Hesperiidae) Synonym(s): Hallia Tutt,[1906] nec Edwards & Haime,1850; Hesperopegasus Seven,2002. Original Reference: Erynnis (Hesperopegasus) Seven,2002, [in] Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 27. Type-species: Thanaos marlovi Boisduval,1834, by original designation [proposed as subgenus].
- 40. Erynnis (s.str.) Schrank,1801 (Hesperiidae) Synonym(s): Erynnis Schrank,1801 Original Reference: Erynnis Schrank,1801, Fauna boica 2(1): 152,157. Type-species: Papilio tages Linnaeus,1758, Syst. Nat. (Ed.10)1: 485. by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:71.
- 41. Erynnis Schrank,1801 (Hesperiidae) Synonym(s): Erynnis Schrank,1801 Original Reference: Erynnis Schrank,1801, Fauna boica 2(1): 152,157. Type-species: Papilio tages Linnaeus,1758, Syst. Nat. (Ed.10)1: 485. by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:71.
- **42. Gegenes Hübner,[1819]** (Hesperiidae) Synonym(s): *Gegenes Hübner,[1819]; Philoodus Rambur,1842* Original Reference: Gegenes Hübner,[1819], Verz. bekannt. Schmett. (7):107. Typespecies: Papilio pumilio Hoffmansegg,1803, Mag. f. Insektenk. (Illiger) 3: 202, by subsequent designation by ICZN.
- 43. Muschampia Tutt,[1906] (Hesperiidae) Synonym(s): *Muschampia Tutt,[1906]* Original Reference: Muschampia Tutt,[1906], Nat. Hist. Br. Butts 1: 218. Type-species: Papilio proto Esper,[1808], by original designation.
- 44. Ochlodes Scudder,1872 (Hesperiidae) Synonym(s): Ochlodes Scudder,1872 Original Reference: Ochlodes Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 78. Type-species: Hesperia nemorum Boisduval,1852, Annls Soc. ent. Fr. (2)10: 314, by original designation.
- **45. Pelopidas Walker,1870** (Hesperiidae) Synonym(s): *Pelopidas Walker,1870; Chapra Moore,[1881]* Original Reference: Pelopidas Walker,1870, Entomologist 5: 56. Type-species: Pelopidas midea Walker,1870, Ibid. 5: 56, by monotypy.
- 46. Pyrgus Hübner,[1819] (Hesperiidae) Synonym(s): Pyrgus Hübner,[1819]; Scelotrix Rambur,1858; Teleomorpha B.C.S.Warren,1926; Hemiteleomorpha B.C.S.Warren,1926; Ateleomorpha B.C.S.Warren,1926; Scelothrix Scudder,1875; Bremeria Tutt,1906 nec Mre.,[1896] non Alph.,1892. Original Reference: Pyrgus Hübner,[1819], Verz. bekannt. Schmett. (7): 109. Type-species: Pyrgus alveolus Hübner, [1803], Samml. eur. Schmett.: pl. Pap.92, figs.466,467. by subsequent designation by Westwood,1841, in Humprey & Westwood, Br. Butts Transformations (ed.1):12
- **47. Spialia (Neospialia) Koçak,1989** (Hesperiidae) Synonym(s): *Powellia Tutt,[1906] nec Maskell,1879; Neospialia Koçak,1989.* Original Reference: Neospialia Koçak,1989, Priamus 5 (1/2): 67 (pro Powellia Tutt,1906 nec Maskell,1879). Type-species: Papilio sertorius Hofmannsegg,1804. by original designation.
- **Spialia (s.str.) Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912* <u>Original Reference:</u> Spialia Swinhoe,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: Hesperia galba Fabricius,1793, by original designation.
- **49. Spialia Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912* <u>Original Reference:</u> Spialia Swinhoe,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: Hesperia galba Fabricius,1793, by original designation.

**Thymelicus Hübner,[1819]** (Hesperiidae) Synonym(s): *Thymelicus Hübner,[1819]; Adopoea Billberg,1820; Pelion Kirby,1858.* Original Reference: Thymelicus Hübner,[1819], Verz. bekannt. Schmett. (8): 113. Type-species: Papilio acteon Rottemburg,1775, Der Naturforscher 6: 30. by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7:94.

## Libytheidae

- **Libythea (s.str.) Fabricius,1807** (Libytheidae) Synonym(s): Libythea Fabricius,1807; Hecaerge Ochsenheimer,1816; Hypatus Hübner,1822; Libythaeus Boitard,1828; Dichora Scudder,1889. Original Reference: Libythea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio celtis Laicharting,1782, [in] Fuessly, Arch. Insectengesch. (2)(4):1, pl.8, f.1-3, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 440
- 52. Libythea Fabricius, 1807 (Libytheidae) Synonym(s): Libythea Fabricius, 1807; Hecaerge Ochsenheimer, 1816; Hypatus Hübner, 1822; Libythaeus Boitard, 1828; Dichora Scudder, 1889. Original Reference: Libythea Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio celtis Laicharting, 1782, [in] Fuessly, Arch. Insectengesch. (2)(4):1, pl.8, f.1-3, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 440

### Lycaenidae

- 53. Anthene Doubleday,1847 (Lycaenidae) Synonym(s): Anthene Doubleday,1847; Lycaenesthes Moore,1866; Pseudoliptena Stempffer,1946 Original Reference: Anthene Doubleday,1847, List Specimens lepid. Insects Colln Br. Mus. 2: 27. Type-species: Papilio larydas Cramer,[1780], by subsequent designation by Hemming,1933, Trans. R. ent. Soc. Lond. 83: 435.
- 54. Azanus (s.str.) Moore,[1881] (Lycaenidae) Synonym(s): Azanus Moore,[1881] Original Reference: Azanus Moore,[1881], Lep. Ceylon 1 (2): 79. Type-species: Papilio ubaldus Stoll,[1782], by original designation.
- Azanus Moore,[1881] (Lycaenidae) Synonym(s): Azanus Moore,[1881] Original Reference: Azanus Moore,[1881], Lep. Ceylon 1 (2): 79. Type-species: Papilio ubaldus Stoll,[1782], by original designation.
- 56. Callophrys Billberg,1820 (Lycaenidae) Synonym(s): Lycus Hübner,[1819] nec Fabr.,1787; Callophrys Billberg,1820; Licus Hübner,[1823]; Incisalia Scudder,1872; Mitoura Scudder,1872; Satsuma Murray,1875 nec Adams,1868; Ahlbergia Bryk,1946; Ginzia Okano,1947; #Callophris Barragué,1954; Sandia Clench & Ehrlich,1960; Xamia Clench,1961; Cisincisalia K.Johnson,1992; Loranthomitoura Ballmer & Pratt,1992; Novosatsuma K.Johnson,1992; Cissatsuma K.Johnson,1992; Deciduphagus K.Johnson,1992 Original Reference: Callophrys Billberg,1820, Enum. Ins. Mus. Billberg: 80. Type-species: Papilio rubi Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:132.
- 57. **Celastrina Tutt,1906** (Lycaenidae) Synonym(s): *Celastrina Tutt,1906; Cyaniriodes Matsumura,1919 nec De Niceville,1890; Maslowskia Kurenzov,1974.* Original Reference: Celastrina Tutt,1906, Entomologist's Rec. J. Var. 18: 131. Type-species: Papilio argiolus Linnaeus,1758, by original designation.
- 58. Chilades (Freyeria) Courvoisier,1920 (Lycaenidae) Synonym(s): Freyeria Courvoisier,1920 Original Reference: Freyeria Courvoisier,1920, Dt. ent. Z., Iris 34:234. Typespecies: Lycaena trochylus Freyer,1845, Neue. Beitr. Schmett. 5 (74): 98, pl.440, fig.1, by monotypy.
- 59. Chilades (Lachides) Nekrutenko,1984 (Lycaenidae) Synonym(s): Lachides Nekrutenko,1984 Original Reference: Lachides Nekrutenko,1984, Vestn. zool. 1984 (3): 30-31. Type-species: Lycaena galba Lederer,1855, by original designation.
- 60. Chilades Moore,[1881] (Lycaenidae) Synonym(s): Chilades Moore,[1881] Original Reference: Chilades Moore,[1881], Lep. Ceylon 1 (2): 76. Type-species: Papilio lajus Stoll,[1780], by original designation.
- **61. Cigaritis Donzel,1847** (Lycaenidae) Synonym(s): *Cigaritis Donzel,1847*; *Spindasis Wallengren,1857*; *Apharitis Riley,1925*; #Zigaritis Pfeiffer,1932 <u>Original Reference</u>: Cigaritis Donzel,1847,

- Annls Soc. ent. Fr. (2) 5: 528. Type-species: Cigaritis zohra Donzel,1847, ibid. (2) 5: 528, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 142.
- **Cupido (s.str.) Schrank,1801** (Lycaenidae) Synonym(s): *Cupido Schrank,1801* Original Reference: Cupido Schrank,1801, Fauna boica 2(1):153, 206. Type-species: Papilio minimus Fuessly,1775, Verz. bekannt. schweiz. Ins.:31, by subsequent designation by ICZN, Op.503.
- **63. Cupido Schrank,1801** (Lycaenidae) Synonym(s): *Cupido Schrank,1801* <u>Original Reference:</u> Cupido Schrank,1801, Fauna boica 2(1): 153, 206. Type-species: Papilio minimus Fuessly,1775, Verz. bekannt. schweiz. Ins.:31, by subsequent designation by ICZN, Op.503.
- **Original Reference:** Virachola Moore,[1881] (Lycaenidae) Synonym(s): Virachola Moore,[1881] Original Reference: Virachola Moore,[1881], Lep. Ceylon 1(3): 104. Type-species: Deudorix perse Hewitson,[1863], by original designation.
- **65. Deudorix Hewitson,[1863]** (Lycaenidae) Synonym(s): *Deudorix Hewitson,[1863]* <u>Original Reference:</u> Deudorix Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 16. Type-species: Moore,1857, by original designation.
- **66. Glaucopsyche (Apelles) Hemming,1931** (Lycaenidae) Synonym(s): *Apelles Hemming,1931* Original Reference: Apelles Hemming,1931, Trans. ent. Soc. Lond. 79:323. Typespecies: Polyommatus melanops Boisduval,[1828], Eur. Lepid. Index: 13, by original designation.
- 67. Glaucopsyche (Iolana) Bethune-Baker,1914 (Lycaenidae) Synonym(s): *Iolana Bethune-Baker*,1914 Original Reference: Iolana Bethune-Baker,1914, Entomologist's Rec. J. Var. 26: 162. Type-species: Lycaena iolas Ochsenheimer,1816, by original designation.
- **68. Glaucopsyche (s.str.) Scudder,1872** (Lycaenidae) Synonym(s): *Glaucopsyche Scudder,1872* Original Reference: Glaucopsyche Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 54. Type-species: Polyommatus lygdamus Doubleday,1841, by original designation.
- 69. Glaucopsyche Scudder,1872 (Lycaenidae) Synonym(s): Glaucopsyche Scudder,1872 Original Reference: Glaucopsyche Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 54. Type-species: Polyommatus lygdamus Doubleday,1841, by original designation.
- **Toxopeus,1927.** Original Reference: Lampides Hübner,[1819], Verz. bekannt. Schmett. (5): 70. Type-species: Papilio boeticus Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): 789, by subsequent designation by Grote,1873, Bull. Buffalo Soc. nat. Sci. (3): 179.
- 71. Lycaena (Alciphronia) Koçak,1992 (Lycaenidae) Synonym(s): *Alciphronia Koçak,1992* Original Reference: Alciphronia Koçak,1992, Cent. ent. Stud., Misc. Pap. 16: 2. Type-species: Papilio alciphron Rottemburg,1775, by original designation (proposed originally as a subgenus of the genus Heodes Dalman,1816).
- **72. Lycaena (Heodes) Dalman,1816** (Lycaenidae) Synonym(s): *Heodes Dalman,1816*; *Chrysoptera Zincken,1817*. <u>Original Reference:</u> Heodes Dalman,1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1):63. Type-species: Papilio virgaureae Linnaeus,1758, Syst. Nat. (Ed.10)1: 484, by monotypy.
- 73. Lycaena (Hyrcanana) Bethune-Baker,1914 (Lycaenidae) Synonym(s): *Hyrcanana Bethune-Baker*,1914; *Sarthusia Verity*,1943 Original Reference: Hyrcanana Bethune-Baker,1914, Entomologist's Rec. J. Var. 26: 135. Type-species: Polyommatus caspius Lederer,1870, by original designation.
- **Lycaena (Loweia) Tutt,[1906]** (Lycaenidae) Synonym(s): *Loweia Tutt,[1906]; Palaeoloweia Verity,1934.* Original Reference: Loweia Tutt,[1906], Nat. Hist. Br. Butts. 1: 314. Type-species: Papilio dorilis Hufnagel,1766, Berlin. Mag. 2: 68, by original desgination.
- 75. Lycaena (Margelycaena) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Phoenicurusia auct. nec Verity,1943; Margelycaena Koçak & Kemal,2001* Original Reference: Margelycaena Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 75: 2. Type-species: Polyommatus phoenicurus var. margelanica Staudinger,1881, by original designation.
- **76. Lycaena (Palaeochrysophanus) Verity,1943** (Lycaenidae) Synonym(s): *Palaeochrysophanus Verity,1943* Original Reference: Palaeochrysophanus Verity,1943, Le Farfalle diurn. d'Italia 2: 23,64. Type-species: Papilio hippothoe Linnaeus,1761, Fauna suecica (ed.2): 274, by original designation.
- 77. **Lycaena (Phoenicurusia) Verity,1943** (Lycaenidae) Synonym(s): *Phoenicurusia Verity,1943; Athamanthia Zhdanko,1983* Original Reference: Phoenicurusia Verity,1943, Le Farfalle

- diurn. d'Italia 2: 21. Type-species: Polyommatus phoenicurus Lederer,1870, Horae Soc. ent. ross. 8: 8, pl.1 figs. 4,5, by original designation.
- **78. Lycaena (Thersamolycaena) Verity,1957** (Lycaenidae) Synonym(s): *Disparia Verity,1943 nec Nagano,1916; Thersamolycaena Verity,1957; #Thersamonolycaena Churkin,1999* Original Reference: Thersamolycaena Verity,1957, Entomologist's Rec. J. Var. 69: 225 (pro Disparia Verity,1943 nec Nagano,1916). Type-species: Papilio dispar Haworth,[1802], Prodr. Lep. Br.: 3 & nota. by original designation.
- **Lycaena (Thersamonia) Verity,1919** (Lycaenidae) Synonym(s): *Thersamonia Verity,1919*; *Hyllolycaena & L.Miller & F.M.Brown,1979* <u>Original Reference:</u> Thersamonia Verity,1919, Entomologist's Rec. J. Var. 31: 28. Type-species: Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6, by original designation.
- 80. Lycaena (s.str.) Fabricius,1807 (Lycaenidae) Synonym(s): Lycaena Fabricius,1807 Original Reference: Lycaena Fabricius,1807, Mag. f.Insektenk. (Illiger) 6: 285. Type-species: Papilio phlaeas Linnaeus,1761, Faun. suec. (ed.2): 285, by subsequent designation by Curtis,1828, Br. Ent. 5: pl.12.
- 81. Lycaena Fabricius,1807 (Lycaenidae) Synonym(s): Lycaena Fabricius,1807; Lycia Sodoffsky,1837; Migonitis Sodoffsky,1837; Rumicia Tutt,1906. Original Reference: Lycaena Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 285. Type-species: Papilio phlaeas Linnaeus,1761, Faun. suec. (ed.2): 285, by subsequent designation by Curtis,1828, Br. Ent. 5: pl.12.
- **82. Phengaris Doherty,1891** (Lycaenidae) Synonym(s): #Argus Boisduval,[1832] nec Bohadsch,1761; Phengaris Doherty,1891; Maculinea van Eecke,1915 Original Reference: Phengaris Doherty,1891, J. asiat. Soc. Bengal 60 (2): 36. Type-species: Lycaena atroguttata Oberthür,1876, by monotypy.
- 83. Plebejus (Kretania) Beuret,1959 (Lycaenidae) Synonym(s): *Kretania Beuret,1959*Original Reference: Kretania Beuret,1959, Mitt. ent. Ges. Basel (n.f.) 9:83. Type-species: Lycaena psylorita Freyer,1845, Neue. Beitr. Schmett. 5(79): 146, pl. 469, figs. 3-4, by original designation.
- 84. Plebejus (Lycaeides) Hübner,[1819] (Lycaenidae) Synonym(s): Lycaeides Hübner,[1819] Original Reference: Lycaeides Hübner,[1819], Verz. bekannt. Schmett. (5): 69. Type-species: Papilio argyrognomon Bergträßer,[1779], Nom. Beschr. Ins. Graftschaft Hanau-Munzenburg 2: 76, pl.46, figs. 1-2, by subsequent designation by ICZN, Op. 169.
- 85. Plebejus (Plebejides) Sauter,1968 (Lycaenidae) Synonym(s): Plebejides Sauter,1968 Original Reference: Plebejides Sauter,1968, Mitt. ent. Ges. Basel (n.f.) 18 (1): 4. Type-species: Lycaena pylaon Fischer von Waldheim,1832, by original designation.
- 86. Plebejus (s.str.) Kluk,1802 (Lycaenidae) Synonym(s): Plebejus Kluk,1802 Original Reference: Plebejus Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4:89. Type-species: Papilio argus Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 87. Plebejus Kluk,1802 (Lycaenidae) Synonym(s): Plebejus Kluk,1802; Plebeius Kirby,1871 nec Tschudi,1846. Original Reference: Plebejus Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4:89. Typespecies: Papilio argus Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 88. Polyommatus (Agriades (s.str.)) Hübner,[1819] (Lycaenidae) Synonym(s): *Agriades Hübner,[1819]*; *Latiorina Tutt,[1909]* Original Reference: Agriades Hübner,[1819], Verz. bekannt. Schmett. (5): 68. Type-species: Papilio glandon De Prunner,1798, Lepidopt. pedemont.: 76, by subsequent designation by ICZN, Op. 173.
- **89. Polyommatus (Albulina (Plebejidea)) Koçak,1983** (Lycaenidae) Synonym(s): *Plebejidea Koçak,1983; Glabroculus Lvovsky,1993; Elviria Zhdanko,1994.* <u>Original Reference:</u> Plebejidea Koçak,1983, Priamus 3 (1): 29. Type-species: Lycaena loewii Zeller,1847, by original designation. (proposed as a subgenus).
- 90. Polyommatus (Albulina (Vacciniina)) Tutt,[1909] (Lycaenidae) Synonym(s): Vacciniina Tutt,[1909]; Farsia Zhdanko,1994 Original Reference: Vacciniina Tutt,[1909], Nat. Hist. Br. Butts 3: 154. Type-species: Papilio optilete Knoch,1781, Beitr. Insektengesch. 1: 76, pl.5, figs.5-6, by original designation.
- 91. Polyommatus (Aricia (Eumedonia)) Forster,1938 (Lycaenidae) Synonym(s): Eumedonia Forster,1938 Original Reference: Eumedonia Forster,1938, Mitt. münch. ent. Ges. 28: 113. Type-species: Papilio eumedon Esper,[1780], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3. by original designation.

Nr. 120

- 92. Polyommatus (Aricia (Ultraaricia)) Beuret,1959 (Lycaenidae) Synonym(s): *Ultraaricia Beuret,1959* Original Reference: Ultraaricia Beuret,1959, Mitt. ent. Ges. Basel (n.f.) 9:84. Type-species: Lycaena anteros Freyer,1839, Neue. Beitr. Schmett. 1(45): 101, pl.265, fig.1. by original designation.
- 93. Polyommatus (Aricia (s.str.)) Reichenbach,1817 (Lycaenidae) Synonym(s): Aricia s.str. Reichenbach,1817 Original Reference: Aricia R.L.,1817, Jena allg. Lit.-Ztg. Jena 1(14): 280. Type-species: Papilio agestis [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend: 184, by subsequent designation by Tutt,1906, Entomologist's Rec. J. Var. 18: 1
- 94. Polyommatus (s.str. (Agrodiaetus (Actisia))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Actisia Koçak & Kemal,2001* Original Reference: Actisia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 8. Type-species: Lycaena actis Herrich-Schäffer,[1851], by original designation.
- 95. Polyommatus (s.str. (Agrodiaetus (Admetusia))) Koçak & Seven,1998 (Lycaenidae) Synonym(s): Admetusia Koçak & Seven,1998 Original Reference: Admetusia Koçak & Seven,1998, Cent. ent. Stud., Misc. Pap. 49: 4. Type-species: Papilio admetus Esper,[1783], Die Schmett. 1(2): Forts. 148, Taf.82 figs. 2, 3, by original designation [proposed originally as a section].
- 96. Polyommatus (s.str. (Agrodiaetus (Antidolus))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Antidolus Koçak & Kemal,2001* Original Reference: Antidolus Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: Lycaena antidolus Rebel,1901, by original designation.
- 97. **Polyommatus (s.str. (Agrodiaetus (Damaia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Damaia Koçak & Kemal,2001* Original Reference: Damaia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: Lycaena dama Staudinger,[1892], by original designation.
- 98. Polyommatus (s.str. (Agrodiaetus (Juldus))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Juldus Koçak & Kemal,2001* Original Reference: Juldus Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: Lycaena kindermanni var. juldusa Staudinger,1886, by original designation.
- 99. Polyommatus (s.str. (Agrodiaetus (Musa))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Musa Koçak & Kemal,2001* Original Reference: Musa Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Polyommatus (Agrodiaetus) musa Koçak & Hosseinpour,1996, by original designation.
- 100. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) Rose & Schurian,[1978] (Lycaenidae) Synonym(s): *Paragrodiaetus Rose & Schurian,[1978]* Original Reference: Paragrodiaetus Rose & Schurian,[1978], J. ent. Soc. Iran 4: 68. Type-species: Lycaena glaucias Lederer,1871, by original designation [proposed originally as a subgenus].
- 101. Polyommatus (s.str. (Agrodiaetus (Peileia))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): Peileia Koçak & Kemal,2001 Original Reference: Peileia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Polyommatus peilei Bethune-Baker,1921, by original designation.
- 102. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Phyllisia Koçak & Kemal,2001* Original Reference: Phyllisia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: Lycaena damon var. phyllis Christoph,1877, by original designation.
- 103. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Transcaspius Koçak & Kemal,2001* Original Reference: Transcaspius Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: Lycaena kindermanni var. transcaspica Staudinger,1899, by original designation.
- 104. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) Koçak & Kemal,2001 (Lycaenidae) Synonym(s): *Xerxesia Koçak & Kemal,2001* Original Reference: Xerxesia Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: Lycaena damone var. xerxes Staudinger,1899, by original designation.
- 105. Polyommatus (s.str. (Agrodiaetus)) Hübner,1822 (Lycaenidae) Synonym(s): Agrodiaetus Hübner,1822; Hirsutina Tutt,[1909]. Original Reference: Agrodiaetus Hübner,1822, Syst.

- alph. Verz.: 1-10. Type-species: Papilio damon [Denis & Schiffermüller],1775, by subsequent designation by Hemming,1934, Gen. Names hol. Butts 1: 109.
- 106. Polyommatus (s.str. (Cyaniris)) Dalman,1816 (Lycaenidae) Synonym(s): *Cyaniris Dalman,1816; Nomiades Hübner,[1819]*. Original Reference: Cyaniris Dalman,1816, K. svenska VetenskAkad. Handl., 1816(1):63. Type-species: Cyaniris argianus Dalman,1816, ibid.:95, by monotypy.
- 107. Polyommatus (s.str. (Lysandra)) Hemming,1933 (Lycaenidae) Synonym(s): Lysandra Hemming,1933 Original Reference: Lysandra Hemming,1933, Entomologist 66: 277. Type-species: Papilio coridon Poda,1761, by selection through Section (i) (replacement names) of Article 67.
- 108. Polyommatus (s.str. (Meleageria)) De Sagarra,1925 (Lycaenidae) Synonym(s): Meleageria De Sagarra,1925 Original Reference: Meleageria De Sagarra,1925, Bull. Inst. catal. Hist. nat. (2) 5: 271. Type-species: Papilio meleager Esper,[1777], by monotypy.
- 109. Polyommatus (s.str. (Neolysandra)) Koçak,1977 (Lycaenidae) Synonym(s): Neolysandra Koçak,1977 Original Reference: Neolysandra Koçak,1977, Atalanta 8 (1): 52. Typespecies: Lycaena diana Miller,1912, by original designation.
- 110. Polyommatus (s.str. (Plebicula)) Higgins,1969 (Lycaenidae) Synonym(s): *Plebicula Higgins,1969* Original Reference: Plebicula Higgins,1969, Entomologist 102: 67. Type-species: Papilio argester Bergsträßer,[1779], by original designation.
- 111. Polyommatus (s.str. (Sublysandra)) Koçak,1977 (Lycaenidae) Synonym(s): Sublysandra Koçak,1977 Original Reference: Sublysandra Koçak,1977, Atalanta 8 (1): 52-53. Typespecies: Polyommatus candalus Herrich-Schäffer,[1851], by original designation.
- 112. Polyommatus (s.str. (Thersitesia)) Koçak & Seven,1998 (Lycaenidae) Synonym(s): Thersitesia Koçak & Seven,1998 Original Reference: Thersitesia Koçak & Seven,1998, Cent. ent. Stud., Misc. Pap. 49: 4. Type-species: Argus thersites Canterer,[1835], Hist. Nat. Lépid. Rhop. et Bas-Rhin...: 53-54, Pl.11, figs. 1,2, by original designation (proposed as a section).
- 113. Polyommatus (s.str.) Latreille,1804 (Lycaenidae) Synonym(s): Polyommatus Latreille,1804 Original Reference: Polyommatus Latreille,1804, Nouv. Dict. Hist. nat. 24(tab.): 185,200. Type-species: Papilio icarus Rottemburg,1775, Der Naturforscher 6:31, by subsequent designation by ICZN, Op.270.
- 114. Polyommatus Latreille,1804 (Lycaenidae) Synonym(s): Polyommatus Latreille,1804 Original Reference: Polyommatus Latreille,1804, Nouv. Dict. Hist. nat. 24(tab.): 185,200. Typespecies: Papilio icarus Rottemburg,1775, Der Naturforscher 6:31, by subsequent designation by ICZN, Op.270.
- 115. **Pseudophilotes Beuret,1958** (Lycaenidae) Synonym(s): *Pseudophilotes Beuret,1958* Original Reference: Pseudophilotes Beuret,1958, Mitt. ent. Ges. Basel (n.f.) 8(6):100. Typespecies: Papilio baton Bergträßer,[1779], Nom. Ins.3:18, pl.60, figs.6-8, by original designation.
- 116. Quercusia Verity,1943 (Lycaenidae) Synonym(s): Quercusia Verity,1943 Original Reference: Quercusia Verity,1943, Le Farfalle diurn. d'Italia 2: 343. Type-species: Papilio quercus Linnaeus,1758, Syst. Nat. (Ed.10)1: 482. by original designation.
- 117. **Rubrapterus Korshunov,1987** (Lycaenidae) Synonym(s): *Rubrapterus Korshunov,1987* Original Reference: Rubrapterus Korshunov,1987, Nov. Maloizvestiye Vidy Fauny Sib. 19: 9. Type-species: Lycaena bavius Eversmann,1832, by original designation.
- 118. Satyrium (Armenia) Dubatolov & Korshunov,1984 (Lycaenidae) Synonym(s): Armenia Dubatolov & Korshunov,1984 Original Reference: Armenia Dubatolov & Korshunov,1984, Nov. maloizv. Vidy Fauny Sib. (17): 53 (nom. nov. pro Argus Gerhard,[1850) nec Bohadsch,1761). Type-species: Lycaena ledereri Boisduval,1848.
- 119. Satyrium (Nordmannia) Tutt,[1907] (Lycaenidae) Synonym(s): Nordmannia Tutt,[1907] Original Reference: Nordmannia Tutt,[1907], Nat. Hist. Br. Butts 2: 143. Type-species: Lycaena myrtale Klug,1834, by original designation.
- 120. Satyrium (Strymonidia) Tutt,[1908] (Lycaenidae) Synonym(s): Strymonidia Tutt,[1908] Original Reference: Strymonidia Tutt,[1908], Nat. Hist. Br. Butts 2: 483. Type-species: Thecla thalia Leech,[1893], by designation through Section (i) (replacement names) of Article 67.
- 121. Satyrium (Superflua) Strand,1910 (Lycaenidae) Synonym(s): Superflua Strand,1910 Original Reference: Superflua Strand,1910, Ent. Rdsch. 27: 162. Type-species: Thecla sassanides Kollar,[1849], selection through Section (i) of Article 67.

- **Satyrium Scudder,1876** (Lycaenidae) Synonym(s): *Satyrium Scudder,1876*; *Callipsyche Scudder,1876*. Original Reference: Satyrium Scudder,1876, Bull. Buffalo Soc. nat. Sci. 3:106. Typespecies: Lycaena fuliginosa Edwards,1861, Proc. Acad. nat. Sci. Philad. 1861: 164, by original designation.
- Tarucus (s.str.) Moore,[1881] (Lycaenidae) Synonym(s): Tarucus Moore,[1881] Original Reference: Tarucus Moore,[1881], Lep. Ceylon 1 (3): 81. Type-species: Hesperia theophrastus Fabricius,1793, Ent. Syst. 3(1):281, by original designation.
- **Tarucus Moore,[1881]** (Lycaenidae) Synonym(s): *Tarucus Moore,[1881]* Original Reference: Tarucus Moore,[1881], Lep. Ceylon 1 (3): 81. Type-species: Hesperia theophrastus Fabricius,1793, Ent. Syst. 3(1):281, by original designation.
- **Tomares Rambur,[1840]** (Lycaenidae) Synonym(s): *Tomares Rambur,[1840]* Original Reference: Tomares Rambur,[1840], Faune ent. Andalusie 2 (5): 261. Type-species: Papilio ballus Fabricius,1787, Mantissa Ins. 2: 80, by monotypy.
- **Turanana Bethune-Baker,1916** (Lycaenidae) Synonym(s): *Turania Bethune-Baker,1914 nec Rag.,1890; Turanana Bethune-Baker,1916* Original Reference: Turanana Bethune-Baker,1916, Ann. Mag. nat. Hist. (8) 17: 379. Type-species: Lycaena cytis Christoph,1877, by designation through Section (i) (replacement names) of Article 67.
- **Zizeeria Chapman,1910** (Lycaenidae) Synonym(s): *Zizeeria Chapman,1910* Original Reference: Zizeeria Chapman,1910, Trans. ent. Soc. Lond. 1910: 480,482. Type-species: Polyommatus karsandra Moore,1865, Proc. zool. Soc. Lond. 1865(2):505, pl.31, fig.7, by original designation.

## **Papilionidae**

- 128. Archon Hübner,1822 (Papilionidae) Synonym(s): Archon Hübner,1822; Dorarchon Rothschild,1918. Original Reference: Archon Hübner,1822, Syst.-alph. Verz.: 2,6,8,9. Type-species: Papilio thia Hübner,[1806], Samml. eur. Schmett.: pl. Pap.124, figs. 635-636; [1806], ibid.(Ziefer):60. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 117.
- 129. Hypermnestra Ménétriés,1848 (Papilionidae) Synonym(s): Hypermnestra Ménétriés,1848 Original Reference: Hypermnestra Ménétriés,1848, Descr. Ins. rec. feu Lehmann: explic. pl.6 fig.1. Type-species: Ismene helios Nickerl,1846, by subsequent designation through Section (i) of Art.67.
- 130. Iphiclides Hübner,[1819] (Papilionidae) Synonym(s): *Iphiclides Hübner,*[1819]; *Podalirius Swainson,*[1833] nec Latreille,1802. Original Reference: Iphiclides Hübner,[1819], Verz. bekannter Schmett. (6): 82. Type-species: Papilio podalirius Linnaeus,1758, Syst. Nat. (Ed.10)1: 463, nota, by subsequent designation by Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 65.
- 131. Papilio (s.str. (Alexanoria)) Koçak & Kemal,2002 (Papilionidae) Synonym(s): Alexanoria Koçak & Kemal,2002 Original Reference: Papilio (s.str. (Alexanoria)) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 2. Type-species: Papilio alexanor Esper,[1800], by original designation [proposed as a section of Papilio Linnaeus,1758, s.str.].
- 132. Papilio (s.str.) Linnaeus,1758 (Papilionidae) Synonym(s): Papilio Linnaeus,1758; Amaryssus Dalman,1816; Aernauta Berge,1842. Original Reference: Papilio Linnaeus,1758, Syst. Nat. (Ed.10) 1: 458. Type-species: Papilio machaon Linnaeus,1758, Syst. Nat. (Ed.10)1: 462, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 350, 440.
- 133. Papilio Linnaeus,1758 (Papilionidae) Synonym(s): Papilio Linnaeus,1758; Amaryssus Dalman,1816; Aernauta Berge,1842. Original Reference: Papilio Linnaeus,1758, Syst. Nat. (Ed.10) 1: 458. Type-species: Papilio machaon Linnaeus,1758, Syst. Nat. (Ed.10)1: 462, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 350, 440.
- 134. Parnassius (Driopa) Korshunov,1988 (Papilionidae) Synonym(s): Driopa Korshunov,1988; Erythrodriopa Korshunov,1988; Adoritis Koçak,1989; Eversmanniodriopa Korb,2005 Original Reference: Driopa Korshunov,1988, [in] Zolotarenko, Taksonomija zhiwotnych Sibiri. Nowje i maloiwestnyje widy fauny Sibiri, 20: 65. Type-species: Papilio mnemosyne Linnaeus,1758, by original designation.
- **Parnassius (s.str.) Schneider,1785** (Papilionidae) Synonym(s): Parnassius Schneider,1785; Parnassius Latreille,1804; Doritis Fabricius,1807; Parnassis Hübner,[1819]; Therius Billberg,1820; Tadumia

- Moore,1902; Kailasius Moore,1902; Koramius Moore,1902; Lingamius Bryk,1935; Eukoramius Bryk,1935; Sachaia Korshunov,1988; Quinhaicus Korshunov,1988; Krezbergius Korshunov,1988 Original Reference: Parnassius Schneider,1785, Nom. Ent.: 34. Type-species: Papilio apollo Linnaeus,1758, Syst. Nat. (Ed.10)1: 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.
- 136. Parnassius Schneider,1785 (Papilionidae) Synonym(s): Parnassius Schneider,1785; Parnassius Latreille,1804; Doritis Fabricius,1807; Parnassis Hübner,[1819]; Therius Billberg,1820; Tadumia Moore,1902; Kailasius Moore,1902; Koramius Moore,1902; Lingamius Bryk,1935; Eukoramius Bryk,1935; Sachaia Korshunov,1988; Quinhaicus Korshunov,1988; Krezbergius Korshunov,1988 Original Reference: Parnassius Schneider,1785, Nom. Ent.: 34. Type-species: Papilio apollo Linnaeus,1758, Syst. Nat. (Ed.10)1: 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.
- 137. **Princeps (s.str. (Achillides)) Hübner,[1819]** (Papilionidae) Synonym(s): *Achillides Hübner,[1819]*; *Pangeranopsis Wood-Mason & De Nicéville,[1887]*. <u>Original Reference:</u> Achillides Hübner,[1819], Verz. bekannt. Schmett. (6): 85. Type-species: Papilio paris Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 100.
- 138. Princeps (s.str.) Hübner,[1807] (Papilionidae) Synonym(s): Princeps Hübner,[1807] Original Reference: Princeps Hübner,[1807], Samml. exot. Schmett. 1: pl.[116]. Type-species: Papilio demodocus Esper,[1798], by subsequent designation by the Commission under its Plenary Powers under Article 70(a).
- 139. Princeps Hübner,[1807] (Papilionidae) Synonym(s): Princeps Hübner,[1807] Original Reference: Princeps Hübner,[1807], Samml. exot. Schmett. 1: pl.[116]. Type-species: Papilio demodocus Esper,[1798], by subsequent designation by the Commission under its Plenary Powers under Article 70(a).
- 140. Zerynthia (Allancastria) Bryk,1934 (Papilionidae) Synonym(s): Allancastria Bryk,1934 Original Reference: Allancastria Bryk,1934, Das Tierreich 64: 19, 61-62. Type-species: Thais cerisyi Godart,1822, Mém. Soc. linn. Paris 2: 234, pl.20, figs.3,4. by original designation.
- **141. Zerynthia Ochsenheimer,1816** (Papilionidae) Synonym(s): *Thais Fabricius,1807 nec Röding,1798; Zerynthia Ochsenheimer,1816; Eugraphis Billberg,1820;* Original Reference: Zerynthia Ochsenheimer,1816, Schmett. Europa 4: 29. Type-species: Papilio hypsipyle Fabricius,1777, Gen. Ins.: 265. through Art.67, sect.(i).

#### **Pieridae**

- 142. Anthocharis Boisduval, Rambur, Duméril & Graslin,1833 (Pieridae) Synonym(s): Anthocharis Boisduval, Rambur, Duméril & Graslin,1833 Original Reference: Anthocharis Boisduval, Rambur, Duméril & Graslin,1833, Coll. icon. hist. Chenilles Eur. (21): pl.5. Type-species: Papilio cardamines Linnaeus,1758, Syst. Nat. (Ed.10)1: 468, by monotypy.
- 143. Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001 (Pieridae) Synonym(s): Turanoporia Koçak & Kemal,2001 Original Reference: Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001, Priamus 10 (3/4): 115. Type-species: Pontia leucodice Eversmann,1843, by original designation (proposed as a section).
- 144. Aporia (Metaporia) Butler,1870 (Pieridae) Synonym(s): *Metaporia Butler,1870* Original Reference: Metaporia Butler,1870, Cistula ent. 1: 38, 51. Type-species: Pieris agathon Gray,1831, Zool. Miscell. (Gray) 1): 33, by original designation.
- 145. Aporia (s.str.) Hübner,[1819] (Pieridae) Synonym(s): *Aporia Hübner,[1819]; Leuconea Donzel,1837*. Original Reference: Aporia Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Typespecies: Papilio crataegi Linnaeus,1758, by monotypy.
- 146. Aporia Hübner,[1819] (Pieridae) Synonym(s): *Aporia Hübner,[1819]; Leuconea Donzel,1837*. Original Reference: Aporia Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Type-species: Papilio crataegi Linnaeus,1758, by monotypy.
- 147. **Belenois** Hübner,[1819] (Pieridae) Synonym(s): Belenois Hübner,[1819]; Anaphaeis Hübner,[1819]; Pseudohuphina Stoneham,1940; Pseudonaphaeis Bernardi,1953 Original Reference: Belenois Hübner,[1819], Verz. bekannt. Schmett. (6): 92. Type-species: Papilio calypso Drury,[1773], by monotypy.
- 148. Catopsilia Hübner,[1819] (Pieridae) Synonym(s): Catopsilia Hübner,[1819]; Murtia Hübner,[1819] Original Reference: Catopsilia Hübner,[1819], Verz. bekannt. Schmett. (7): 98.

- Type-species: Papilio crocale Cramer,[1777], Uitl. Kapellen 1(5): 87, Pl.55 figs. C,D, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1871: 58.
- 149. Colias (Eriocolias) Watson,1895 (Pieridae) Synonym(s): Eriocolias Watson,1895 Original Reference: Eriocolias Watson,1895, Entomologist 28: 167. Type-species: Papilio edusa Fabricius,1787, by original designation.
- 150. Colias (Neocolias) Berger,1986 (Pieridae) Synonym(s): Neocolias Berger,1986 Original Reference: Neocolias Berger,1986, Lambillionea 86 (7/8) (Suppl.): 21. Type-species: Papilio erate Esper,1805, by original designation.
- 151. Colias (s.str.) Fabricius,1807 (Pieridae) Synonym(s): Colias Fabricius,1807; Eurymus Horsfield,1829; Coliastes Hemming,1931; Protocolias Petersen,1963; Mesocolias Petersen,1963 Original Reference: Colias Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio hyale Linnaeus,1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by ICZN, Op.146.
- **Colias Fabricius,1807** (Pieridae) Synonym(s): *Colias Fabricius,1807*; *Eurymus Horsfield,1829*; *Coliastes Hemming,1931*; *Protocolias Petersen,1963*; *Mesocolias Petersen,1963* Original Reference: Colias Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio hyale Linnaeus,1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by ICZN, Op.146.
- 153. Colotis (s.str.) Hübner,[1819] (Pieridae) Synonym(s): Colotis Hübner,[1819]; Aphrodite Hübner,[1819]; Idmais Boisduval,1836; Callosune Doubleday,1847; Anthopsyche Wallengren,1857; Ptychopteryx Wallengren,1857; Thespia Wallengren,1858; Calicharis Oberthür,1876; Madais Swinhoe,1909. Original Reference: Colotis Hübner,[1819], Verz. bekannt. Schmett. (7): 97. Type-species: Papilio amata Fabricius,1775, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 146-147.
- **Colotis Hübner,[1819]** (Pieridae) Synonym(s): *Colotis Hübner,[1819]; Aphrodite Hübner,[1819]; Idmais Boisduval,1836; Callosune Doubleday,1847; Anthopsyche Wallengren,1857; Ptychopteryx Wallengren,1857; Thespia Wallengren,1858; Calicharis Oberthür,1876; Madais Swinhoe,1909. Original Reference: Colotis Hübner,[1819], Verz. bekannt. Schmett. (7): 97. Type-species: Papilio amata Fabricius,1775, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 146-147.*
- 155. Euchloe (Elphinstonia) Klots,1930 (Pieridae) Synonym(s): *Elphinstonia Klots,1930* Original Reference: Elphinstonia Klots,1930, Bull. Brooklyn ent. Soc. 25: 87. Type-species: Anthocharis charlonia Donzel,1842, Annls Soc. ent. Fr. 11(2): 197, pl.8, fig.1, by original designation.
- **Euchloe (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe Hübner,[1819]; Phyllocharis Schatz,[1886] nec Dalman,1824* Original Reference: Euchloe Hübner,[1819], Verz. bekannt. Schmett. (66):94. Type-species: Euchloe ausonia var. esperi Kirby,1871, Syn. Cat. diurn. Lep.: 506, by subsequent designation by ICZN, Op.177.
- 157. Euchloe Hübner,[1819] (Pieridae) Synonym(s): Euchloe Hübner,[1819]; Phyllocharis Schatz,[1886] nec Dalman,1824 Original Reference: Euchloe Hübner,[1819], Verz. bekannt. Schmett. (66):94. Type-species: Euchloe ausonia var. esperi Kirby,1871, Syn. Cat. diurn. Lep.: 506, by subsequent designation by ICZN, Op.177.
- 158. Gonepteryx (s.str.) [Leach],[1815] (Pieridae) Synonym(s): Gonepteryx [Leach],[1815]; Rhodocera Boisduval & Leconte,[1830]; Earina Speyer,1839; Eugonepteryx Nekrutenko,1968. Original Reference: Gonepteryx [Leach],[1815], [in] Brewster Edinburgh Encycl. 9(1): 127. Type-species: Papilio rhamni Linnaeus,1758, Syst. Nat. (Ed.10)1: 470, by monotypy.
- 159. Gonepteryx [Leach],[1815] (Pieridae) Synonym(s): Gonepteryx [Leach],[1815]; Rhodocera Boisduval & Leconte,[1830]; Earina Speyer,1839; Eugonepteryx Nekrutenko,1968. Original Reference: Gonepteryx [Leach],[1815], [in] Brewster Edinburgh Encycl. 9(1): 127. Type-species: Papilio rhamni Linnaeus,1758, Syst. Nat. (Ed.10)1: 470, by monotypy.
- 160. Leptidea Billberg,1820 (Pieridae) Synonym(s): Leptidea Billberg,1820; Leucophasia Stephens,1827 Original Reference: Leptidea Billberg,1820, Enum. Ins. Mus. Billb.: 76. Typespecies: Papilio sinapis Linnaeus, 1758, Syst. Nat. (Ed.10)1: 468, by monotypy.
- 161. Pieris (Artogeia) Verity,1947 (Pieridae) Synonym(s): Artogeia Verity,1947 Original Reference: Artogeia Verity,1947, Farfalle diurn. d'Ital. 3: 192, 193. Type-species: Papilio napi Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 468, by original designation.
- 162. Pieris (s.str.) Schrank,1801 (Pieridae) Synonym(s): Pieris Schrank,1801; Ganoris Dalman,1816; Andropodum Hübner,1822 Original Reference: Pieris Schrank,1801, Fauna boica 2(1): 152, 161. Type-species: Papilio brassicae Linnaeus,1758, Syst. Nat. (Ed.10) 1: 467, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 351, 440.

- 164. Pontia Fabricius,1807 (Pieridae) Synonym(s): Pontia Fabricius,1807; Synchloe Hübner,1818; Mancipium Stephens,1827; Parapieris Nicéville,1897; Leucochloe Röber,1907; Pontieuchloia Verity,1929. Original Reference: Pontia Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: Papilio daplidice Linnaeus,1758, Syst. Nat. (Ed.10)1: 468. by subsequent designation by Curtis, 1834, Brit. Ent. 5: pl.48.
- **Zegris Boisduval,1836** (Pieridae) Synonym(s): *Zegris Boisduval,1836*; *Zegris Rambur,[1837]*. Original Reference: Zegris Boisduval,[1836], Hist. nat. Ins., Sp. Gén. Lép. 1: 552. Type-species: Papilio eupheme Esper,[1805], Die Schmett. 1 Absch. Tagschmett.: 105, pl.113, figs.2,3, by subsequent designation by Blanchard,1840, Hist. nat. Ins. 3: 428.

### Satyridae

- 166. Arethusana De Lesse,1951 (Satyridae) Synonym(s): Arethusana De Lesse,1951 Original Reference: Arethusana Lesse,1951, Revue fr. Lépid. 13(3/4): 40. Type-species: Papilio arethusa [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend:169. by original designation.
- 167. Brintesia Fruhstorfer,1911 (Satyridae) Synonym(s): Brintesia Fruhstorfer,1911 Original Reference: Brintesia Fruhstorfer,1911, [in] Seitz, Gross-Schmett. Erde 9: 307. Type-species: Papilio proserpina [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend:179. through Art.67, Sect.(i).
- **168. Chazara (Neochazara) Koçak,1989** (Satyridae) Synonym(s): *Philareta Moore,1893 nec Mre.,1881; Neochazara Koçak,1989* Original Reference: Chazara (Neochazara) Koçak,1989, Priamus 5 (1/2): 49. Type-species: Papilio anthe Hoffmansegg,1804, by original designation (proposed as section of Chazara Moore).
- 169. Chazara (s.str.) Moore,[1893] (Satyridae) Synonym(s): Chazara Moore,[1893] Original Reference: Chazara Moore,[1893], Lepid. ind. 2 (13): 21. Type-species: Papilio briseis Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- Chazara Moore,[1893] (Satyridae) Synonym(s): *Chazara Moore,*[1893] <u>Original Reference:</u> Chazara Moore,[1893], Lepid. ind. 2 (13): 21. Type-species: Papilio briseis Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- 171. Coenonympha (Lyela) Swinhoe,1908 (Satyridae) Synonym(s): Lyela Swinhoe,1908 Original Reference: Lyela Swinhoe,1908, Ann. Mag. nat. Hist. (8) 1: 60. Type-species: Lyela macmachoni Swinhoe,1908, ibid. (8) 1: 60, by original designation.
- 172. Coenonympha (s.str.) Hübner,[1819] (Satyridae) Synonym(s): Coenonympha Hübner,[1819]; Chortobius [Dunning & Pickard],1859; Sicca Verity,1953 Original Reference: Coenonympha Hübner,[1819], Verz. bekannt. Schmett. (5): 65. Type-species: Papilio geticus Esper,[1793], Die Schmett. Suppl. Band 1 Abschn. Tagschmett.: 51, pl.102, fig.2 by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- Coenonympha Hübner,[1819] (Satyridae) Synonym(s): Coenonympha Hübner,[1819]; Chortobius [Dunning & Pickard],1859; Sicca Verity,1953 Original Reference: Coenonympha Hübner,[1819], Verz. bekannt. Schmett. (5): 65. Type-species: Papilio geticus Esper,[1793], Die Schmett. Suppl. Band 1 Abschn. Tagschmett.: 51, pl.102, fig.2 by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 174. Erebia Dalman,1816 (Satyridae) Synonym(s): Erebia Dalman,1816; Epigea Hübner,1819; Phorcis Hübner,1819; Syngea Hübner,1819; Marica Hübner,1819; Oreina Humphrey & Westwood,1841 nec Chevr.,1835; Medusia Verity,1953; Triariia Verity,1953; Simplicia Verity,1953 nec Gn.,1854; Truncaefalcia Verity,1953; Simplospinosia Verity,1957 Original Reference: Erebia Dalman,1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 58. Type-species: Papilio ligea Linnaeus,1758, Syst. Nat. (Ed.10)1: 473. by original designation.
- 175. **Esperarge (s.str.) Nekrutenko,1988** (Satyridae) Synonym(s): *Esperia Nekrutenko,1987 nec Hübn.,[1825]*; *Esperalla Nekrutenko,1987 nec Vosmaer,1885*; *Esperarge Nekrutenko,1988*. Original Reference: Esperarge Nekrutenko,1988, Vestn. zool. 1988 (1): 50. Type-species: Papilio climene

- Esper,[1783], by original designation for Esperia Nekrutenko,1987 (nomen novum pro Esperella Nekrutenko,1987).
- 176. **Esperarge Nekrutenko,1988** (Satyridae) Synonym(s): *Esperia Nekrutenko,1987 nec Hübn.,[1825]*; *Esperella Nekrutenko,1987 nec Vosmaer,1885*; *Esperarge Nekrutenko,1988*. Original Reference: Esperarge Nekrutenko,1988, Vestn. zool. 1988 (1): 50. Type-species: Papilio climene Esper,[1783], by original designation for Esperia Nekrutenko,1987 (nomen novum pro Esperella Nekrutenko,1987).
- 177. **Hipparchia (Neohipparchia) De Lesse,1951** (Satyridae) Synonym(s): *Neohipparchia De Lesse,1951* Original Reference: Neohipparchia Lesse,1951, Rev. fr. Lépid. 13(3/4): 40. Typespecies: Papilio statilinus Hufnagel,1766, Berlin. Mag. 2: 84, by original designation.
- 178. Hipparchia (Parahipparchia) Kudrna,1977 (Satyridae) Synonym(s): *Parahipparchia Kudrna,1977* Original Reference: Parahipparchia Kudrna,1977, A revision of the genus Hipparchia Fabricius: 12. Type-species: Papilio semele Linnaeus,1758, by original designation (Parahipparchia is proposed as a subgenus of the genus Hipparchia Fabricius).
- 179. **Hipparchia (s.str.) Fabricius,1807** (Satyridae) Synonym(s): *Hipparchia Fabricius,1807* Original Reference: Hipparchia Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio hermione Linnaeus,1764, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 180. Hipparchia Fabricius,1807 (Satyridae) Synonym(s): *Hipparchia Fabricius,1807* Original Reference: Hipparchia Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio hermione Linnaeus,1764, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 181. Hyponephele (s.str. (Caspinephele)) Koçak & Kemal,2001 (Satyridae) Synonym(s): Caspinephele Koçak & Kemal,2001 Original Reference: Hyponephele (s.str. (Caspinephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 129. Type-species: Epinephele dysdora Lederer,1869, by original designation (proposed as a section).
- **182. Hyponephele (s.str. (Ereminephele)) Koçak & Kemal,2001** (Satyridae) Synonym(s): *Ereminephele Koçak & Kemal,2001* Original Reference: Hyponephele (s.str. (Ereminephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 129. Type-species: Hyponephele huebneri Koçak,1980, by original designation (proposed as a section).
- 183. Hyponephele (s.str. (Iranonephele)) Koçak & Kemal,2001 (Satyridae) Synonym(s): Iranonephele Koçak & Kemal,2001 Original Reference: Hyponephele (s.str. (Iranonephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 127. Type-species: Epinephele amardaea Lederer,1869, by original designation (proposed as a section).
- 184. Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal,2001 (Satyridae) Synonym(s): Tengrinephele Koçak & Kemal,2001 Original Reference: Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 128. Type-species: Epynephele kirghisa Alpheraky,1881, by original designation (proposed as a section).
- Synonym(s): Turaninephele Koçak & Kemal,2001 (Satyridae) Synonym(s): Turaninephele Koçak & Kemal,2001 Original Reference: Hyponephele (s.str. (Turaninephele)) Koçak & Kemal,2001, Priamus 10 (3/4): 130. Type-species: Epinephele davendra Moore,1865, by original designation (proposed as a section).
- **186. Hyponephele (s.str.) Muschamp,1915** (Satyridae) Synonym(s): *Hyponephele Muschamp,1915* Original Reference: Hyponephele Muschamp,1915, Entomologist's Rec. J. Var. 27: 156. Type-species: Papilio lycaon Rottemburg,1775, Der Naturforscher 6: 17, by monotypy.
- 187. Hyponephele Muschamp,1915 (Satyridae) Synonym(s): *Hyponephele Muschamp,1915*Original Reference: Hyponephele Muschamp,1915, Entomologist's Rec. J. Var. 27: 156. Typespecies: Papilio lycaon Rottemburg,1775, Der Naturforscher 6: 17, by monotypy.
- **188. Kirinia (Melike) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Melike Koçak & Kemal,2002* Original Reference: Kirinia (Melike) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 15. Type-species: Papilio roxelana Cramer,[1777], by original designation [proposed as subgenus].
- **Kirinia Moore,[1893]** (Satyridae) Synonym(s): *Kirinia Moore,[1893]* Original Reference: Kirinia Moore,[1893], Lepid. ind. 2(13): 14. Type-species: Lasiommata epimenides Ménétriés,1859, [in] Schrenck, Reise Forschungen Amur-Lande 2(1): 39, pl.3, figs. 8,9, by original designation.

- 190. Lasiommata Westwood,1841 (Satyridae) Synonym(s): Lasiommata Westwood,1841 Original Reference: Lasiommata Westwood,1841, [in] Humpreys & Westwood, Br. Butt. Transformations [ed.1]: 65. Type-species: Papilio megera Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): 771. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 202-203.
- 191. Maniola (Telmessiola) Koçak & Kemal,2002 (Satyridae) Synonym(s): Telmessiola Koçak & Kemal,2002 Original Reference: Maniola (Telmessiola) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 14. Type-species: Hipparchia telmessia Zeller,1847, by original designation [proposed as subgenus].
- 192. Maniola (s.str.) Schrank,1801 (Satyridae) Synonym(s): Maniola Schrank,1801; Epinephele Hübner,[1819] Original Reference: Maniola Schrank,1801, Fauna boica 1(2): 152, 170. Typespecies: Papilio jurtina Linnaeus,1758, Syst. Nat. (Ed.10)1: 475. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 211.
- **Maniola Schrank,1801** (Satyridae) Synonym(s): *Maniola Schrank,1801*; *Epinephele Hübner,[1819]* Original Reference: Maniola Schrank,1801, Fauna boica 1(2): 152, 170. Typespecies: Papilio jurtina Linnaeus,1758, Syst. Nat. (Ed.10)1: 475. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 211.
- 194. Melanargia (Parce) Oberthür & Houlbert,1922 (Satyridae) Synonym(s): Parce Oberthür & Houlbert,1922 Original Reference: Parce Oberthür & Houlbert,1922, C. R. Acad. Sci., Paris 174: 192. Type-species: Parce fergana Oberthür & Houlbert,1922, by original designation.
- 195. Melanargia (Turcargia) Koçak & Kemal,2002 (Satyridae) Synonym(s): Turcargia Koçak & Kemal,2002 Original Reference: Melanargia (Turcargia) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 10-11. Type-species: Papilio larissa Geyer,[1832], by original designation [proposed as subgenus].
- 196. Melanargia (s.str.) Meigen, 1828 (Satyridae) Synonym(s): Agapetes Billberg, 1820 (rejected); Melanargia Meigen, 1828; Lachesis Oberthür & Houlbert, 1922 nec Daudin, 1803. Original Reference: Melanargia Meigen, 1828, Syst. Beschr. Eur. Schmett. 1(3):97. Type-species: Papilio galathea Linnaeus, 1758, Syst. Nat. (Ed. 10)1: 474, by subsequent designation by Kirby, 1894, in Allen's Nat. Libr., Lepid. 1: 240.
- 197. **Melanargia Meigen,1828** (Satyridae) Synonym(s): Agapetes Billberg,1820 (rejected); Melanargia Meigen,1828; Lachesis Oberthür & Houlbert,1922 nec Daudin,1803. Original Reference: Melanargia Meigen,1828, Syst. Beschr. Eur. Schmett. 1(3):97. Type-species: Papilio galathea Linnaeus,1758, Syst. Nat. (Ed.10)1: 474, by subsequent designation by Kirby,1894, in Allen's Nat. Libr., Lepid.1: 240.
- Minois Hübner,[1819] (Satyridae) Synonym(s): Minois Hübner,[1819] Original Reference: Minois Hübner,[1819], Verz. bekannt. Schmett. (4): 57. Type-species: Papilio phaedra Linnaeus,1764, Mus. Lud. Ulr.: 280, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 199. Pararge Hübner,[1819] (Satyridae) Synonym(s): Pararge Hübner,[1819] Original Reference: Pararge Hübner,[1819], Verz. bekannt. Schmett. (4): 59. Type-species: Papilio aegeria Linnaeus,1758, Syst. Nat. (Ed.10) 1: 473, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4:195.
- **200. Proterebia Roos & Arnscheid,1980** (Satyridae) Synonym(s): *Proterebia Roos & Arnscheid,1980* Original Reference: Proterebia Roos & Arnscheid,1980, Mitt. münch. ent. Ges. 70: 11. Type-species: Papilio phegea Borkhausen,1788, by original designation.
- **Pseudochazara (Achazara) Koçak,1996** (Satyridae) Synonym(s): *Achazara Koçak,1996* Original Reference: Achazara Koçak,1996, Priamus 7 (4): 137. Type-species: Papilio anthelea Hübner, [1824], by original designation (proposed as a section).
- **Pseudochazara (s.str.) De Lesse,1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse,1951* Original Reference: Pseudochazara De Lesse,1951, Revue fr. lépid. 13(3/4): 42. Typespecies: Hipparchia pelopea Klug,1832, [in] Ehrenberg, Symbolae physic. Ins.3, sign.K: 1, pl.29, figs. 5-8, by original designation.
- **203. Pseudochazara De Lesse,1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse,1951* Original Reference: Pseudochazara De Lesse,1951, Revue fr. lépid. 13(3/4): 42. Type-species: Hipparchia pelopea Klug,1832, [in] Ehrenberg, Symbolae physic. Ins.3, sign.K: 1, pl.29, figs. 5-8, by original designation.
- **204. Satyrus (Asatyrus) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Asatyrus Koçak & Kemal,2002* Original Reference: Satyrus (Asatyrus) Koçak & Kemal,2002, Cent. ent. Stud., Misc.

- 205. Satyrus Latreille,1810 (Satyridae) Synonym(s): Satyrus Latreille,1810 Original Reference: Satyrus Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 335,440. Type-species: Papilio actaea Esper,[1780], Die Schmett. 1(Bd.2) Forst. Tagschmett.: 37, pl.57, figs.1a,1b. by subsequent designation by ICZN, Op.142.
- **Ypthima Hübner,1818** (Satyridae) Synonym(s): *Ypthima Hübner,1818* Original Reference: Ypthima Hübner,1818, Zutr. z. Samml. exot. Schmett. 1: 17. Type-species: Ypthima huebneri Kirby,1871, Syn. Cat. diurn. Lep.: 95. by subsequent designation by ICZN, under Art.70(a).

#### **Moths**

Totally 1241 genus group names of 49 families are listed alphabetically. Synonymous names and original references to each taxa are added.

## Agonoxenidae

**207. Haplochrois Meyrick,1897** (Agonoxenidae) Synonym(s): Aetia Chambers,1880 nec Agass.,1847; Haplochrois Meyrick,1897; Rhadinastis Meyrick,1897; Tetanocentria Rebel,1902; Platybathra Meyrick,1911; Parametriotes Kuznetsov,1916; Syntetrernis Meyrick,1922 Original Reference: Haplochrois Meyrick,1897, Proc. Linn. Soc. N.S.W. 22: 299, 310. Type-species: Haplochrois chlorometalla Meyrick,1897, by original designation.

#### Alucitidae

- **208. Alucita Linnaeus,1758** (Alucitidae) Synonym(s): Alucita Linnaeus,1758; Orneodes Latreille,1796; Rhipidophora Hübner,1822; Euchiradia Hübner,[1825]; Alucitina Heydenreich,1851 Original Reference: Alucita Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Type-species: Phalaena hexadactyla Linnaeus,1758, by subsequent designation by ICZN, 1957 (Opinion 450).
- **Pterotopteryx Hannemann,1959** (Alucitidae) Synonym(s): *Pterotopteryx Hannemann,1959* Original Reference: Pterotopteryx Hannemann,1959, Dt. ent. Z. (N.F.) 6: 173. Type-species: Alucita dodecadactyla Hübner,[1813], by original designation.

## Arctiidae

- 210. Andala Walker,1855 (Arctiidae) Synonym(s): Andala Walker,1855; Spilarctia Staudinger,1892 nec Butl.,1875; Nebrarctia A.Watson,1980 Original Reference: Andala Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 774. Type-species: Andala unifascia Walker,1855, by monotypy.
- 211. Arctia (Epicallia) Hübner,[1820] (Arctiidae) Synonym(s): Epicallia Hübner,[1820] Original Reference: Epicallia Hübner,[1820], Verz. bekannt. Schmett. (12): 182. Type-species: Phalaena villica Linnaeus,1758, by monotypy.
- **212. Arctia (Eucharia) Hübner,[1820]** (Arctiidae) Synonym(s): *Eucharia Hübner,[1820]* Original Reference: Eucharia Hübner,[1820], Verz. bekannt. Schmett. (12): 181. Type-species: Phalaena hebe Linnaeus,1767, by subsequent designation by Kirby,1880.
- 213. Arctia (s.str.) Schrank,1802 (Arctiidae) Synonym(s): Arctia Schrank,1802; Hypercombe Hübner,[1806] (rejected); Eyprepia Ochsenheimer,1810; #Euprepia Hübner,[1819]; Zoote Hübner,[1820]; Chelonia Godart,[1823]; Arctia Stephens,1829; Arctinia Eichwald,1830; Euprepia Agassiz,1846; Callarctia Packard,1864.

  Original Reference: Arctia Schrank,1802, Fauna Boica 2 (2): 152. Type-species: Phalaena caja Linnaeus,1758, by subsequent designation by Westwood,1840.
- 214. Arctia Schrank,1802 (Arctiidae) Synonym(s): Arctia Schrank,1802; Hypercombe Hübner,[1806] (rejected); Eyprepia Ochsenheimer,1810; #Euprepia Hübner,[1819]; Zoote Hübner,[1820]; Chelonia Godart,[1823]; Arctia Stephens,1829; Arctinia Eichwald,1830; Euprepia Agassiz,1846; Callarctia Packard,1864. Original Reference: Arctia Schrank,1802, Fauna Boica 2 (2): 152. Type-species: Phalaena caja Linnaeus,1758, by subsequent designation by Westwood,1840.

- **215. Argina Hübner,[1819]** (Arctiidae) Synonym(s): *Argina Hübner,[1819]; Alytarchia Wallengren,1863; Xanthesthes Rambur,1866; Lomaspilis Felder,1874 nec Hübn.,[1825]; Mangina Kaleka & Kirti,2001* Original Reference: Argina Hübner,[1819], Verz. bekannt. Schmett.: 167. Type-species: [Phalaena] cribraria Clerk,1764, by subsequent designation by Kirby,1892 ([Phalaena] cribraria Clerk,1764 was proposed uninominally; therefore unavailable. Ph. astrea Dry. is valid name).
- **216. Axiopoena Ménétriés,1841** (Arctiidae) Synonym(s): *Axiopoena Ménétriés,1841; #Axiopena Pagenstecher,1909* Original Reference: Axiopoena Ménétriés,1841, Bull. Sci. Acad. imp. Sci. St Pétersb. 9 (2 & 3): 41. Type-species: Bombyx maura Eichwald,1830, by monotypy.
- **217.** Callimorpha Latreille,1809 (Arctiidae) Synonym(s): Callimorpha Latreille,1809; Panaxia Tams,1939. Original Reference: Callimorpha Latreille,1809, Gen. Crust. Ins. 4: 220. Type-species: Phalaena dominula Linnaeus,1758, by subsequent designation by Desmarest,1857.
- 218. Chelis Rambur,1866 (Arctiidae) Synonym(s): Chelis Rambur,1866; #Cletis Kirby,1892

  Original Reference: Chelis Rambur,1866, Cat. syst. Lépidopt. Andalousie (2) 1: 256. Typespecies: Bombyx maculosa [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.
- 219. Creataloum Dubatolov,2004 (Arctiidae) Synonym(s): Creataloum Dubatolov,2004 Original Reference: Creataloum Dubatolov,2004, Atalanta 35 (1/2): 80. Type-species: Spilosoma arabicum Hampson,1896, by original designation.
- **Creatonotos Hübner,[1819]** (Arctiidae) Synonym(s): *Creatonotos Hübner,[1819]*; *Creatonotus Agassiz,1847*; *Amphissa Walker,[1855] nec Ad.& Ad.,1853*; *Phissama Moore,[1860]*. Original Reference: Creatonotos Hübner,[1819], Verz. bekannt. Schmett.: 170. Type-species: Phalaena interrupta Linnaeus,1767, by subsequent designation by Kirby,1892.
- **Cymbalophora Rambur,1866** (Arctiidae) Synonym(s): *Tympanophora Laboulbene,1865 nec White,1841; Cymbalophora Rambur,1866* Original Reference: Cymbalophora Rambur,1866, Cat. syst. Lépidopt. Andalousie (2) 1: 231 (nom. nov. pro Tympanophora Laboulbene,1865). Type-species: Phalaena pudica Esper,1785, by monotypy.
- **222. Diaphora Stephens,1827** (Arctiidae) Synonym(s): *Diaphora Stephens,1827* <u>Original Reference:</u> Diaphora Stephens,1827, Retrospective Review (Ser.2) 1: 244. Type-species: [Phalaena] mendica Clerck,1759, by monotypy.
- **223. Ebertarctia Dubatolov,2004** (Arctiidae) Synonym(s): *Ebertarctia Dubatolov,2004;* #*Ebartarctia Dubatolov,2004* Original Reference: Ebertarctia Dubatolov,2004, Atalanta 35 (1/2): 78. Type-species: Ocnogyna nordstroemi Brandt,1947, by original designation.
- **Eilema Hübner,[1819]** (Arctiidae) Synonym(s): *Eilema Hübner,[1819]; Piesta Billberg,1820; Hilema Agassiz,1847; Ilema Hampson,1900; Lophilema Aurivillius,1910* Original Reference: Eilema Hübner,[1819], Verz. bekannt. Schmett. (11): 165. Type-species: Bombyx caniola Hübner,[1808], by subsequent designation by Moore,1878.
- **Eudiaphora Dubatolov,1990** (Arctiidae) Synonym(s): *Eudiaphora Dubatolov,1990* Original Reference: Eudiaphora Dubatolov,1990, Nov. maloizv. Vidy Fauny Sib. (22): 93. Type-species: Spilosoma turensis Erschoff,1874, by original designation.
- **Euplagia Hübner,[1820]** (Arctiidae) Synonym(s): *Euplagia Hübner,[1820]* Original Reference: Euplagia Hübner,[1820], Verz. bekannt. Schmett. (12): 180. Type-species: Phalaena hera Linnaeus,1767, by subsequent designation by Kirby,1892.
- **227. Hyphantria Harris,1841** (Arctiidae) Synonym(s): *Hyphantria Harris,1841* Original Reference: Hyphantria Harris,1841, Rep. Insects Mass. injurious to Vegn: 255. Type-species: Hyphantria textor Harris,1841, by subsequent designation by Kirby,1892.
- **Katha Moore,1878** (Arctiidae) Synonym(s): *Katha Moore,1878* Original Reference: Katha Moore,1878, Proc. zool. Soc. London 1878: 16. Type-species: Bombyx helvola Hübner,[1803], by subsequent designation by Hampson,1900.
- **Lacydes Walker,1855** (Arctiidae) Synonym(s): Lacydes Walker,1855; Acymba Rambur,1866; Palparctia Spuler,1906; Volgarctia Alpheraky,1908. Original Reference: Lacydes Walker,1855, List Specimens Lep. Ins. Brit. Mus. 3: 685. Type-species: Eyprepia intercissa Freyer,1842, by monotypy.
- **230. Lithosia Fabricius,1798** (Arctiidae) Synonym(s): *Lithosia Fabricius,1798; Lithosis Billberg,1820; Lichenia Sodoffsky,1837.* Original Reference: Lithosia Fabricius,1798, Suppl. Ent. Syst.: 418, 459. Type-species: Phalaena quadra Linnaeus,1758, by subsequent designation by Latreille,1810.

- Centre for Entomological Studies Ankara
- **Manulea (s.str.) Wallengren,1863** (Arctiidae) Synonym(s): *Manulea Wallengren,1863;* \*\*Manulea Turner,1940 Original Reference: Manulea Wallengren,1863, Wien. ent. Monatschr. 7: 145-146. Type-species: Lithosia gilveola Ochsenheimer,1810, by subsequent designation by Moore,1878.
- **Manulea Wallengren,1863** (Arctiidae) Synonym(s): *Manulea Wallengren,1863; #Manulea Turner,1940* Original Reference: Manulea Wallengren,1863, Wien. ent. Monatschr. 7: 145-146. Type-species: Lithosia gilveola Ochsenheimer,1810, by subsequent designation by Moore,1878.
- 233. Muscula Koçak,1991 (Arctiidae) Synonym(s): *Muscula Koçak,1991* Original Reference: Eilema (Sect. Muscula) Koçak,1991, Priamus 5 (4): 126. Type-species: Lithosia muscula Staudinger,1899, by original designation.
- 234. Ocnogyna (s.str.) Lederer,1852 (Arctiidae) Synonym(s): Ocnogyna Lederer,1852 Original Reference: Ocnogyna Lederer,1852, Verh. zool.- bot. Ges. Wien. 2: (Abh.) 78. Type-species: Chelonia zoraida Graslin,[1837], by subsequent designation by Kirby,1892.
- 235. Ocnogyna Lederer,1852 (Arctiidae) Synonym(s): Ocnogyna Lederer,1852 Original Reference: Ocnogyna Lederer,1852, Verh. zool.- bot. Ges. Wien. 2: (Abh.) 78. Type-species: Chelonia zoraida Graslin,[1837], by subsequent designation by Kirby,1892.
- 236. Paidia (Conjuncta) Koçak,1991 (Arctiidae) Synonym(s): Conjuncta Koçak,1991 Original Reference: Paidia (Sect. Conjuncta) Koçak,1991, Priamus 5 (4): 124. Type-species: Nudaria conjuncta Staudinger,1892, by original designation.
- **Paidia Hübner,[1819]** (Arctiidae) Synonym(s): *Paidia Hübner,[1819]* Original Reference: Paidia Hübner,[1819], Verz. bekannt. Schmett. (10): 159. Type-species: Phalaena murina Hübner,1790, by subsequent designation by Hampson,1900. (P.murina Hb.,1790 was replaced by P.rica Frr.,1855, due to homonymy (see: Koçak,1980)).
- 238. Parasemia Hübner,[1820] (Arctiidae) Synonym(s): Parasemia Hübner,[1820]; Nemeophila Stephens,1828; Chionophila Guenée,1865 Original Reference: Parasemia Hübner,[1820], Verz. bekannt. Schmett. (12): 181. Type-species: Phalaena plantaginis Linnaeus,1758, by subsequent designation by Kirby,1892.
- **239. Pelosia Hübner,[1819]** (Arctiidae) Synonym(s): *Pelosia Hübner,[1819]; Samera Wallengren,1863* Original Reference: Pelosia Hübner,[1819], Verz. bekannt. Schmett. (11): 165. Type-species: Phalaena muscerda Hufnagel,1766, by subsequent designation by Moore,1878.
- 240. Phragmatobia Stephens,1828 (Arctiidae) Synonym(s): *Phragmatobia Stephens,1828*Original Reference: Phragmatobia Stephens,1828, Ill. Brit. Ent. (Haustellata) 2: 3. Type-species: Phalaena fuliginosa Linnaeus,1758, by monotypy.
- 241. **Rhyparia** Hübner,[1820] (Arctiidae) Synonym(s): *Rhyparia Hübner,[1820]* Original Reference: Rhyparia Hübner,[1820], Verz. bekannt. Schmett. (12): 183. Type-species: Phalaena purpurea Linnaeus,1767, by subsequent designation by Kirby,1892.
- **242. Spilosoma Curtis,1825** (Arctiidae) Synonym(s): #Olistheria Hübner,[1820]; Spilosoma Curtis,1825; Rhagonis Walker,1862; Spilarctia Butler,1875; Thanatarctia Butler,1877 Original Reference: Spilosoma Curtis,1825, Brit. Ent. 2 (23): 92. Type-species: Bombyx menthastri [Denis & Schiffermüller],1775, by original designation.
- **243. Utetheisa Hübner,[1819]** (Arctiidae) Synonym(s): *Utetheisa Hübner,[1819]; Deiopeia Curtis,1827.* Original Reference: Utetheisa Hübner,[1819], Verz. bekannt. Schmett. (11): 168. Typespecies: Phalaena ornatrix Linnaeus,1758, by subsequent designation by Kirby,1892.
- **244. Watsonarctia Freina & Witt,1984** (Arctiidae) Synonym(s): *Watsonarctia Freina & Witt,1984; Eurachia Dubatolov,1985; Eucastana Leraut,1985*. <u>Original Reference:</u> Watsonarctia Freina & Witt,1984, Entomofauna 5 (2): 323-326. Type-species: Arctia casta var. deserta Bartel,1902, by original designation.
- **245. Wittia de Freina,1980** (Arctiidae) Synonym(s): *Systropha Hübner,[1819] nec Illig.,1806; Wittia de Freina,1980; Strysopha Arora & Chaudhury,1982* Original Reference: Wittia de Freina,1980, NachrBl. bayer. Ent. 29: 80 (nom. nov. pro Systropha Hübner,[1819] nec Illiger,1806). Type-species: Bombyx aureola Hübner,[1803], by subsequent designation by Moore,1878 (for Systropha Hübner,[1819]).

#### Autostichidae

- **246. Acrosyntaxis Gozmany,1957** (Autostichidae) Synonym(s): *Acrosyntaxis Gozmany,1957*; *Pecteneremus Gozmany,1963*; *Kullashara Gozmany,1963* Original Reference: Acrosyntaxis Gozmany,1957, Annls hist.-nat. Mus. natn. hung. (N.S.) 8: 334. Type-species: Symmoca angustipennis Rebel,1927, by original designation.
- **247. Apiletria Lederer,1855** (Autostichidae) Synonym(s): *Apiletria Lederer,1855*; *Aretascetis Meyrick,1936*; *Xystoceros Meyrick,1944*; <u>Original Reference</u>: Apiletria Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 231. Type-species: Apiletria luella Lederer,1855, ibidem 5: 231, pl.4 fig.13, by monotypy.
- **248. Charadraula Meyrick,1931** (Autostichidae) Synonym(s): *Charadraula Meyrick,1931; Bubulcellodes Amsel,1942* <u>Original Reference:</u> Charadraula Meyrick,1931, Exotic Microlepid. 4: 124. Type-species: Charadraula chersopsamma Meyrick,1931, by monotypy.
- 249. Concordaxis Gozmany,2008 (Autostichidae) Synonym(s): Concordaxis Gozmany,2008 Original Reference: Concordaxis Gozmany,2008, [in] Gaedike,R., Microlepid. Palaearct. 13: 217-218. Type-species: Concordaxis convergens Gozmany,2008, by original designation.
- **250. Cyllaraxis Gozmany,2000** (Autostichidae) Synonym(s): *Cyllaraxis Gozmany,2000* <u>Original Reference</u>: Cyllaraxis Gozmany,2000, Microlepid. Palaearct. 10: 58. Type-species: Cyllaraxis cyrus Gozmany,2000, by original designation.
- **Dysspastus Gozmany,1964** (Autostichidae) Synonym(s): *Dysspastus Gozmany,1964* Original Reference: Dysspastus Gozmany,1964, Acta zool. hung. 10: 128. Type-species: Symmocoides similis Amsel,1939, by original designation.
- **Eremica Walsingham,1904** (Autostichidae) Synonym(s): *Eremica Walsingham,1904* Original Reference: Eremica Walsingham,1904, Entomologist's mon. Mag. 40: 270. Typespecies: Eremica saharae Walsingham,1904, by original designation.
- **253. Heringita Agenjo,1953** (Autostichidae) Synonym(s): *Heringita Agenjo,1953; Gigantoletria Gozmany,1963* Original Reference: Heringita Agenjo,1953, Graellsia 11: 42. Type-species: Heringita heringi Agenjo,1953, by original designation.
- **254. Oegoconia Stainton,1854** (Autostichidae) Synonym(s): *Oegoconia Stainton,1854; Clerogenes Meyrick,1921; #Oeogoconia Amsel,1958; Microgonia Popescu-Gorj & Capuse,1965* Original Reference: Oegoconia Stainton,1854, Insecta Br. (Lepid., Tineina): 77, 162. Type-species: Recurvaria quadripuncta Haworth,1828, by monotypy.
- 255. Orpecacantha Gozmany,2008 (Autostichidae) Synonym(s): *Orpecacantha Gozmany,2008*Original Reference: Orpecacantha Gozmany,2008, [in] Gaedike,R., Microlepid. Palaearctica 13: 228. Type-species: Amselina burmanni Gozmany,1962, by original designation.
- 256. Orpecovalva Gozmany,1964 (Autostichidae) Synonym(s): Orpecovalva Gozmany,1964 Original Reference: Orpecovalva Gozmany,1964, Acta zool. hung. 10: 113-114. Type-species: Symmoca obliterata Walsingham,1905, by monotypy.
- 257. Symmoca Hübner,[1825] (Autostichidae) Synonym(s): Symmoca Hübner,[1825]; Mylothra Meyrick,1907; Paradoris Meyrick,1907 (preocc.); Nastoceras Chrétien,19212 (preocc.); Asarista Meyrick,1935; Irenidora Meyrick,1938; Nastocerella Fletcher,1940; Conquassata Gozmany,1957; Kertomesis Gozmany,1962; Hieronala Gozmany,1963; Megasymmoca Gozmany,1963; Symmacantha Gozmany,1963; Xenoplaxa Gozmany,1963 Original Reference: Symmoca Hübner,[1825], Verz. bekannt. Schmett.: 403. Typespecies: Tinea signella Hübner,1796, by monotypy.
- **258. Synchordaxis Gozmany,2008** (Autostichidae) Synonym(s): *Synchordaxis Gozmany,2008* Original Reference: Synchordaxis Gozmany,2008, [in] Gaedike,R., Microlepid. Palaearctica 13: 216. Type-species: Synchordaxis synnepha Gozmany,2008, by original designation.
- **259. Syssymmoca Gozmany,1963** (Autostichidae) Synonym(s): *Syssymmoca Gozmany,1963* Original Reference: Syssymmoca Gozmany,1963, Acta zool. hung. 9: 128.
- 260. Turatia Amsel,1942 (Autostichidae) Synonym(s): Turatia Amsel,1942; Ilionarsis Gozmany,1959
  Original Reference: Turatia Amsel,1942, Veröff. dt. Kolon. u. Übersee-Mus. Bremen 3: 234.
  Type-species: Holcopogon morettii Turati,1926, by original designation.

#### Blastobasidae

Nr. 120

**Blastobasis Zeller,1855** (Blastobasidae) Synonym(s): Blastobasis Zeller,1855; Epistetus Walsingham,1894; Agnoea Walsingham,1907; Prosthesis Walsingham,1908; Zenodochium Walsingham,1908; Euresia Dietz,1910; Xenodochium T.B.Fletcher,1929 Original Reference: Blastobasis Zeller,1855, Linn. ent. 10: 171. Type-species: Oecophora phycidella Zeller,1839, Isis Oken, Leipzig 1839:193, by subsequent designation by Walsingham,1897, Proc. zool. Soc. Lond. 1897: 91.

#### **Brachodidae**

**Brachodes Guenée,1845** (Brachodidae) Synonym(s): Atychia Latreille,1809 nec Ochs.,1808; Brachodes Guenée,1845; Palameris Meyrick,1906 Original Reference: Brachodes Guenée,1845, Annls Soc. ent. Fr. (2) 3: 311. Type-species: Brachodes vernetella Guenée,1845, ibidem (2) 3: 311, by monotypy.

#### **Brahmaeidae**

- 263. Brahmaea (s.str.) Walker,1855 (Brahmaeidae) Synonym(s): Brahmaea Walker,1855 Original Reference: Brahmaea Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1200. Type-species: Brahmaea conchifera Butler,1880, by subsequent designation by Kirby,1892 (cf. Fletcher & Nye,1982).
- **264. Brahmaea Walker,1855** (Brahmaeidae) Synonym(s): *Brahmaea Walker,1855* Original Reference: Brahmaea Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1200. Typespecies: Brahmaea conchifera Butler,1880, by subsequent designation by Kirby,1892 (cf. Fletcher & Nye,1982).

#### Bucculatricidae

**Bucculatrix Zeller,1839** (Bucculatricidae) Synonym(s): Bucculatrix Zeller,1839; Ceroclastis Zeller,1848 Original Reference: Bucculatrix Zeller,1839, Isis Oken, Leipzig 1839: 214. Typespecies: Lyonetia albedinella Zeller,1839, ibidem 1839: 216, by subsequent designation by Walsingham,1914, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 345.

## Carposinidae

**266.** Carposina Herrich-Schäffer,[1853] (Carposinidae) Synonym(s): Carposina Herrich-Schäffer,[1853]; Enopa Walker,1866; Oistophora Meyrick,1881; Paramorpha Meyrick,1881; Heterocrossa Meyrick,1882 Original Reference: Carposina Herrich-Schäffer,[1853], Syst. Bearb. Schmett. Eur. 5: 10, 38. Type-species: Carposina berberidella Herrich-Schäffer,[1853], by subsequent designation by Fernald,1908.

### Choreutidae

- **267. Choreutis Hübner,[1825]** (Choreutidae) Synonym(s): *Choreutis Hübner,[1825]*; *Eutromula Frölich,1828*; *Choreutes Treitschke,1835*; *Macropia Costa,[1836]*; *Entomoloma Ragonot,1875*; *Orchemia Fernald,1900 nec Gn.,1845*; *Choreutidia Sauber,1902*; *Allonyma Busck,1904* <u>Original Reference</u>: Choreutis Hübner,[1825], Verz. bekannter Schmett.: 373. Type-species: Phalaena pariana Clerck,1759, Icon Insect. rariorum 1: pl.10 fig.9, by subsequent designation by Walsingham,1908, Proc. zool. Soc. Lond, 1907: 987.
- **268. Prochoreutis Diakonoff & Heppner,1980** (Choreutidae) Synonym(s): *Prochoreutis Diakonoff & Heppner,1980* Original Reference: Prochoreutis Diakonoff & Heppner,1980, Ent. Ber.,

Amst. 40: 196. Type-species: Pyralis myllerana Fabricius,1794, Ent. Syst. 3(2): 277, by original designation.

**Tebenna Billberg,1820** (Choreutidae) Synonym(s): *Tebenna Billberg,1820*; *Porpe Hübner,[1825]* Original Reference: Tebenna Billberg,1820, Enumeratio Insect. Mus. G.J. Billberg: 90. Type-species: Tinea bjerkandrella Thunberg,1784, Diss. ent. sistens Insecta Suecica (1): 24, figs, by subsequent designation by Bradley,1966, Entomologist's Gaz. 17: 220.

#### Cimeliidae

- 270. Axia (Epicimelia) Korb,1900 (Cimeliidae) Synonym(s): *Epicimelia Korb,1900* Original Reference: Epicimelia Korb,1900, Dt. ent. Z., Iris 12: 301. Type-species: Epicimelia theresiae Korb,1900, by monotypy.
- **271. Axia Hübner,[1821]** (Cimeliidae) Synonym(s): *Axia Hübner,[1821]; Timia Boisduval,1828* (preocc.); Cimelia Lederer,1853 Original Reference: Axia Hübner,[1821], Verz. bekannt. Schmett.: 249. Type-species: Noctua margarita Hübner,[1813], by monotypy.

## Coleophoridae

- Coleophora Hübner,1822 (Coleophoridae) Synonym(s): Galleria Vallot,1818 nec Fabr.,1798; Coleophora Hübner,1822; Eupista Hübner,[1825]; Haploptilia Hübner,[1825]; Apista Hübner,[1825]; Porrectaria Haworth,1828; Damophila Curtis,1832; Astyages Stephens,1834; Metallosetia Stephens,1834; Casas Wallengren,1881; Casigneta Wallengren,1881; Corythangela Meyrick,1897; Casignetella Strand,1928; Protocryptis Meyrick,1931; Tolleophora Capuse,1971; Ionescumia Capuse,1971; Stollia Capuse,1971; Razowskia Capuse,1971; Orghidania Capuse,1971; Suireia Capuse,1971; Frederickoenigia Capuse,1971; Zaguljaevia Capuse,1971; Amseliphora Capuse,1971; Nemesia Capuse,1971 nec Sav.,1826; Zangheriphora Capuse,1971; Bourgogneja Capuse,1971; Aureliania Capuse,1971 nec Gosse,1860; Bacescuia Capuse,1971; Klinzigedia Capuse,1971; Vladdelia Capuse,1971; Klimeschja Capuse,1971; Glaseria Capuse,1971; Valvulongia Capuse,1971; Falkovitshia Capuse,1971; Helopharea Falkovitsh,1972; Cricotechna Falkovitsh,1972; Plegmidia Falkovitsh,1972; Agapalsa Falkovitsh,1972; Original Reference: Coleophora Hübner,1822, Syst.-alphab. Verz.: 67-75, 77-79. Type-species: Tinea anatipennella Hübner,1796, Samml. eur. Schmett. 8: 68, pl.27 fig.186, by subsequent designation by, Kirby,1897, Handbk Order Lepid. 5: 309.
- 273. Enscepastra Meyrick,1920 (Coleophoridae) Synonym(s): Enscepastra Meyrick,1920 Original Reference: Enscepastra Meyrick,1920, Annls. S. Afr. Mus. 17: 300. Type-species: plagiopa Meyrick,1920.
- **1schnophanes Meyrick,1891** (Coleophoridae) Synonym(s): *Ischnophanes Meyrick,1891* Original Reference: Ischnophanes Meyrick,1891, Entomologist's mon. Mag. 27: 60. Type-species: Ischnophanes monocentra Meyrick,1891, by monotypy.

## Cosmopterigidae

- 275. **Ascalenia Wocke,[1876]** (Cosmopterigidae) Synonym(s): *Ascalenia Wocke,[1876]* Original Reference: Ascalenia Wocke,[1876], [in] Heinemann, Schmett. Dtl. Schweiz (2) 2(2): 421. Typespecies: Laverna vanella Frey,1860, Linn. ent. 14: 197, by monotypy.
- 276. Calycobathra Meyrick,1891 (Cosmopterigidae) Synonym(s): Calycobathra Meyrick,1891.

  Original Reference: Calycobathra Meyrick,1891, Entomologist's mon. Mag. 2 (2): 59. Typespecies: Calycobathra acarpa Meyrick,1891, by monotypy.
- **Cosmopterix Hübner,[1825]** (Cosmopterigidae) Synonym(s): *Cosmopterix Hübner,[1825]*; *Cosmopteryx Agassiz,1847 nec Zell.,1839*; *Lienigia Spuler,1910* Original Reference: Cosmopterix Hübner,[1825], Verz. bekannter Schmett.: 429. Type-species: Tinea zieglerella Hübner,[1810], Samml. eur. Schmett. 8: pl.44, fig. 306, by subsequent designation by the ICZN, 1969, Bull. zool. Nom.25???
- **Eteobalea Hodges,1962** (Cosmopterigidae) Synonym(s): *Eteobalea Hodges,1962* Original Reference: Eteobalea Hodges,1962, Ent. amer. (n.s.) 42: 10, 66. Type-species: Gelechia sexnotella Chambers,1878, by original designation.

**280. Pseudascalenia Kasy,1968** (Cosmopterigidae) Synonym(s): *Pseudascalenia Kasy,1968* Original Reference: Pseudascalenia Kasy,1968, Annln naturh. Mus. Wien 72: 507. Type-species: Pseudascalenia riadella Kasy,1968, by original designation.

281. Pyroderces Herrich-Schäffer,[1853] (Cosmopterigidae) Synonym(s): Pyroderces Herrich-Schäffer,[1853]; Syntomactis Meyrick,1889; Anatrachyntis Meyrick,1915; Lallia Chrétien,1915; Lacciferophaga Zagulyaev,1959; Sathrobrota Hodges,1962; #Anatrachynis Edwards & Nielsen,1996 Original Reference: Pyroderces Herrich-Schäffer,[1853], Syst. Bearbeitung Schmett. Eur. 5: 12,47; 1853, ibidem 6: Microlepid. pl.13 figs. 29,30 Type-species: Pyroderces goldeggiella Herrich-Schäffer,[1853], ibidem 6: Microlepid. pl.13 figs. 29,30, by monotypy.

**282. Sorhagenia Spuler,1910** (Cosmopterigidae) Synonym(s): *Sorhagenia Spuler,1910; Cystioecetes Braun,1915; Sorhageniella Riedl,1965* <u>Original Reference:</u> Sorhagenia Spuler,1910, Schmett. Eur. 2: 384. Type-species: Elachista rhamniella Zeller,1839, Isis Oken, Leipzig 1839: 211, by monotypy.

**283. Stagmatophora Herrich-Schäffer,[1853]** (Cosmopterigidae) Synonym(s): Stagmatophora Herrich-Schäffer,[1853]; Parastagmatophora Riedl,1965 Original Reference: Stagmatophora Herrich-Schäffer,[1853], Syst. Bearb. Schmett. Eur. 5: 13, 49. Type-species: Oecophora heydeniella Fischer von Rösslerstamm,1841, by monotypy.

**284. Vulcaniella Riedl,1965** (Cosmopterigidae) Synonym(s): *Vulcaniella Riedl,1965* <u>Original Reference:</u> Vulcaniella Riedl,1965, Polskie Pismo ent. 35: 439. Type-species: Elachista pomposella Zeller,1839, Isis Oken, Lepzig 1839: 212, by original designation.

#### Cossidae

- **285. Acossus Dyar,1905** (Cossidae) Synonym(s): *Acossus Dyar,1905*; *Lamellocossus Daniel,1954* Original Reference: Acossus Dyar,1905, Proc. U.S. natn. Mus. 29: 178. Type-species: Cossus undosus Lintner,1878, by original designation.
- **286. Azygophleps Hampson,[1893]** (Cossidae) Synonym(s): *Azygophleps Hampson,[1893]* Original Reference: Azygophleps Hampson,[1893], Fauna Br. India (Moths) 1: 309. Typespecies: Hepialus scalaris Fabricius,1775, by original designation.
- **287. Barchaniella Yakovlev,2006** (Cossidae) Synonym(s): *Barchaniella Yakovlev,2006* Original Reference: Barchaniella Yakovlev,2006, Eversmannia (Suppl.1): 75-76. Type-species: Holcocerus inspersus Christoph,1887, by original designation.
- **288.** Catopta Staudinger,1899 (Cossidae) Synonym(s): Catopta Staudinger,1899; Newelskoia Groum-Grshimailo,1900; Sinicossus Clench,1958 Original Reference: Catopta Staudinger,1899, Dt. ent. Z., Iris 12: 157. Type-species: Catopta albimacula Staudinger,1899, by original designation.
- **289. Cecryphalus Schoorl,1990** (Cossidae) Synonym(s): *Cecryphalus Schoorl,1990* <u>Original Reference:</u> Cecryphalus Schoorl,1990, Zool. Verh., Leiden 263: 156. Type-species: Zeuzera nubila Staudinger,1895, by original designation.
- **290. Cossulus Staudinger,1887** (Cossidae) Synonym(s): *Cossulus Staudinger,1887*; *Cossulinus Kirby,1892* Original Reference: Cossulus Staudinger,1887, Stettin ent. Ztg. 48: 91. Type-species: Cossulus argentatus Staudinger,1887, by monotypy.
- **Cossus Fabricius,1793** (Cossidae) Synonym(s): Cossus Fabricius,1793; #Teredo Hübner,[1806]; Lyonetus Rafinesque,1815; Teredo Hübner,1822 nec Linn.,1758; Trypanus Rambur,1866 Original Reference: Cossus Fabricius,1793, Ent. Syst. 3 (1): [1]. Type-species: Phalaena cossus Linnaeus,1758, by absolute tautonomy (Originally no species included, until Fabricius (1794, ibid. 3 (2): [3]).
- 292. **Deserticossus Yakovlev,2006** (Cossidae) Synonym(s): *Deserticossus Yakovlev,2006* Original Reference: Deserticossus Yakovlev,2006, Eversmannia (Suppl.1): 32. Type-species: Cossus arenicola Staudinger,1897, by original designation.
- **293. Dieida Strand,1911** (Cossidae) Synonym(s): *Dieida Strand,1911* <u>Original Reference:</u> Dieida Strand,1911, [in] Stichel, Z. wiss. InsektBiol.7: 162. Type-species: Dieida persa Strand,1911, by original designation.

- **294. Dyspessa Hübner,[1820]** (Cossidae) Synonym(s): *Dyspessa Hübner,[1820]*; *Endagria Boisduval,[1837]* Original Reference: Dyspessa Hübner,[1820], Verz. bekannt. Schmett.: 194. Typespecies: Phalaena pantherina Hübner,1790, by subsequent designation by Kirby,1892.
- **295. Dyspessacossus Daniel,1953** (Cossidae) Synonym(s): *Dyspessacossus Daniel,1953* <u>Original Reference:</u> Dyspessacossus Daniel,1953, Mitt. münch. ent. Ges. 43: 258. Type-species: Dyspessacossus hadjinensis Daniel,1953, by original designation.
- 296. Eremocossus Hampson,1893 (Cossidae) Synonym(s): Eremocossus Hampson,1893 Original Reference: Eremocossus Hampson,1893, Fauna Br. India (Moths) 1: 313. Type-species: Phragmataecia faeda Swinhoe,1894, by original designation.
- 297. Holcocerus Staudinger,1884 (Cossidae) Synonym(s): Holcocerus Staudinger,1884 Original Reference: Cossus (Holcocerus) Staudinger,1884, [in] Romanoff, Mém. Lépid. 1: 139-140. Typespecies: Cossus nobilis Staudinger,1884, by subsequent designation by Kirby,1892.
- 298. **Hypopta Hübner,[1818]** (Cossidae) Synonym(s): *Hypopta Hübner,[1818]; Dolecta Herrich-Schäffer,[1854]; Philanglaus Butler,1882; Breyeria Orfila,1957* <u>Original Reference:</u> Hypopta Hübner,[1818], Zutr. Samml. exot. Schmett. 1: 25. Type-species: Hypopta ambigua Hübner,[1818], by subsequent designation by Barnes & McDunnough,1911.
- **Isoceras Turati,1924** (Cossidae) Synonym(s): *Isoceras Turati,1924* Original Reference: Isoceras Turati,1924, Atti Soc. ital. Sci. nat. 63: 51. Type-species: Isoceras kruegeri Turati,1924, by monotypy.
- 300. Kotchevnik Yakovlev,2005 (Cossidae) Synonym(s): Kotchevnik Yakovlev,2005 Original Reference: Kotchevnik Yakovlev,2005, Atalanta 35 (3/4): 358. Type-species: Cossus modestus Staudinger,1887, by original designation.
- Meharia Chrétien,1915 (Cossidae) Synonym(s): Meharia Chrétien,1915; Blalia Rungs,[1943]
  Original Reference: Meharia Chrétien,1915, Annls Soc. ent. Fr. 84: 367. Type-species: Meharia incurvariella Chrétien,1915, by monotypy.
- 302. Phragmataecia Newman,1850 (Cossidae) Synonym(s): *Phragmataecia Newman,1850; Macrogaster Duponchel,[1845] nec Thunb.,1805* <u>Original Reference:</u> Phragmataecia Newman,1850,
  Zoologist 8: 2931. Type-species: Noctua arundinis Hübner,[1808], by monotypy.
- **Semagystia Schoorl,1990** (Cossidae) Synonym(s): *Semagystia Schoorl,1990*; #Samagystia De Freina,1994 Original Reference: Semagystia Schoorl,1990, Zool. Verh., Leiden 263: 84. Typespecies: Endagria agilis Christoph,1884, by original designation.
- 304. Vartiania Yakovlev,2005 (Cossidae) Synonym(s): Vartiania Yakovlev,2005 Original Reference: Vartiania Yakovlev,2005, Atalanta 35 (3/4): 365. Type-species: Vartiania zaratustra Yakovlev,2005, by original designation.
- **Zeuzera Latreille,1804** (Cossidae) Synonym(s): Zeuzera Latreille,1804; Aegolia Billberg,1820; Latagia Hübner,[1820] Original Reference: Zeuzera Latreille,1804, Nouv. Dict. Hist. nat. 24: 186. Type-species: Phalaena aesculi Linnaeus,1767, by monotypy.

#### Ctenuchidae

- 306. Amata Fabricius,1807 (Ctenuchidae) Synonym(s): Amata Fabricius,1807; Syntomis Ochsenheimer,1808; Coenochromia Hübner,[1819]; Syntoma Billberg,1820; Hydrusa Walker,1854; Asinusca Wallengren,1862; #Asinutea Wallengren,1863; Buthysia Wallengren,1863; #Buthisia Walker,1866; #Synthomis Mabille,1892; Leopoldina Hering,1934. Original Reference: Amata Fabricius,1807, Magazin Insektenk. (Illiger) 6: 289. Type-species: Zygaena passalis Fabricius,1781, by subsequent designation by Hampson,1898.
- **307. Dysauxes (s.str.) Hübner,[1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner,[1819]; Naclia Boisduval,1840; Parauxes De Laever,1983.* Original Reference: Dysauxes Hübner,[1819], Verz. bekannt. Schmett.: 171. Type-species: Phalaena ancilla Linnaeus,1767, by subsequent designation by Kirby,1892.
- **308. Dysauxes Hübner,[1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner,[1819]; Naclia Boisduval,1840; Parauxes De Laever,1983.* Original Reference: Dysauxes Hübner,[1819], Verz. bekannt. Schmett.: 171. Type-species: Phalaena ancilla Linnaeus,1767, by subsequent designation by Kirby,1892.

## Douglasiidae

- 309. Klimeschia Amsel,1938 (Douglasiidae) Synonym(s): Klimeschia Amsel,1938 Original Reference: Klimeschia Amsel,1938, Dt. ent. Z. Iris 52: 89. Type-species: Klimeschia lutumella Amsel,1938, ibidem 52:89, fig., by original designation.
- Tinagma Zeller,1839 (Douglasiidae) Synonym(s): *Tinagma Zeller,1839* Original Reference: Tinagma Zeller,1839, Isis Oken Leipzig 1839: 203. Type-species: Aechmia perdicella Zeller,1839, ibidem 1839: 204, by subsequent designation by Fletcher,1929, Mem. Dep. Agric. India (Ent.) 11: 223.

## Drepanidae

311. Cilix Leach,[1815] (Drepanidae) Synonym(s): Cilix Leach,[1815]; Euclea Hübner,[1819]; #Cilyx Blanchard,1840 Original Reference: Cilix Leach,[1815], [in] Brewster, Edinburgh Encycl. 9 (1830): 135. Type-species: Bombyx compressa Fabricius,1777, by monotypy.

#### Elachistidae

312. Elachista Treitschke,1833 (Elachistidae) Synonym(s): Elachista Treitschke,1833; Cycnodia Herrich-Schäffer,1853; Phigalia Chambers,1875; Atachia Wocke,[1876]; Neaera Chambers,1880; Hecista Wallengren,1881; Aphigalia Dyar,1903; Irenicodes Meyrick,1919; Euproteodes Viette,1954 Original Reference: Elachista Treitschke,1833, Schmett. Eur. 9 (2): 177. Type-species: Elachista bifasciella Treitschke,1833, by subsequent designation by Meyrick (1915, Trans. N. Z. Inst. 47: 210).

## **Epermeniidae**

- **313. Epermenia (Calotripis) Hübner,[1825]** (Epermeniidae) Synonym(s): *Calotripis Hübner,[1825]* Original Reference: Calotripis Hübner,[1825], Verz. bekannt. Schmett.: 425. Typespecies: Tinea illigerella Hübner,[1813], by subsequent designation by Fletcher,1929.
- 314. **Epermenia (s.str.) Hübner,[1825]** (Epermeniidae) Synonym(s): *Epermenia,[1825]; Heydenia Hofmann,1898 (homonym)* Original Reference: Epermenia,[1825], Verz. bekannter Schmett.: 418. Type-species: Tinea pontificella Hübner,1796, Samml. eur. Schmett. 8: 56, pl.26 fig.181, by monotypy.
- **315. Epermenia Hübner,[1825]** (Epermeniidae) Synonym(s): *Epermenia,[1825]; Heydenia Hofmann,1898 (homonym)* Original Reference: Epermenia,[1825], Verz. bekannter Schmett.: 418. Type-species: Tinea pontificella Hübner,1796, Samml. eur. Schmett. 8: 56, pl.26 fig.181, by monotypy.
- **316. Ochromolopis Hübner,[1825]** (Epermeniidae) Synonym(s): *Ochromolopis Hübner,[1825]*; *Temelucha Meyrick,1909*; *Temeluchella T.B.Fletcher,1940* <u>Original Reference</u>: Ochromolopis Hübner,[1825], Verz. bekannt. Schmett.: 408. Type-species: Tinea ictella Hübner,[1813], by subsequent designation by Fletcher,1929.

#### **Ethmiidae**

317. Ethmia Hübner,[1819] (Ethmiidae) Synonym(s): Ethmia Hübner,[1819]; Psecadia Hübner,[1825]; Anesychia Hübner,[1825]; Melanoleuca Stephens,1829; Aedia Duponchel,1837 nec Hübn.,[1825]; Azinis Walker,1863; Tamarrha Walker,1864; Ceratophysetis Meyrick,1887; Theoxenia Walsingham,1887; Babaiaxa Busck,1902; Wiltshirea Amsel,1949 nec Buckman,1904 Original Reference: Ethmia Hübner,[1819], Verz. bekannter Schmett.: 163. Type-species: Tinea aurifluella Hübner,[1810], Samml. eur. Schmett. 8: pl.44 fig.302, by monotypy.

#### Gelechiidae

- Acanthophila Heinemann, 1870 (Gelechiidae) Synonym(s): Acanthophila Heinemann, 1870; Osthelder,1951; Mimomeris Povolny,1978 Original Reference: Acanthophila Heinemann, 1870, Schmett. Dtl. Schweiz (2) 2(1): 320. Type-species: Gelechia alacella Zeller, 1839, Isis Oken, Leipzig 1839: 199, by monotypy.
- **Agnippe Chambers, 1872** (Gelechiidae) Synonym(s): Agnippe Chambers, 1872; Evippe Chambers, 1873; Phaetusa Chambers, 1875 nec Wagler, 1832; Tholerostola Meyrick, 1917. Original Reference: Agnippe Chambers, 1872, Can. Ent. 4: 194. Type-species: Agnippe biscolorella Chambers, 1872, by subsequent designation by Meyrick,1925.
- Altenia Sattler,1960 (Gelechiidae) Synonym(s): Altenia Sattler,1960 Original Reference: Altenia Sattler,1960, Dt. ent. Z. (n.f.) 7: 16, 17, 58. Type-species: Gelechia perspersella Wocke, 1862, by original designation.
- Anacampsis Curtis, 1827 (Gelechiidae) Synonym(s): Anacampsis Curtis, 1827; Tachyptilia Heinemann,1870; Agriastis Meyrick,1914. Original Reference: Anacampsis Curtis,1827, Br. Ent. 4: folio 189. Type-species: Phalaena populella Clerk,1759, Icon. Insect. rariorum 1: pl.11 fig.5, by original designation.
- Anarsia (Ananarsia) Amsel,1959 (Gelechiidae) Synonym(s): Ananarsia Amsel,1959 Original Reference: Ananarsia Amsel, 1959, Stuttg. Beitr. Naturk. 28: 32. Type-species: Anarsia lineatella Zeller, 1839, by original designation.
- Anarsia (s.str.) Zeller,1839 (Gelechiidae) Synonym(s): Anarsia Zeller,1839 Original Reference: Anarsia Zeller, 1839, Isis Oken, Leipzig 1839: 190. Type-species: Tinea spartiella Schrank, 1802, Fauna Boica 2(2): 104, by subsequent designation by Meyrick, 1925, in Wytsman, Genera Insect. 184: 153.
- Anarsia Zeller,1839 (Gelechiidae) Synonym(s): Anarsia Zeller,1839 Original Reference: Anarsia Zeller, 1839, Isis Oken, Leipzig 1839: 190. Type-species: Tinea spartiella Schrank, 1802, Fauna Boica 2(2): 104, by subsequent designation by Meyrick, 1925, in Wytsman, Genera Insect. 184: 153.
- Aproaerema Durrant, 1897 (Gelechiidae) Synonym(s): Aproaerema Durrant, 1897 Original Reference: Aproaerema Durrant, 1897, Entomologist's mon. Mag. 33: 221. Type-species: Tinea anthyllidella Hübner, [1813], Samml. eur. Schmett. 8: pl.48 fig.330, by original designation.
- Aristotelia Hübner,[1825] (Gelechiidae) Synonym(s): Aristotelia Hübner,[1825]; Ergatis Heinemann,1870 nec Blackwall,1841; Eucatoptus Walsingham,1897 Original Reference: Aristotelia Hübner, [1825], Verz. bekannter Schmett.: 424. Type-species: Tinea decurtella Hübner, [1813], Samml eur. Schmett. 8: pl.45 fig.311, by monotypy.
- Aroga Busck,1914 (Gelechiidae) Synonym(s): Aroga Busck,1914 Original Reference: Aroga Busck,1914, Proc. U.S. natn. Mus. 47: 13. Type-species: Gelechia paraplutella Busck,1910, Proc. ent. Soc. Wash. 11: 181, by original designation.
- Athrips Billberg,1820 (Gelechiidae) Synonym(s): Athrips Billberg,1820; Rhynchopacha Staudinger,1871; Epithectis Meyrick,1895; Leobatus Walsingham,1904; Ziminiola Gerasimov,1930; Cremona Busck,1934. Original Reference: Athrips Billberg,1820, Enum. Ins. Mus. Billb.: 93. Type-species: Phalaena mouffetella Linnaeus, 1758, by subsequent designation by Sattler, 1978.
- Brachmia Hübner, [1825] (Gelechiidae) Synonym(s): Brachmia Hübner, [1825]; Cladodes Heinemann,1870 nec Solier,1849; Eudodacles Snellen,1889; Aulacomima Meyrick,1904; Apethistis Meyrick,1908 Original Reference: Brachmia Hübner,[1825], Verz. bekannt. Schmett.: 419. Type-species: Tinea dimidiella [Denis & Schiffermüller],1775, by subsequent designation by Walsingham,1911.
- Bryotropha Heinemann,1870 (Gelechiidae) Synonym(s): Bryotropha Heinemann,1870; Mniophaga Pierce & Daltry,1938; Adelphtropha Gozmany,1955 Original Reference: Bryotropha Heinemann, 1870, Schmett. Dtl. Schweiz (2) 2 (1): 233. Type-species: Tinea terrella [Denis & Schiff, 1,1775, Ankündung syst. Werkes Schmett. Wienergegend: 140, by subsequent designation by Meyrick, 1925, in Wytsman, Genera Insect. 184: 73.
- Carpatolechia Capuse, 1964 (Gelechiidae) Synonym(s): Carpatolechia Capuse, 1964 Original Reference: Carpatolechia Capuse,1964, Ent. Tidskr. 85: 12. Type-species: Carpatolechia dumitrescui Capuse,1964, by original designation.
- Caryocolum Gregor & Povolny,1954 (Gelechiidae) Synonym(s): Caryocolum Gregor & Povolny,1954 Original Reference: Caryocolum Gregor & Povolny,1954, Zool. ent. Listy 3: 87. Type-

- species: Gelechia leucomelanella Zeller,1839, Isis Oken, Leipzig 1839: 198, by original designation.
- 333. Chionodes Hübner,[1825] (Gelechiidae) Synonym(s): *Chionodes Hübner,*[1825] <u>Original Reference</u>: Chionodes Hübner,[1825], Verz. bekannter Schmett.: 420. Type-species: Tinea luctificella Hübner,[1813], Samml eur. Schmett. 8: pl.45 fig.312, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 73.
- **334. Deltophora Janse,1950** (Gelechiidae) Synonym(s): *Deltophora Janse,1950* <u>Original Reference</u>: Deltophora Janse,1950, Moths S. Afr. 5: 121. Type-species: Deltophora typica Sattler,1979, by original designation (for Xenolechia peltosoma Lower sensu Janse,1950).
- Dichomeris Hübner, 1818 (Gelechiidae) Synonym(s): Dichomeris Hübner, 1818; Oxybelia Hübner, [1825]; Rhinosia Treitschke, 1833; Anorthosia Clemens, 1860; Trichotaphe Clemens, 1860; Rhobonda Walker,1864 nec 1863; Vazugada Walker,1864; Gaesa Walker,1864; Tocmia Walker,1864; Carna Walker,1864 nec Gstl.,1848; Noeza Walker,1866 nec Mgn.,1800; Sagaritis Chambers,1872 nec Billb.,1820; Begoe Chambers,1872; Epicorthylis Zeller,1873; Atasthalistis Meyrick,1886;; Zalithia Meyrick,1894; Pappophorus Walsingham,1897; Arotria Meyrick,1904; Dectobathra Meyrick,1904; Croesopola Meyrick,1904; Hypelictis Meyrick,1905; Paristhmia Meyrick,1909; Hylograptis Meyrick,1910; Schematistis Meyrick,1911; Paranoea Walsingham,1911; Placomosaris Meyrick,1912; Machlotricha Meyrick,1912; Holaxyra Meyrick,1913; Carbatina Meyrick,1913; Zomeutis Meyrick,1913; Ilingiotis Meyrick,1914; Pachysaris Meyrick,1914; Deimnestra Meyrick,1918; Daemonarcha Meyrick,1918; Macrozancla Turner,1919; Euryzancla Turner,1919; Rhadinophylla Turner,1919; Eurysara Turner,1919; Iocharea Meyrick,1921; Eporgastis Meyrick,1921; Aphnogenes Meyrick,1921; Taphrosaris Meyrick,1922; Prophoraula Meyrick,1922; Acribologa Meyrick,1923; Cymotricha Meyrick,1923; Ageliarchis Meyrick,1923; Myrophila Meyrick,1923; Brochometis Meyrick,1923; Neochrista Meyrick,1923; Semiomeris Meyrick,1923; Mythographa Meyrick,1923; Sathrogenes Meyrick,1923; Musurga Meyrick,1923; Thelyasceta Meyrick,1923; Oxysactis Meyrick,1923; Rhynchotona Meyrick,1923; Catoptristis Meyrick,1925; Cymatoplex Meyrick,1925 nec Turn.,1910; Catelaphris Meyrick,1925; Cerycangela Meyrick,1925; Epicharta Meyrick,1926; Prasodryas Meyrick,1926; Xenorrhythma Meyrick,1926; Thyrsomnestis Meyrick,1929; Desmophylax Meyrick,1935; Ereboscaeas Meyrick,1937; Chthonogenes Meyrick,1938; Cymatoplicella Fletcher,1940; Neopachnistis Janse,1954; Picroptera Janse,1960; Parabrachmia Janse,1960; Deltolophos Janse,1960 Original Reference: Dichomeris Hübner,1818, Zutr. Samml. exot. Schmett. 1: 25. Type-species: Dichomeris ligulella Hubner, 1818, ibidem 1: 25, figs 143, 144, by subsequent designation by, Walsingham 1911, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 87.
- 336. Ephysteris (Microcraspedus) Janse,1958 (Gelechiidae) Synonym(s): *Microcraspedus Janse,1958; Echinoglossa Clarcke,1965* Original Reference: Microcraspedus Janse,1958, Motsh S. Afr. 6: 137. Type-species: Megacraspedus brachypogon Meyrick,1937, by original designation.
- 337. Ephysteris (Ochrodia) Povolny,1966 (Gelechiidae) Synonym(s): *Ochrodia Povolny,1966*Original Reference: Ephysteris (Ochrodia) Povolny,1966, Acta ent. bohemoslov. 63: 142. Typespecies: Gelechia subdiminutella Stainton,1867, by original designation.
- 338. Ephysteris (Opacopsis) Povolny,1964 (Gelechiidae) Synonym(s): Opacopsis Povolny,1964 Original Reference: Ephysteris (Opacopsis) Povolny,1964, Cas. csl. Spol. ent. 61: 344.
- 339. Ephysteris (s.str.) Meyrick,1908 (Gelechiidae) Synonym(s): Ephysteris Meyrick,1908 Original Reference: Ephysteris Meyrick,1908, Proc. zool. Soc. Lond. 1908: 724. Type-species: Ephysteris chersaea Meyrick,1908, ibidem 1908: 725, by monotypy.
- 340. Ephysteris Meyrick,1908 (Gelechiidae) Synonym(s): *Ephysteris Meyrick,1908* Original Reference: Ephysteris Meyrick,1908, Proc. zool. Soc. Lond. 1908: 724. Type-species: Ephysteris chersaea Meyrick,1908, ibidem 1908: 725, by monotypy.
- 341. Gelechia Hübner,[1825] (Gelechiidae) Synonym(s): Gelechia Hübner,[1825]; Guenea Bruand,[1851]; Cirrha Chambers,1872; Oeseis Chambers,1875; Mesogelechia Omelko,1986. Original Reference: Gelechia Hübner,[1825], Verz. bekannt. Schmett.:415. Type-species: Tinea rhombella [Denis & Schiff.], 1775, Ankündung syst. Werkes Schmett. Wienergegend:139, by subsequent designation by Walsingham,1911, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4:59.
- **342. Gnorimoschema Busck,1900** (Gelechiidae) Synonym(s): *Gnorimoschema Busck,1900; Lerupsia Riedl,1965; Neoschema Povolny,1967* Original Reference: Gnorimoschema Busck,1900, Proc. U.S. natn. Mus. 23: 227. Type-species: Gelechia gallaesolidaginis Riley,1869, Rep. noxious, beneficial & other Insects, Missouri 1: 173, fig.96, pl.2 figs 1,2, by original designation.
- **343. Harpagidia Ragonot,1895** (Gelechiidae) Synonym(s): *Harpagidia Ragonot,1895; Glaphyrerga Meyrick,1925* <u>Original</u> <u>Reference:</u> Harpagidia Ragonot,1895, Bull. Soc. ent. Fr. 1895: cvii. Type-species: Harpagidia pallidibasella Ragonot,1895, ibid. 1895: cvii, by monotypy.
- 344. Holcophora Staudinger,[1871] (Gelechiidae) Synonym(s): *Holcophora Staudinger*,[1871] Original Reference: Holcophora Staudinger,[1871], Berl. ent. Z. 14: 313. Type-species: Holcophora statices Staudinger,[1871], by monotypy.

- **345. Isophrictis Meyrick,1917** (Gelechiidae) Synonym(s): *Isophrictis Meyrick,1917* Original Reference: Isophrictis Meyrick,1917, Entomologist's mon. Mag. 53: 113. Type-species: Tinea striatella [Denis & Schiff.],1775, Ankündung syst. Werkes Schmett. Wienergegend: 135, by original designation.
- 346. **Megacraspedus Zeller,1839** (Gelechiidae) Synonym(s): *Megacraspedus Zeller,1839*; *Chilopselaphus Mann,1867*; *Toxoceras Chrétien,1915*; *Toxidoceras Chrétien,1923* Original Reference: Megacraspedus Zeller,1839, Isis Oken, Leipzig 1839: 189. Type-species: Ypsolophus dolosellus Zeller,1839, ibidem 1839: 190, by subsequent designation by Walsingham,1909, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 21.
- 347. **Metanarsia Staudinger,1871** (Gelechiidae) Synonym(s): *Metanarsia Staudinger,1871*; *Calyptrotis Meyrick,1891*; *Epiparasia Rebel,1914*; *Parametanarsia Gerasimov,1930* Original Reference: Metanarsia Staudinger,1871, Berl. ent. Z. 14: 314. Type-species: Metanarsia modesta Staudinger,1871, by monotypy.
- 348. Metzneria Zeller,1839 (Gelechiidae) Synonym(s): *Metzneria Zeller,1839* Original Reference: Metzneria Zeller,1839, Isis Oken Leipzig 1839: 197. Type-species: Gelechia paucipunctella Zeller,1839, ibidem 1839: 202, by subsequent designation by Walsingham & Durrant, 1899, Entomologist's mon. Mag. 35: 200.
- 349. Microlechia Turati,1924 (Gelechiidae) Synonym(s): *Microlechia Turati,1924; Hedma Dumont,1932; Megalocypha Janse,1960* Original Reference: Microlechia Turati,1924, Atti Soc. ital. Sci. nat. 63: 162. Type-species: Microlechia chretieni Turati,1924, by monotypy.
- 350. Neofriseria Sattler,1960 (Gelechiidae) Synonym(s): Neofriseria Sattler,1960 Original Reference: Neofriseria Sattler,1960, Dt. ent. Z. (N.F.) 7: 16,17,48. Type-species: Lita peliella Treitschke,1835, in Ochsenheimer, Schmett. Eur. 10 (3): 198, by original designation.
- 351. Nothris Hübner,[1825] (Gelechiidae) Synonym(s): Nothris Hübner,[1825] Original Reference: Nothris Hübner,[1825], Verz. bekannter Schmett.: 411. Type-species: Tinea verbascella [Denis & Schiff.],1775, Ankündung syst. Werkes Schmett. Wienergegend: 136, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 97.
- 352. Ornativalva Gozmany,1955 (Gelechiidae) Synonym(s): Ornativalva Gozmany,1955; Pelostola Janse,1960. Original Reference: Ornativalva Gozmany,1955, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 310. Type-species: Gelechia plutelliformis Staudinger,1859, Ent. Ztg. Stettin 20: 239, by original designation.
- **Palumbina Rondani,1876** (Gelechiidae) Synonym(s): *Palumbina Rondani,1876; Thyrsostoma Meyrick,1907*. Original Reference: Palumbina Rondani,1876, Boll. Soc. ent. ital. 8: 22. Typespecies: Palumbina terebintella,Rondani,1876 ibidem 8:23, by monotypy.
- 354. Parapodia Joannis,1912 (Gelechiidae) Synonym(s): Parapodia Joannis,1912; Cecidonostola Amsel,1958 Original Reference: Parapodia Joannis,1912, Bull. Soc. ent. Fr. 1912: 305. Typespecies: Parapodia tamaricicola Joannis,1912, by monotypy.
- 355. **Pexicopia Common,1958** (Gelechiidae) Synonym(s): *Pexicopia Common,1958* Original Reference: Pexicopia Common,1958, Aust. J. Zool. 6: 271, 278. Type-species: Gelechia desmanthes Lower,1898, Proc. Linn. Soc. N.S.W. 23: 51, by original designation.
- 356. Platyedra Meyrick,1895 (Gelechiidae) Synonym(s): Platyedra Meyrick,1895 Original Reference: Platyedra Meyrick,1895, Handbk Br. Lepid.: 605. Type-species: Gelechia vilella Zeller,1847, Isis Oken, Leipzig 1847:845, by monotypy.
- 357. Pogochaetia Staudinger,1879 (Gelechiidae) Synonym(s): Pogochaetia Staudinger,1879 Original Reference: Pogochaetia Staudinger,1879, Horae Soc. ent. ross. 15: 310. Type-species: Pogochaetia solitaria Staudinger,1879, bu monotypy.
- **358. Polyhymno Chambers,1874** (Gelechiidae) Synonym(s): *Polyhymno Chambers,1874; Capocercia Zeller,1877; Plectrocosma Meyrick,1921; Oegoconoides Matsumura,1931* <u>Original Reference:</u> Polyhymno Chambers,1874, Can. Ent. 6: 246. Type-species: Polyhymno luteostrigella Chambers,1874, by monotypy.
- 359. Pseudoteleia Amsel,1935 (Gelechiidae) Synonym(s): Pseudoteleia Amsel,1935 Original Reference: Pseudoteleia Amsel,1935, Mitt. zool. Mus. Berl. 20: 299. Type-species: Pseudoteleia squamodorella Amsel,1935, by monotypy.
- **360. Ptocheuusa Heinemann,1870** (Gelechiidae) Synonym(s): *Ptocheuusa Heinemann,1870; Syneuetis Wallengren,1881* <u>Original Reference:</u> Ptocheuusa Heinemann,1870, Schmett. Dtl. Schweiz (2) 2 (1): 288. Type-species: Gelechia inopella Zeller, 1839, Isis Oken, Leipzig 1839: 201, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 41.

- **361. Schneidereria Weber,1957** (Gelechiidae) Synonym(s): *Schneidereria Weber,1957* <u>Original Reference:</u> Schneidereria Weber,1957, Mitt. schweiz. Ent. Ges. 30: 68. Type-species: Schneidereria pistaciella Weber,1957, by original designation.
- **362. Scrobipalpa (Ilseopsis) Povolny,1965** (Gelechiidae) Synonym(s): *Ilseopsis Povolny,1965; Euscrobipalpa Povolny,1967* <u>Original Reference:</u> Ilseopsis Povolny,1965, Acta ent. bohemosl. 62: 481. Type-species: Ilseopsis peterseni Povolny,1965, by original designation.
- 363. Scrobipalpa (s.str.) Janse,1951 (Gelechiidae) Synonym(s): Scrobipalpa Janse,1951 Original Reference: Scrobipalpa Janse,1951, Moths S. Afr. 5: 199. Type-species: Gelechia heliopa Lower, 1900, Proc. Linn. Soc. N.S.W. 25: 417, by original designation.
- 364. Scrobipalpa Janse,1951 (Gelechiidae) Synonym(s): Scrobipalpa Janse,1951 Original Reference: Scrobipalpa Janse,1951, Moths S. Afr. 5: 199. Type-species: Gelechia heliopa Lower, 1900, Proc. Linn. Soc. N.S.W. 25: 417, by original designation.
- **Scrobipalpula Povolny,1964** (Gelechiidae) Synonym(s): *Scrobipalpula Povolny,1964* Original Reference: Scrobipalpula Povolny,1964, Cas. çsl. Spol. ent. 61: 339. Type-species: Gelechia psilella Herrich-Schäffer,1854, Syst. Bearbeitung Schmett. Eur. 5: 162,171, by original designation.
- **366. Stomopteryx Heinemann,1870** (Gelechiidae) Synonym(s): *Stomopteryx Heinemann,1870*; *Inotica Meyrick,1913*; *Acraeologa Meyrick,1921*; *Kahelia Turati,1922* Original Reference: Stomopteryx Heinemann,1870, Schmett. Dtl. Schweiz. (2) 2 (1): 324. Type-species: Gelechia detersella Zeller,1847, Isis Oken, Leipzig 1847: 846. by monotypy.
- **367. Struempelia Amsel,1977** (Gelechiidae) Synonym(s): *Struempelia Amsel,1977* <u>Original Reference:</u> Strümpelia Amsel,1977, Beitr. naturk. Forsch. SüdwDtl. 36: 232. Type-species: Strümpelia renatella Amsel,1977, by original designation and monotypy.
- **368. Syncopacma Meyrick,1925** (Gelechiidae) Synonym(s): *Harpagus Stephens,1834 nec Vigors,1824; Syncopacma Meyrick,1925* Original Reference: Syncopacma Meyrick,1925, in Wytsman, Genera Insect. 184: 14,72. Type-species: Telphusa acrophylla Meyrick,1911, Ann. Transv. Mus. 3: 65, by original designation.
- **Teleiodes Sattler,1960** (Gelechiidae) Synonym(s): *Teleia Heinemann,1870 nec Hübn.,[1825]; Teleiodes Sattler,1960; Dubitationis M.Omelko & N.Omelko,1998* <u>Original Reference:</u> Teleiodes Sattler,1960, Dt. ent. Z. (N.F.) 7: 16,17,63. Type-species: Tinea vulgella [Denis & Schiff.],1775, Ankündung syst. Werkes Schmett. Wienergegend: 139, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 69.
- **Telphusa Chambers,1872** (Gelechiidae) Synonym(s): *Telphusa Chambers,1872*; *Adrasteia Chambers,1872*; *Adrastia Kirby,1874* Original Reference: Telphusa Chambers,1872, Can. Ent. 4: 132. Type-species: Telphusa curvistrigella Chambers, 1872, ibidem 4: 133, by monotypy.
- 371. Turcopalpa Povolny,1973 (Gelechiidae) Synonym(s): *Turcopalpa Povolny,1973* Original Reference: Turcopalpa Povolny,1973, Acta ent.bohemoslovaca 70: 98. Type-species: Turcopalpa glaseri Povolny,1973, ibidem 70: 100, figs 1,16,24, by original designation.
- **Vladimirea (Distinxia) Povolny,1967** (Gelechiidae) Synonym(s): *Distinxia Povolny,1967* Original Reference: Vladimirea (Distinxia) Povolny,1967, Acta ent. Mus. natn. Pragae 37: 156. Type-species: Vladimirea amseli Povolny,1967, by monotypy.
- 373. Vladimirea Povolny,1967 (Gelechiidae) Synonym(s): Vladimirea Povolny,1967 Original Reference: Vladimirea Povolny,1967, Acta ent. Mus. natn. Pragae 37: 148. Type-species: Vladimirea wiltshirei Povolny,1967, by original designation.

#### Geometridae

Nr. 120

- 374. Abraxas Leach,[1815] (Geometridae) Synonym(s): Abraxas Leach,[1815]; Spilota Hübner,1818; Zerene Treitschke,1825 nec Hbn.,[1819]; Xerene Stephens,1829; Zirene Unger,1856 Original Reference: Abraxas Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 134. Type-species: Phalaena grossulariata Linnaeus,1758, by subsequent designation by Curtis,1834.
- **375. Acanthovalva M.Krüger,2001** (Geometridae) Synonym(s): #Acanthovalva Staude,1999; Acanthovalva M.Krüger,2001 Original Reference: Acanthovalva M.Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 33. Type-species: Geometra inconspicuaria Hübner,[1819], by original designation.

- **376. Alcis Curtis,1826** (Geometridae) Synonym(s): *Alcis Curtis,1826; Poecilalcis W.Warren,1893; Dictyodea Wehrli,1934; Alcisca Wehrli,1943* <u>Original Reference:</u> Alcis Curtis,1826, Br. Ent. 3: 113. Typespecies: Phalaena repandata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524, by original designation.
- 377. Aplasta Hübner,[1823] (Geometridae) Synonym(s): Aplasta Hübner,[1823] Original Reference: Aplasta Hübner,[1823], Verz. bekannt. Schmett.: 304. Type-species: Phalaena ononaria Fuessly,1783, Arch. Insectengesch. 3: pl.17, by subsequent designation by L.B.Prout (1910, [in] Wytsman, Genera Insect. 104: 67).
- 378. Aplocera Stephens,1827 (Geometridae) Synonym(s): *Aplocera Stephens,1827; Anaitis Duponchel,1829; Larissa Curtis,1830; Haplocera Agassiz,1847* Original Reference: Aplocera Stephens,1827, Retrospective Review (2) 1: 243. Type-species: Phalaena plagiata Linnaeus,1758, by monotypy.
- 379. Apochima Agassiz,1847 (Geometridae) Synonym(s): Apocheima Herrich-Schäffer,1838 nec Hübn.,[1825]; Apocheima Herrich-Schäffer,1838 nec Hbn.,[1825]; Apochima Agassiz,1847; Zamacra Meyrick,1892; Acanthocampa Dyar,1905 Original Reference: Apochima Agassiz,1847, Nomencl. zool. (Index univl.): 29. Type-species: Amphidasis flabellaria Heeger,1838, by monotypy.
- **380. Asthena Hübner,[1825]** (Geometridae) Synonym(s): *Asthena Hübner,[1825]; Roessleria Breyer,1869* Original Reference: Asthena Hübner,[1825], Verz. bekannter Schmett.: 310. Typespecies: Geometra candidata [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 110, by subsequent designation by Guenée,1857, Hist. nat. Insectes 9: 435.
- **381. Atomorpha Staudinger,1901** (Geometridae) Synonym(s): *Atomophora Alpheraky,1892 nec Reut.,1884; Atomorpha Staudinger,1901* Original Reference: Atomorpha Staudinger,1901, Cat. Lepid. palaearct. Faunengeb. 3 (1): 282. Type-species: Atomophora falsaria Alpheraky,1892, by subsequent designation by L.B.Prout,1915 (for Atomophora Alpheraky,1892).
- **Brachyglossina F.Wagner,1914** (Geometridae) Synonym(s): *Brachyglossina F.Wagner,1914* Original Reference: Brachyglossina F.Wagner,1914, Verh. zool.- bot. Ges. Wien 64: (172)-(173). Type-species: Brachyglossina acidaliaria F.Wagner,1914, by monotypy.
- **383.** Camptogramma Stephens,1831 (Geometridae) Synonym(s): *Camptogramma Stephens,1831* Original Reference: Camptogramma Stephens,1831, Illust. Br. Ent. (Haustellata) 3: 263. Typespecies: Phalaena bilineata Linnaeus,1758, by monotypy.
- **Casilda Agenjo,1952** (Geometridae) Synonym(s): *Casilda Agenjo,1952* Original Reference: Casilda Agenjo,1952, Faun. Lepid. Almeriense: 180. Type-species: Sterrha consecraria Staudinger,1871, by original designation.
- **385.** Cataclysme Hübner,[1825] (Geometridae) Synonym(s): Cataclysme Hübner,[1825]; Paraplaneta W.Warren,1895. Original Reference: Cataclysme Hübner,[1825], Verz. bekannter Schmett.: 329. Type-species: Geometra riguata Hübner,[1813], Samml. eur. Schmett. 5: pl.69 fig.358, by monotypy.
- **386.** Catarhoe Herbulot,1951 (Geometridae) Synonym(s): Catarhoe Herbulot,1951 Original Reference: Catarhoe Herbulot,1951, Revue fr. Lépidopt. 13: 25. Type-species: Cidaria basochesiata Duponcel,1830, by original designation.
- **387. Chiasmia (Godonela) Boisduval,1840** (Geometridae) Synonym(s): *Pharmacis Hübner,[1823] nec Hübn.,[1820]; Godonela Boisduval,1840; Acadra Herrich-Schäffer,[1854]; Evarzia Walker,1860; Gubaria Moore,1860; Automolodes W.Warren,1894.* **Original Reference:** Godonela Boisduval,1840, Genera Index meth. eur. Lepid.: 186. Type-species: Geometra aestimaria Hübner,[1809] (replacement name for Pharmacis Hbn.).
- 388. Chiasmia Hübner,[1823] (Geometridae) Synonym(s): Chiasmia Hübner,[1823]; Arte Stephens,1829; Hercyna Stephens,1829 nec Treit.,1828; Strenia Duponchel,1829; Sternia Kolenati,1846; Osteodes Guenée,[1858] nec Conrad,1855; Discalma Meyrick,1892; Tephrinopsis W.Warren,1896; Xenoneura W.Warren,1896; Hyostomodes W.Warren,1897; Peridela W.Warren,1897; Iulocera W.Warren,1905; Allochrosis Strand,1912; Neomacaria Wehrli,1937; Thyridesia Wehrli,1940; #Chiasama Hutacharern & Tubtim,1995 Original Reference: Chiasmia Hübner,[1823], Verz. bekannt. Schmett.: 295. Type-species: Phalaena clathrata Linnaeus,1758, by subsequent designation by Grote,1902.
- 389. Chlorissa Stephens,1831 (Geometridae) Synonym(s): Chlorissa Stephens,1831; Aoshakuna Matsumura,1925 Original Reference: Chlorissa Stephens,1831, Illust. Br. Ent. (Haustellata) 3: 315. Type-species: Phalaena viridata Linnaeus,1758, by subsequent designation by Westwood,1840.
- 390. Chloroclysta Hübner,[1825] (Geometridae) Synonym(s): Chloroclysta Hübner,[1825];

  Dysstroma Hübner,[1825]; Polyphasia Stephens,1831; Euthalia Stephens,1831 Original Reference:

  Chloroclysta Hübner,[1825], Verz. bekannter Schmett.: 332. Type-species: Phalaena miata

- Linnaeus,1758, Syst. Nat. (Edn.10) 1: 526, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 283.
- 391. Coenina Walker,1860 (Geometridae) Synonym(s): Coenina Walker,1860 Original Reference: Coenina Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 20: 69, 217-218. Type-species: Epiplema poecilaria Herrich-Schäffer,[1854], by monotypy [The species was attributed to "Geometra" by Walker erroneously].
- 392. Coenotephria L.B.Prout,1915 (Geometridae) Synonym(s): Coenotephria L.B.Prout,1915 Original Reference: Coenotephria L.B.Prout,1915, [in] Seitz,A., Gross-Schmett. Erde 4: 238. Type-species: Geometra tophaceata [Denis & Schiffermüller],1775, by subsequent designation by Lhomme,1927.
- 393. Comibaena Hübner,[1823] (Geometridae) Synonym(s): Comibaena Hübner,[1823] Original Reference: Comibaena Hübner,[1823], Verz. bekannter Schmett.: 284. Type-species: Geometra bajularia [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 97, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 433.
- **394. Cosmorhoe Hübner,[1825]** (Geometridae) Synonym(s): *Cosmorhoe Hübner,[1825]; Lyncometra L.B.Prout,1914* **Original Reference:** Cosmorhoe Hübner,[1825], Verz. bekannter Schmett.: 326. Type-species: Phalaena ocellata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527, by subsequent designation by Bode,1907, Mitt. Roemermus. Hildesh. 22: 26.
- 395. Costaconvexa Agenjo,1949 (Geometridae) Synonym(s): Costaconvexa Agenjo,1949; Grammorhoe Herbulot,1951 Original Reference: Costaconvexa Agenjo,1949, Graellsia 7: 105. Typespecies: Phalaena polygrammata Borkhausen,1794, by original designation.
- 396. Cyclophora Hübner,1822 (Geometridae) Synonym(s): Cyclophora Hübner,1822; Codonia Hübner,[1823]; Cosymbia Hübner,[1823]; Leucophthalmia Hübner,[1823]; Cyclophora Stephens,1829 nec Hbn.,1822; Ephyra Stephen,1829; Matella Gistl,1848; Anisodes Guenée,[1858]; Zonosoma Lederer,1853; Pisoraca Walker,1861; Euephyra Packard,1873; Streptopteron Swinhoe,1892; Pachythalia W.Warren,1897; Peostenodes W.Warren,1903 Original Reference: Cyclophora Hübner,1822, Syst.-alphab. Verz.: 41, 43. Typespecies: Phalaena albipunctata Hufnagel,1767, Berl. Mag. 4: 526, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 442.
- 397. **Dasycorsa L.B.Prout,1915** (Geometridae) Synonym(s): Dasycephala Staudinger,1879 nec Sw.,[1832]; Dasycorsa L.B.Prout,1915 Original Reference: Dasycorsa L.B.Prout,1915, [in] Seitz, Gross-Schmett. Erde 4: 332. Type-species: Dasycephala modesta Staudinger,1879, by monotypy.
- 398. **Docirava Walker,[1863]** (Geometridae) Synonym(s): *Docirava Walker,[1863]* Original Reference: Docirava Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1635. Typespecies: Docirava aequilineata Walker,[1863], by monotypy.
- 399. Dyscia (Calodyscia) Wehrli,1950 (Geometridae) Synonym(s): Calodyscia Wehrli,1950 Original Reference: Calodyscia Wehrli,1950, Ent. Ber., Amst. 13: 78. Type-species: Scodiona sicanaria Oberthür,1923, by original designation.
- **400. Dyscia (Rjabovana) Wehrli,1950** (Geometridae) Synonym(s): *Rjabovana Wehrli,1950* Original Reference: Rjabovana Wehrli,1950, Ent. Ber., Amst 13: 80. Type-species: Dyscia negrama Wehrli,1950, by original designation.
- **401. Dyscia (Warneckeella) Wehrli,1950** (Geometridae) Synonym(s): *Warneckeella Wehrli,1950* Original Reference: Warneckeella Wehrli,1950, Ent. Ber., Amst. 13: 77. Type-species: Dyscia malatyana Wehrli,1934, by original designation.
- **402. Dyscia (s.str.) Hübner,[1825]** (Geometridae) Synonym(s): *Dyscia Hübner,[1825]; Scodiona Boisduval,1840.* Original Reference: Dyscia Hübner,[1825], Verz. bekannter Schmett.: 314. Typespecies: Geometra conspersaria [Denis & Schiffermüller],1775, by subsequent designation by Hulst,1896.
- **403. Dyscia Hübner,[1825]** (Geometridae) Synonym(s): *Dyscia Hübner,[1825]; Scodiona Boisduval,1840.* Original Reference: Dyscia Hübner,[1825], Verz. bekannter Schmett.: 314. Typespecies: Geometra conspersaria [Denis & Schiffermüller],1775, by subsequent designation by Hulst,1896.
- **404. Eilicrinia Hübner,[1823]** (Geometridae) Synonym(s): *Eilicrinia Hübner,[1823]*; *Ilicrinia Agassiz,1847*; *Pareilicrinia W.Warren,1894* Original Reference: Eilicrinia Hübner,[1823], Verz. bekannter Schmett.: 287. Type-species: Phalaena cordiaria Hübner,1790, Beitr. Gesch. Schmett. 2(1):31, pl.(1) 4, fig.Z, by subsequent designation by Guenée,1857 [in] Boisduval & Guenée, Hist. nat. Insectes 10: 64.

- **405. Ennomos (Deuteronomos) L.B.Prout,1914** (Geometridae) Synonym(s): *Deuteronomos L.B.Prout,1914*; #Denderonomos *L.B.Prout,1915* Original Reference: Deuteronomos L.B.Prout,1914, [in] Pierce, Genitalia Group Geometridae Lepid. Br. Islands: xxvii, 8. Type-species: Phalaena alniaria Linnaeus,1758, by subsequent designation by D.S.Fletcher,1966.
- 406. Ennomos (s.str.) Treitschke,1825 (Geometridae) Synonym(s): Eugonia Hübner,[1823] nec Hübn.,[1819]; Ennomos Treitschke,1825; Odoptera Sodoffsky,1837; Odontoptera Agassiz,1847 nec Carreno,1842 Original Reference: Ennomos Treitschke,1825, Schmett. Eur. 5 (2): 427. Type-species: Eugonia autumnaria Werneburg,1859, by subsequent designation by Duponchel,1829.
- 407. Ennomos Treitschke,1825 (Geometridae) Synonym(s): Eugonia Hübner,[1823] nec Hübn.,[1819]; Ennomos Treitschke,1825; Odoptera Sodoffsky,1837; Odontoptera Agassiz,1847 nec Carreno,1842 Original Reference: Ennomos Treitschke,1825, Schmett. Eur. 5 (2): 427. Type-species: Eugonia autumnaria Werneburg,1859, by subsequent designation by Duponchel,1829.
- **408. Entephria Hübner,[1825]** (Geometridae) Synonym(s): *Entephria Hübner,[1825]; Glaucopteryx Hübner,[1825]; Phaesyloides Bruand,[1847]; Trichochlamys Hulst,1896.* Original Reference: Entephria Hübner,[1825], Verz. bekannt. Schmett.: 332. Type-species: Geometra flavicinctata Hübner,[1813], by subsequent designation by Hulst,1896.
- **409. Epitherina Wehrli,1938** (Geometridae) Synonym(s): *Epitherina Wehrli,1938* <u>Original Reference:</u> Epitherina Wehrli,1938, Ent. Rdsch. 55: 354. Type-species: Epitherina rhodopoleos Wehrli,1938, by monotypy.
- 410. Erannis Hübner,[1825] (Geometridae) Synonym(s): Erannis Hübner,[1825]; Hybernia Berthold,1827; Lampetia Stephens,1827; Chimadia Speyer,1839; Thriptera Gistl,1848 Original Reference: Erannis Hübner,[1825], Verz. bekannter Schmett.: 320. Type-species: [Phalaena] defoliaria Clerck,1759, by subsequent designation by Hulst,1896.
- 411. Eumera Staudinger,1892 (Geometridae) Synonym(s): Eumera Staudinger,1892 Original Reference: Eumera Staudinger,1892, Dt. ent. Z., Iris 5: 162. Type-species: Eumera regina Staudinger,1892, Dt. ent. Z., Iris 5: 162-164, Taf.ii fig.8. Syntypes 3\* 1+: [Türkei]: Amasia; [Croatien]: Zara, by monotypy.
- **412. Euphyia Hübner,[1825]** (Geometridae) Synonym(s): *Euphyia Hübner,[1825]; Anapalta W.Warren,1904; Orthoprora W.Warren,1904; Warrenia L.B.Prout,1910* Original Reference: Euphyia Hübner,[1825], Verz. bekannter Schmett.: 326. Type-species: Geometra picata Hübner,[1813], Samml. eur. Schmett. 5: pl.84 fig.435, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 283.
- 413. **Eupithecia Curtis,1825** (Geometridae) Synonym(s): Eupithecia Curtis,1825; Arcyonia Hübner,[1825]; Dyscymatoge Hübner,[1825]; Eucymatoge Hübner,[1825]; Hyperirritis Hübner,[1825]; Leucocora Hübner,[1825]; Tarachia Hübner,[1825]; Tephroclysta Hübner,[1825]; Zygmena Boie,1839; Lepiodes Guenée,1858; Pena Walker,1863; Epicaste Gumppenberg,1887; Dietzea Schütze,1956; Petersenia Schütze,1958; Bohatschia Schütze,1960; Delaeveria Schütze,1961; Catarina Vojnits & De Laever,1973; Propithecia Vojnits,1985; Heteropithecia Vojnits,1985; Neoithecia Vojnits,1985. Original Reference: Eupithecia Curtis,1825, Br. Ent. 2: 64. Typespecies: [Phalaena] absinthiata Clerck,1759, by original designation.
- **414. Glossotrophia** (**Bicalcarella**) **Hausmann,1993** (Geometridae) Synonym(s): *Bicalcarella Hausmann,1993* Original Reference: Bicalcarella Hausmann,1993, Mitt. münch. ent. Ges. 83: 92. Type-species: Glossotrophia terminata Wiltshire,1966, by original designation [proposed originally as a subgenus of Glossotrophia Prout,1913].
- **Glossotrophia (Libanonia) Hausmann,1993** (Geometridae) Synonym(s): *Libanonia Hausmann,1993* Original Reference: Libanonia Hausmann,1993, Mitt. münch. ent. Ges. 83: 86-87. Type-species: Glossotrophia asellaria ssp. semitata Prout,1913, by original designation [proposed originally as a subgenus of Glossotrophia Prout,1913].
- **416. Glossotrophia (s.str.) L.B.Prout,1913** (Geometridae) Synonym(s): *Glossotrophia L.B.Prout,1913*, [in] Seitz, Gross-Schmett. Erde 4: 82. Type-species: Acidalia confinaria Herrich-Schäffer,[1847], by original designation.
- 417. Glossotrophia L.B.Prout,1913 (Geometridae) Synonym(s): Glossotrophia L.B.Prout,1913 Original Reference: Glossotrophia L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 82. Typespecies: Acidalia confinaria Herrich-Schäffer,[1847], by original designation.
- 418. Gnopharmia Staudinger,1892 (Geometridae) Synonym(s): *Gnopharmia Staudinger*,1892 Original Reference: Gnopharmia Staudinger,1892, Dt. ent. Z., Iris 5: 181. Type-species: Gnophos colchidaria Lederer,1870, by subsequent designation by L.B.Prout,1915.

**420. Gnophos (Dicrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Dicrognophos Wehrli,1951* Original Reference: Dicrognophos Wehrli,1951, Lambillionea 51: 10. Type-species: Gnophos orthogonia Wehrli,1939, Mitt. münch. ent. Ges. 29: 72, by original designation.

**421. Gnophos (Organognophos) Wehrli,1951** (Geometridae) Synonym(s): *Organognophos Wehrli,1951*; *Organognophos Wehrli,1953* Original Reference: Organognophos Wehrli,1951, Lambillionea 51: 24. Type-species: Gnophos sibiriata Guenée,1857, by original designation.

**422. Gnophos (Rhipignophos) Wehrli,1951** (Geometridae) Synonym(s): *Rhipignophos Wehrli,1951*; *Rhipignophos Wehrli,1953* <u>Original Reference</u>: Rhipignophos Wehrli,1951, Lambillionea 51: 26. Type-species: Gnophos pervicinaria Wehrli,1922, by original designation.

**423. Gnophos (Trilobignophos) Wehrli,1951** (Geometridae) Synonym(s): *Trilobignophos Wehrli,1951*; *Trilobignophos Wehrli,1953* Original Reference: Gnophos (Trilobignophos) Wehrli,1951, Lambillionea 51: 23. Type-species: Gnophos pollinaria Christoph,1887, by original designation.

**424. Gnophos (Zystrognophos) Wehrli,1945** (Geometridae) Synonym(s): *Zystrognophos Wehrli,1945* Original Reference: Zystrognophos Wehrli,1945, Mitt. schweiz. ent. Ges. 19: 335. Type-species: Gnophos nimbata Alpheraky,1888, Stettin ent. Ztg. 49: 88, by original designation.

425. Gnophos (s.str.) Treitschke,1825 (Geometridae) Synonym(s): #Sciadion Hübner,[1806]; Gnophos Treitschke,1825; Scotopterix Hübner,[1825]; Scotopteryx Agassiz,1847; Gnophus Agassiz,1847; #Sciadion L.B.Prout,1904. Original Reference: Gnophos Treitschke,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: Geometra furvata [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.

426. Gnophos Treitschke,1825 (Geometridae) Synonym(s): #Sciadion Hübner,[1806]; Gnophos Treitschke,1825; Scotopterix Hübner,[1825]; Scotopteryx Agassiz,1847; Gnophus Agassiz,1847; #Sciadion L.B.Prout,1904. Original Reference: Gnophos Treitschke,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: Geometra furvata [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.

427. Gnophosema L.B.Prout,1912 (Geometridae) Synonym(s): *Gnophosema L.B.Prout,1912*Original Reference: Gnophosema L.B.Prout,1912, [in] Wytsman, Genera Insect. 129: 10, 48.
Type-species: Gnophos isometra W.Warren,1888, by original designation.

**428. Gymnoscelis Mabille,1868** (Geometridae) Synonym(s): *Gymnoscelis Mabille,1868; Iramba Moore,1887; Dolerosceles Meyrick,1889* <u>Original Reference:</u> Gymnoscelis Mabille,1868, Annls Soc. ent. Fr. (4) 7: 656. Type-species: Geometra pumilata Hübner,[1813], by monotypy.

**Heliomata Grote & Robinson,1866** (Geometridae) Synonym(s): *Heliomata Grote & Robinson,1866*; #Haliomata Packard,1876 Original Reference: Heliomata Grote & Robinson,1866, Proc. ent. Soc. Philad. 6: 29. Type-species: Baptria infulata Grote,1863, by subsequent designation by Hulst,1896.

430. Hemithea Duponchel,1829 (Geometridae) Synonym(s): Hemithea Duponchel,1829; Geometrina Motschulsky,[1861]; Lophocrita W.Warren,1894; Mixolophia W.Warren,1894 Original Reference: Hemithea Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 106, 233. Type-species: Geometra aestivaria Hübner,[1799], by original designation.

431. Heterobapta Wiltshire,1943 (Geometridae) Synonym(s): Heterobapta Wiltshire,1943 Original Reference: Heterobapta Wiltshire,1943, J. Bombay nat. Hist. Soc. 44: 249. Typespecies: Heterobapta plumellata Wiltshire,1943, by original designation.

**432. Heteroculpinia Hausmann,1994** (Geometridae) Synonym(s): *Heteroculpinia Hausmann,1994* Original Reference: Heteroculpinia Hausmann,1994, Atalanta 25 (3/4): 594. Type-species: Microloxia pasargades Brandt,1938, by original designation.

433. Heterolocha Lederer,1853 (Geometridae) Synonym(s): Heterolocha Lederer,1853; Nabla Walker,1866; Hetaera Gumppenberg,1887; Symmetresia Wehrli,1937 Original Reference: Heterolocha Lederer,1853, Ver. zool.- bot. Ver. Wien 3 (Abh.): 176, 202, 207. Type-species: Hypoplectis laminaria Herrich-Schäffer,1852, by monotypy.

- **434. Holoterpna Püngeler,1900** (Geometridae) Synonym(s): *Holoterpna Püngeler,1900* Original Reference: Holoterpna Püngeler,1900, Dt. ent. Z., Iris 12: 296. Type-species: Holoterpna diagrapharia Püngeler,1900, by subsequent designation by L.B.Prout,1912.
- 435. Hydriomena Hübner,[1825] (Geometridae) Synonym(s): Hydriomena Hübner,[1825]; Ypsipetes Stephens,1829; Hypsipetes Stephens,1831 nec Vigors,1831; Karacidaria Matsumura,1925 Original Reference: Hydriomena Hübner,[1825], Verz. bekannter Schmett.: 322. Type-species: Geometra elutata Hübner,[1799], Samml. eur. Schmett. 5: pl.43 fig.224, by subsequent designation by Meyrick,1917, Trans. N.Z. Inst. 49: 255.
- 436. **Hyperythra Guenée,[1858]** (Geometridae) Synonym(s): *Hyperythra Guenée,[1858]; Tycoonia W.Warren,1894; Pseuderythra Swinhoe,1904; Callipona Turner,1904* Original Reference: Hyperythra Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Ins. 9: 99. Type-species: Hyperythra limbolaria Guenée,[1858], by subsequent designation by Moore,1887.
- 437. **Hypomecis Hübner,[1821]** (Geometridae) Synonym(s): *Hypomecis Hübner,[1821]*; *Dryocoetis Hübner,[1825]*; *Boarmia Treitschke,1825*; *Serraca Moore,[1887]*; *Pseudoangerona Moore,[1887]*; *Narapa Moore,[1887]*; *Alcippe Gumppenberg,1887 nec Blyth,1844*; *Astacuda Moore,1888*; *Maidana Swinhoe,1900*; *Pseudoboarmia McDunnough,1920* <u>Original Reference:</u> Hypomecis Hübner,[1821], Index exot. Lepid. [7]. Type-species: Cymatophora umbrosaria Hübner,[1813], by monotypy.
- **438. Hyposcotis (Euchrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Euchrognophos Wehrli,1951* Original Reference: Euchrognophos Wehrli,1951, Lambillionea 51: 25. Type-species: Gnophos variegata Duponchel,1830, by original designation.
- **439. Hyposcotis (Kemtrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Kemtrognophos Wehrli,1951*; #Kentrognophos Wehrli,1951 Original Reference: Kemtrognophos Wehrli,1951, Lambillionea 51: 11. Type-species: Scodiona onustaria Herrich-Schäffer,[1852], by original designation.
- 440. Hyposcotis Hübner,[1825] (Geometridae) Synonym(s): *Hyposcotis Hübner,*[1825] <u>Original Reference</u>: Hyposcotis Hübner,[1825], Verz. bekannt. Schmett.: 314. Type-species: Geometra mucidaria Hübner,[1799], by subsequent designation by L.B.Prout (1904, Entomologist's Rec. J. Var. 16: 122).
- Idaea Treitschke, 1825 (Geometridae) Synonym(s): Idaea Treitschke,1825; Sterrha Hübner,[1825]; Arrhostia Hübner,[1825]; Pyctis Hübner,[1825]; Ptychopoda Curtis,1826; Hyria Stephens,1829 nec Lam.,1819; Ania Stephens,1831; Goniacidalia Packard,1873; Pythodora Meyrick,1886; Janarda Moore,1888; *Meyrick*,1889; Aphrogeneia Gumppenberg,1890; Xenocentris Mnesterodes Meyrick,1889; Gumppenberg, 1890; Gnidia Gumppenberg, 1890; Pelagia Gumppenberg, 1890 nec Peron, 1810; ; Andragrupos Hampson,1891; Carphoxera Riley,1891; Zeuctoneura W.Warren,1895; Synomila Hulst,1896; Ptenopoda Hulst,1896; Polygraphodes W.Warren,1897; Leptacme W.Warren,1897; Brachyprota W.Warren,1897; Hemipogon W.Warren,1897; Cacorista W.Warren,1899; Anteois W.Warren,1900; Hyriogona W.Warren,1900; Neochrysa W.Warren,1900; Pogonogya W.Warren,1900; Prospasta W.Warren,1900; Cysteophora Hulst,1900; Thysanotricha W.Warren,1903; Deinopyga W.Warren,1904; Schematorhages W.Warren,1905; Lobura W.Warren,1906; Omopera W.Warren,1906; Argyroscelia W.Warren,1907; Pareupithex W.Warren,1907; etc. Original Reference: Idaea Treitschke, 1825, Schmett. Eur. 5 (2): 446. Type-species: Phalaena aversata Linnaeus, 1758, by subsequent designation by Moore,[1887].
- **442. Isturgia Hübner,[1823]** (Geometridae) Synonym(s): *Isturgia Hübner,[1823]; Tephrina Guenée,[1845]; Histurgia Agassiz,1847; Enconista Lederer,1853; Bichroma Gumppenberg,1887; #Tephrinia Okyar & Aytaç,1999* Original Reference: Isturgia Hübner,[1823], Verz. bekannt. Schmett.: **297.** Typespecies: Geometra conspicuata [Denis & Schiffermüller],1775, by monotypy.
- **Lehmannodes Rajaei & Stüning,2013** (Geometridae) Synonym(s): *Lehmannodes Rajaei & Stüning,2013* Original Reference: Lehmannodes Rajaei & Stüning,2013, Zool. Anz. 252 (4): 565. Type-species: Aplocera guneyi Riemis,1992, by original designation.
- **Lithostege Hübner,[1825]** (Geometridae) Synonym(s): *Lithostege Hübner,[1825]; Agrapha Gumppenberg,1887.* Original Reference: Lithostege Hübner,[1825], Verz. bekannter Schmett.: 337. Type-species: Geometra duplicaria Hübner,[1799], Samml. eur. Schmett. 5: pl.40 fig.208, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 259.
- 445. Lulavia Hausmann,1991 (Geometridae) Synonym(s): Lulavia Hausmann,1991 Original Reference: Lulavia Hausmann,1991, Mitt. münch. ent. Ges. 81: 131. Type-species: Cidaria multipunctata Staudinger,[1898], by original designation.
- 446. Lycia Hübner,[1825] (Geometridae) Synonym(s): Lycia Hübner,[1825]; Nyssia Duponchel,1829; Melanocoma Harrison,1910 nec Woll.,1867; Poecilopsis Harrison,1910 Original Reference: Lycia Hübner,[1825], Verz. bekannter Schmett.: 319. Type-species: [Phalaena] hirtaria Clerck,1759, by subsequent designation by Hulst,1896.

- 447. Lythria Hübner,[1823] (Geometridae) Synonym(s): Lythria Hübner,[1823] Original Reference: Lythria Hübner,[1823], Verz. bekannter Schmett.: 300. Type-species: Phalaena purpuraria Linnaeus,1758, Syst. Nat. (Edn.10) 1: 522, by monotypy.
- **448. Macaria Curtis,1826** (Geometridae) Synonym(s): *Macaria Curtis,1826; Philobia Duponchel,1829; Eutropa Hübner,[1831]; Sciagraphia Hulst,1896* <u>Original Reference:</u> Macaria Curtis,1826, Br. Ent. 3: 132. Type-species: [Phalaena] liturata Clerck,1759, by original designation.
- 449. Microloxia W.Warren,1893 (Geometridae) Synonym(s): *Microloxia W.Warren,1893*Original Reference: Microloxia W.Warren,1893, Proc. zool. Soc. Lond. 1893: 354. Type-species: Geometra herbaria Hübner,[1813], by original designation.
- **450. Myinodes Meyrick,1892** (Geometridae) Synonym(s): *Myinodes Meyrick,1892*; *Pseudotagma Staudinger,1892* Original Reference: Myinodes Meyrick,1892, Trans. ent. Soc. Lond. 1892: 80, 82. Type-species: Sterrha interpunctaria Herrich-Schäffer,1839, by original designation.
- 451. Nebula Bruand,[1846] (Geometridae) Synonym(s): Nebula Bruand,[1846] Original Reference: Nebula Bruand,[1846], Mém. Soc. Emul. Doubs (1) 2 (2, livr. 3,4): 86. Type-species: Cidaria nebulata Treitschke,1828, by subsequent designation by Viette,1977.
- **Neognopharmia Wehrli,1953** (Geometridae) Synonym(s): #Neognopharmia Wehrli,1951; Neognopharmia Wehrli,1953 Original Reference: Neognopharmia Wehrli,1953, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 568. Type-species: Halia stevenaria Boisduval,1840, by original designation.
- 453. Neromia Staudinger,1898 (Geometridae) Synonym(s): Neromia Staudinger,1898 Original Reference: Neromia Staudinger,1898, Dt. ent. Z., Iris 10: 304. Type-species: Neromia jodisata Staudinger,1898, by monotypy.
- 454. **Nychiodes Lederer,1853** (Geometridae) Synonym(s): *Nychiodes Lederer,1853* Original Reference: Nychiodes Lederer,1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 177, 216, 219. Typespecies: Geometra lividaria Hübner,[1799], by subsequent designation by Guenée,1857.
- 455. Nychiodes (Comeesia) Wehrli,1941 (Geometridae) Synonym(s): Comeesia Wehrli,1941 Original Reference: Nychiodes (Comeesia) Wehrli,1941, [in] Seitz,A., Gross-Schmett. Erde 4 (Suppl.): 440. Type-species: Nychiodes admirabila Brandt,1938, by original designation.
- **456. Nychiodes (Eunychiodes) Wehrli,1941** (Geometridae) Synonym(s): *Eunychiodes Wehrli,1941* Original Reference: Eunychiodes Wehrli,1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 441. Type-species: Gnophos amygdalaria Herrich-Schäffer,[1848], by original designation.
- **457. Nychiodes (Fritzwagneria) Wehrli,1941** (Geometridae) Synonym(s): *Fritzwagneria Wehrli,1941* Original Reference: Fritzwagneria Wehrli,1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 438. Type-species: Nychiodes dalmatina F.Wagner,1909, by original designation.
- 458. Nyssiodes Oberthür,1880 (Geometridae) Synonym(s): Nyssiodes Oberthür,1880 Original Reference: Nyssiodes Oberthür,1880, Etud. ent. 5: 44. Type-species: Nyssiodes olgaria Oberthür,1880, by monotypy.
- 459. Ochodontia Lederer,1853 (Geometridae) Synonym(s): Ochodontia Lederer,1853; #Ochrodontia Vasilenko,1998 Original Reference: Ochodontia Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 175, 190, 194. Type-species: Ennomos sareptanaria Freyer,1842, by monotypy.
- **460. Orthonama Hübner,[1825]** (Geometridae) Synonym(s): *Orthonama Hübner,[1825]*; *Plemyria Hübner,[1825]* nec *Hbn.,[1825]*; *Nycterosea Hulst,1896*; *Percnoptilota Hulst,1896* <u>Original Reference</u>: Orthonama Hübner,[1825], Verz. bekannter Schmett.: 331. Type-species: Geometra lignata Hübner,[1799], Samml. eur. Schmett. 5: pl.52 fig.270, by subsequent designation by Warren,1895, Novit. zool. 2: 116.
- **461. Orthostixis Hübner,[1823]** (Geometridae) Synonym(s): *Orthostixis Hübner,[1823]* <u>Original Reference:</u> Orthostixis Hübner,[1823], Verz. bekannt. Schmett.: 304. Type-species: Geometra cribraria Hübner,[1799], by subsequent designation by Guenée,1857.
- **Oulobophora Staudinger,1892** (Geometridae) Synonym(s): *Oulobophora Staudinger,1892* Original Reference: Oulobophora Staudinger,1892, Dt. ent. Z., Iris 5: 219. Type-species: Oulobophora macedonica Staudinger,1892, by monotypy.
- 463. Ourapteryx Leach,1814 (Geometridae) Synonym(s): Ourapteryx Leach,1814; Uraptera Billberg,1820; Acaena Treitschke,1825; Uropteryx Agassiz,1847; Euctenurapteryx W.Warren,1894; Energopteryx Thierry-Mieg,1903; Phrudura Swinhoe,1906. Original Reference: Ourapteryx Leach,1814, [in] Leach & Nodder, Zool. Miscell. 1: 79. Type-species: Phalaena sambucaria Linnaeus,1758, by subsequent designation by Duponchel,1829.

- **464. Pasiphila Meyrick,1883** (Geometridae) Synonym(s): *Pasiphila Meyrick,1883; Calliclystis Dietze,1910; Cithecia Staudinger,1897; Helastiodes W.Warren,1895; Rhinoprora W.Warren,1895.* Original Reference: Pasiphila Meyrick,1883, N.Z. Jl.Sci. Dunedin 1: 527. Type-species: Eupithecia bilineolata Walker,1862, by monotypy.
- **465. Perconia Hübner,[1823]** (Geometridae) Synonym(s): *Perconia Hübner,[1823]* <u>Original Reference:</u> Perconia Hübner,[1823], Verz. bekannt. Schmett.: 296. Type-species: Phalaena strigillaria Hübner,[1787], by subsequent designation by Lhomme,[1929].
- 466. **Peribatodes Wehrli,1943** (Geometridae) Synonym(s): *Peribatodes Wehrli,1943* Original Reference: Peribatodes Wehrli,1943, [in] Seitz, Gross-Schmett. 4 (Suppl.): 478. Type-species: Geometra rhomboidaria [Denis & Schiffermüller],1775, by original designation.
- **467. Phaiogramma Gumppenberg,1887** (Geometridae) Synonym(s): *Phaiogramma Gumppenberg,1887* Original Reference: Phaiogramma Gumppenberg,1887, Nova Acta Acad. Caesar. Leop. Carol. 49: 326. Type-species: Nemoria faustinata Millière,1868, by subsequent monotypy.
- **468. Phaselia Guenée,[1858]** (Geometridae) Synonym(s): *Phaselia Guenée,[1858]* <u>Original Reference:</u> Phaselia Guenée,[1858], Hist. nat. Ins., Spec. gén. Lépid. 9: 228. Type-species: Synopsia phaeoleucaria Lederer,1855, by monotypy.
- 469. Philereme Hübner,[1825] (Geometridae) Synonym(s): Philereme Hübner,[1825]; Scotosia Stephens,1829. Original Reference: Philereme Hübner,[1825], Verz. bekannter Schmett.: 330. Type-species: Geometra rhamnata [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 276.
- 470. Photoscotosia W.Warren,1888 (Geometridae) Synonym(s): Trichopleura Staudinger,1882 nec Kaupp,1858; Photoscotosia W.Warren,1888; Lasiogma Meyrick,1892. Original Reference: Photoscotosia W.Warren,1888, Proc. zool. Soc. Lond. 1888: 328.
- 471. **Phthonandria W.Warren,1894** (Geometridae) Synonym(s): *Phthonandria W.Warren,1894* Original Reference: Phthonandria W.Warren,1894, Novit. zool. 1: 434. Type-species: Hemerophila atrilineata Butler,1881, by original designation.
- 472. **Pingasa Moore,[1887]** (Geometridae) Synonym(s): *Pingasa Moore,[1887]; #Pingasia Moore,1888; Skorpisthes Lucas,1900.* Original Reference: Pingasa Moore,[1887], Lepid. Ceylon 3: 419. Type-species: Hypochroma ruginaria Guenée,1857, by original designation.
- 473. **Protorhoe Herbulot,1951** (Geometridae) Synonym(s): *Protorhoe Herbulot,1951* Original Reference: Protorhoe Herbulot,1951, Revue fr. Lepidopt. 13: 62. Type-species: Melanippe unicata Guenée,[1858], by original designation.
- 474. **Proutictis Bryk,1938** (Geometridae) Synonym(s): Diastictis Hübner,[1823] nec Hbn.,1818; Proutictis Bryk,1938 Original Reference: Proutictis Bryk,1938, Parnassiana 5: 54. Type-species: Geometra artesiaria [Denis & Schiffermüller],1775, by monotypy.
- 475. **Pseudocinglis Hausmann,1994** (Geometridae) Synonym(s): *Pseudocinglis Hausmann,1994* Original Reference: Pseudocinglis Hausmann,1994, Nota lepid. 16 (3/4): 203. Type-species: Glossotrophia eurata L.B.Prout,1913, [in] Seitz,A., Gross-Schmett. Erde 4: 83, by original designation.
- **476. Pseudosterrha W.Warren,1888** (Geometridae) Synonym(s): *Pseudosterrha W.Warren,1888* Original Reference: Pseudosterrha W.Warren,1888, Proc. zool. Soc. Lond. 1888: 324. Type-species: Pseudosterrha ochrea W.Warren,1888, by monotypy.
- **Rheumaptera Hübner,1822** (Geometridae) Synonym(s): Rheumaptera Hübner,1822; Eulype Hübner,[1825]; Calocalpe Hübner,[1825]; Melanippe Duponchel,1829; Rheumatoptera Gumppenberg,1887; Xenospora W.Warren,1903 Original Reference: Rheumaptera Hübner,1822, Syst.- alphab. Verz.: 38-41, 43-47, 49-51. Type-species: Phalaena hastata Linnaeus,1758, by subsequent designation by Hulst,1896.
- 478. Rhodometra Meyrick,1892 (Geometridae) Synonym(s): Rhodometra Meyrick,1892; Sterrhanthia Butler,1894 Original Reference: Rhodometra Meyrick,1892, Trans. ent. Soc. Lond. 1892: 60, 75. Type-species: Phalaena sacraria Linnaeus,1767, by subsequent designation by Lhomme, [1930].
- **479. Rhodostrophia Hübner,[1823]** (Geometridae) Synonym(s): *Rhodostrophia Hübner,[1823]*; *Delocharis Butler,1883*; *Leptosidia Hampson,1903*; #Rodostrophia Brandt,1938 <u>Original Reference</u>: Rhodostrophia Hübner,[1823], Verz. bekannter Schmett.: 300. Type-species: Phalaena calabra

- Petagna,1786, Spec. Insect. ulterioris Calabriae: 38, fig.23, by subsequent designation by Hampson,1895 (Fauna Br. India (Moths) 3: 455).
- **480. Rhodostrophia (Asiotrophia) Koçak & Kemal,2016** (Geometridae) Synonym(s): *Asiotrophia Koçak & Kemal,2016* Original Reference: Rhodostrophia (Asiotrophia) Koçak & Kemal,2016, Cesa News 120: 3. Type-species: Pellonia auctata Staudinger,1879, by original designation.
- **481. Rhodostrophia (Pellonia) Duponchel,1829** (Geometridae) Synonym(s): *Pellonia Duponchel,1829* Original Reference: Pellonia Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 109. Type-species: [Phalaena] vibicaria Clerck,1759, by original designation.
- **Rhodostrophia (Pydna) Herrich-Schäffer,[1855]** (Geometridae) Synonym(s): *Pydna Herrich-Schäffer,[1855]* Original Reference: Pydna Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 6: 127, 128. Type-species: Fidonia badiaria Freyer,1842, by subsequent designation by L.B.Prout,1934.
- **483. Rhodostrophia (s.str.) Hübner,[1823]** (Geometridae) Synonym(s): *Rhodostrophia Hübner,[1823]*; *Delocharis Butler,1883*; *Leptosidia Hampson,1903*; #Rodostrophia Brandt,1938 <u>Original Reference</u>: Rhodostrophia Hübner,[1823], Verz. bekannter Schmett.: 300. Type-species: Phalaena calabra Petagna,1786, Spec. Insect. ulterioris Calabriae: 38, fig.23, by subsequent designation by Hampson,1895 (Fauna Br. India (Moths) 3: 455).
- **484. Rhoptria Guenée,[1858]** (Geometridae) Synonym(s): *Rhoptria Guenée,[1858]; Pseudognophos Staudinger,1900* <u>Original Reference:</u> Rhoptria Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 10: 114. Type-species: Geometra asperaria Hübner,[1817], by subsequent designation by Lhomme,[1930].
- **485. Schistostege Hübner,[1825]** (Geometridae) Synonym(s): *Schistostege Hübner,[1825]* Original Reference: Schistostege Hübner,[1825], Verz. bekannt. Schmett.: 336. Type-species: Geometra decussata [Denis & Schiffermüller],1775, by subsequent designation by Grote,1902.
- **486. Scodiomima Staudinger,1892** (Geometridae) Synonym(s): *Scodiomima Staudinger,1892* Original Reference: Scodiona (Scodiomima) Staudinger,1892, Dt. ent. Z., Iris 5: 202. Typespecies: Scodiomima crocallaria Staudinger,1892, by monotypy.
- **487. Scodionista Joannis,1912** (Geometridae) Synonym(s): *Scodionista Joannis,1912* <u>Original Reference:</u> Scodionista Joannis,1912, Broteria (Zool.) 10: 22. Type-species: Enconista amoritaria Püngeler,1902, Dt. ent. Z., Iris 15: 145, by original designation.
- **488. Scopula Schrank,1802** (Geometridae) Synonym(s): *Scopula Schrank,1802*; *Sphecodes Hübner,1822 nec Latr.,1804*; *Sarodria Sodoffsky,1837*; *Sarothria Agassiz,1847* Original Reference: Scopula Schrank,1802, Fauna Boica 2 (2): 162. Type-species: Phalaena paludata Linnaeus,1767, by subsequent designation by L.B.Prout,1906.
- **489. Scopuloides Hausmann,1994** (Geometridae) Synonym(s): *Scopuloides Hausmann,1994* Original Reference: Scopuloides Hausmann,1994, Nota lepid. 16 (3/4): 196. Type-species: Acidalia fucata Püngeler,1909, by original designation.
- 490. Scotopteryx Hübner,[1825] (Geometridae) Synonym(s): Scotopteryx Hübner,[1825]; Onychia Hübner,[1825]; Eubolia Duponchel,1829; Phasiane Duponchel,1829; Eusobia Bruand,1846 nec Dup.,[1845]; Limonophila Gumppenberg,1887; Forbachia Albrecht,1920. Original Reference: Scotopteryx Hübner,[1825], Verz. bekannter Schmett.: 338. Type-species: Geometra tenebraria Hübner,[1809], Samml. eur. Schmett. 5: pl.64 fig.330, by monotypy.
- 491. **Selenia Hübner,[1823]** (Geometridae) Synonym(s): *Selenia Hübner,[1823]* Original Reference: Selenia Hübner,[1823], Verz. bekannter Schmett.: 292. Type-species: Geometra illunaria Hübner,[1799], Samml. eur. Schmett. 5: pl.7 figs.36,37, by subsequent designation by Guenée,1857 [in] Boisduval & Guenée, Hist. nat. Insectes 9: 152.
- **Selidosema Hübner,[1823]** (Geometridae) Synonym(s): *Selidosema Hübner,[1823]; Spermo Gumppenberg,1887.* Original Reference: Selidosema Hübner,[1823], Verz. bekannt. Schmett.: 299. Type-species: Geometra plumaria [Denis & Schiffermüller],1775, by subsequent designation by Derenne-Meyers,1929.
- **493. Semiothisa Hübner,[1818]** (Geometridae) Synonym(s): *Semiothisa Hübner,[1818]; Parasemia Hübner,1823 nec Hbn.,[1820]; Godonella Blanchard,1840; Osteodes Guenée,1857* <u>Original Reference:</u> Semiothisa Hübner,[1818], Zutr. Samml. exot. Schmett. 1: 27, 30. Type-species: Semiothisa gambaria Hübner,[1818], by subsequent designation by Moore,1887.

- **494. Stamnodes Guenée,[1858]** (Geometridae) Synonym(s): *Stamnodes Guenée,[1858]; Tora Walker,1867; Marmopteryx Packard,1874; Synneuria Mabille,1885; Lissopsis W.Warren,1894; Grammicopteryx Thierry-Mieg,1904* Original Reference: Stamnodes Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 10: 515. Type-species: Fidonia pauperaria Eversmann,1848, by monotypy.
- **495. Synopsia Hübner,[1825]** (Geometridae) Synonym(s): *Synopsia Hübner,[1825]* Original Reference: Synopsia Hübner,[1825], Verz. bekannter Schmett.: 317. Type-species: Geometra sociaria Hübner,[1799], by subsequent designation by Lhomme,[1929].
- **496. Synopsidia Djakonov,1935** (Geometridae) Synonym(s): *Synopsidia Djakonov,1935; Hashtaresia Wehrli,1936* Original Reference: Synopsidia Djakonov,1935, Lambillionea 35: 147. Type-species: Synopsidia znojkoi Djakonov,1935, by original designation.
- 497. **Tephronia Hübner,[1825]** (Geometridae) Synonym(s): *Tephronia Hübner,[1825]; Mniophila Boisduval,1840 nec Stph.,1834; Gymnospile Gumppenberg,1887; L.B.Mannia Prout,1915 nec Davidson,1874; Eumannia D.S.Fletcher,1979* Original Reference: Tephronia Hübner,[1825], Verz. bekannter Schmett.: 318. Type-species: Geometra cineraria [Denis & Schiffermüller],1775, by subsequent designation by D.S.Fletcher,1979.
- 498. **Thalera Hübner,[1823]** (Geometridae) Synonym(s): *Thalera Hübner,[1823]; Chlorochroma Duponchel,[1845]; Heterothalera Bryk,1949* Original Reference: Thalera Hübner,[1823], Verz. bekannter Schmett.: 285. Type-species: Phalaena thymiaria Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 859, by subsequent designation by Moore,[1887], Lepid. Ceylon 3: 428.
- **Therapis Hübner,[1823]** (Geometridae) Synonym(s): *Therapis Hübner,[1823]; Caustoloma Lederer,1853* Original Reference: Therapis Hübner,[1823], Verz. bekannter Schmett.: 288. Typespecies: Geometra flavicaria [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 104, by subsequent designation by Fletcher,1979, [in] Nye, Generic names moths...3: 204.
- 500. Thetidia Boisduval,1840 (Geometridae) Synonym(s): Euchloris Hübner,[1823] nec Bill.,1820; Thetidia Boisduval,1840; Aglossochloris L.B.Prout,1912; Antonechloris Raineri,1994 Original Reference: Thetidia Boisduval,1840, Genera Index méth. eur. Lépid.: 189. Type-species: Thetidia plusiaria Boisduval,1840, by subsequent designation by Desmarest,1857.
- **Timandra Duponchel,1829** (Geometridae) Synonym(s): *Timandra Duponchel,1829; Bradyepetes Stephens,1829; Bradypetes Agassiz,1847* Original Reference: Timandra Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 105. Type-species: Timandra amata griseata Petersen,1902, by original designation.
- 502. **Triphosa Stephens,1829** (Geometridae) Synonym(s): *Triphosa Stephens,1829; Umbrosina Bruand,1847; Speluncaris Bruand,1847; Strepsizuga W.Warren,1908* Original Reference: Triphosa Stephens,1829, Nom. Br. Insects: 44. Type-species: Phalaena dubitata Linnaeus,1758, by subsequent designation by Westwood,1840.
- 503. Xanthorhoe Hübner,[1825] (Geometridae) Synonym(s): Xanthorhoe Hübner,[1825]; Malenydris Hübner,[1825]; Ochyria Hübner,[1825]; Cidaria Stephens,1829; Coremia Guenée,[1845] nec Audinet-Serville,1834; Scotocoremia Butler,1882; Monochryria W.Warren,1901; Anisolasia W.Warren,1904 Original Reference: Xanthorhoe Hübner,[1825], Verz. bekannter Schmett.: 327. Type-species: Geometra montanata [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 113, by subsequent designation by Warren,1893, Proc. zool. Soc. Lond. 1893: 376.
- **504. Xenochlorodes W.Warren,1897** (Geometridae) Synonym(s): *Xenochlorodes W.Warren,1897*; *Hissarica Viidalepp,1988* Original Reference: Xenochlorodes Warren,1897, Novit. zool. 4: 47. Type-species: Xenochlorodes pallida Warren,1897, ibidem 4: 47, by original designation.
- **505. Zamarada Moore,1887** (Geometridae) Synonym(s): *Zamarada Moore,1887*; *Rathalla D.S.Fletcher,1974* Original Reference: Zamarada Moore,1887, Lepid. Ceylon 3: 432. Type-species: Zamarada translucida Moore,1887, by monotypy.

### **Glyphipterygidae**

506. Glyphipterix Hübner,[1825] (Glyphipterygidae) Synonym(s): Glyphipterix Hübner,[1825]; Heribeia Stephens,1829; Aechmia Treitschke,1833; Anacampsoides Bruand,1851 Original Reference: Glyphipterix Hübner,[1825], Verz. bekannter Schmett.: 421. Type-species: Tinea

bergstraesserella Fabricius,1781, Species Insect. 2: 302, by subsequent designation by the ICZN,1986, Bull. zool. Nom. 43: (Opinion 1418): 325.

## Gracillariidae

- 507. Acrocercops Wallengren,1881 (Gracillariidae) Synonym(s): Acrocercops Wallengren,1881; Eucosmophora Walsingham,1897; Neurobathra Ely,1918; #Neurostrata Ely,1918 Original Reference: Acrocercops Wallengren,1881, Ent. Tidskr. 2: 95. Type-species: Tinea brongniardella Fabricius,1798, by monotypy.
- **508. Aspilapteryx (Sabulopteryx) Triberti,1985** (Gracillariidae) Synonym(s): *Sabulopteryx Triberti,1985* Original Reference: Aspilapteryx (Sabulopteryx) Triberti,1985, Z. ArbGem. öst. Ent. 37 (1/2): 4. Type-species: Ornix limosella Duponchel,1843, by original designation.
- 509. Aspilapteryx (s.str.) Spuler,1910 (Gracillariidae) Synonym(s): *Aspilapteryx Spuler,1910*Original Reference: Aspilapteryx Spuler,1910, [in] Hoffmann, Schmett. Eur. 2: 407. Typespecies: Gracilaria tringipennella Zeller,1839, by subsequent designation by Fletcher,1929.
- 510. Aspilapteryx Spuler,1910 (Gracillariidae) Synonym(s): Aspilapteryx Spuler,1910 Original Reference: Aspilapteryx Spuler,1910, [in] Hoffmann, Schmett. Eur. 2: 407. Type-species: Gracilaria tringipennella Zeller,1839, by subsequent designation by Fletcher,1929.
- 511. Caloptilia Hübner,[1825] (Gracillariidae) Synonym(s): Caloptilia Hübner,[1825]; Ornix Kollar,1832; Coriscium Zeller,1839; Calliptilia Agassiz,1847; Antiolopha Meyrick,1894 Original Reference: Caloptilia Hübner,[1825], Verz. bekannt. Schmett.: 427. Type-species: Tinea upupaepennella Hübner,[1796], by subsequent designation by Fletcher,1929.
- 512. Calybites Hübner,1822 (Gracillariidae) Synonym(s): Calybites Hübner,1822; Euspilapteryx Stephens,1835; Euspilopteryx Agassiz,1847; Eucalybites Kumata,1982 Original Reference: Calybites Hübner,1822, Syst.-alphab. Verz. Eur. Schmett.: 66-70, 72-74, 76, 78-80. Type-species: Tinea phasianipennella Hübner,[1813], by subsequent designation by Bradley,1967.
- **513. Cupedia Klimesch & Kumata,1973** (Gracillariidae) Synonym(s): *Cupedia Klimesch & Kumata,1973* Original Reference: Cupedia Klimesch & Kumata,1973, Kontyu 41: 32. Type-species: Euspilapteryx cupediella Herrich-Schäffer,1855, by original designation.
- 514. Dialectica Walsingham,1897 (Gracillariidae) Synonym(s): Dialectica Walsingham,1897; Eutrichocnemis Spuler,1910 Original Reference: Dialectica Walsingham,1897, Proc. zool. Soc. London 1897: 150. Type-species: Gracilaria scalariella Zeller,1850
- 515. Parornix Spuler,1910 (Gracillariidae) Synonym(s): Parornix Spuler,1910; Alfaornix Kuznetsov,1979; Betaornix Kuznetsov,1979; Gammaornix Kuznetsov,1979; Deltaornix Kuznetsov,1979 Original Reference: Parornix Spuler,1910, [in] Hoffmann, Schmett. Eur. 2: 410. Type-species: Ornix anglicella Stainton,1850, by subsequent designation by Walsingham,1914.
- Phyllocnistis Zeller,1848 (Gracillariidae) Synonym(s): Phyllocnistis Zeller,1848 Original Reference: Phyllocnistis Zeller,1848, Linn. ent. 3: 250,264. Type-species: Phyllocnistis suffusella Zeller,1848, ibidem 3: 266, figs 31-34, by subsequent designation by Hampson,1918, Novit. zool. 25: 387.
- **Polymitia Triberti,1986** (Gracillariidae) Synonym(s): *Polymitia Triberti,1986* Original Reference: Polymitia Triberti,1986, Boll. Mus. civ. Stor. nat. Verona 13: 257. Type-species: Acrocercops eximipalpella Gerasimov,1930, by original designation.
- 518. Triberta De Prins,2013 (Gracillariidae) Synonym(s): Triberta De Prins,2013 Original Reference: Triberta De Prins,2013, [in] Prins,J.de, Davis,D.R., Coninck,E.de, Sohn,J-C. & P.Triberti, Zootaxa 3741 (2): 204. Type-species: Lithocolletis cistifoliella Groschke,1944, by original designation.

## Lasiocampidae

519. Chilena Walker,1855 (Lasiocampidae) Synonym(s): Chilena Walker,1855 Original Reference: Chilena Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 979, 1070. Typespecies: Chilena similis Walker,1855, by monotypy.

**521. Eriogaster (Autosphyla) Rambur,1866** (Lasiocampidae) Synonym(s): *Autosphyla Rambur,1866* Original Reference: Autosphyla Rambur,1866, Cat. syst. lépidopt. Andalousie (2): 354. Type-species: Bombyx neogena Fischer de Waldheim,[1823], by monotypy.

**522. Eriogaster (s.str.) Germar,1810** (Lasiocampidae) Synonym(s): *Eriogaster Germar,1810; Gastris Billberg,1820; Dasysoma Hübner,[1820]; Lachneis Hübner,1822* <u>Original Reference:</u> Eriogaster Germar,1810, Diss sistens Bombycum Species (1): 16. Type-species: Phalaena lanestris Linnaeus,1758, by subsequent designation by Westwood,1840.

**523. Eriogaster Germar,1810** (Lasiocampidae) Synonym(s): *Eriogaster Germar,1810; Gastris Billberg,1820; Dasysoma Hübner,[1820]; Lachneis Hübner,1822 Autosphyla Rambur,1866* Original Reference: Eriogaster Germar,1810, Diss sistens Bombycum Species (1): 16. Type-species: Phalaena lanestris Linnaeus,1758, by subsequent designation by Westwood,1840.

**524. Gastropacha (s.str.) Ochsenheimer,1810** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer,1810; Phylloma Billberg,1820; Bombyx Boisduval,1828 nec Linn.,1758* Original Reference: Gastropacha Ochsenheimer,1810, Schmett. Eur. 3: 239. Type-species: Phalaena quercifolia Linnaeus,1758, by subsequent designation by Curtis,1824.

525. Gastropacha Ochsenheimer,1810 (Lasiocampidae) Synonym(s): Gastropacha Ochsenheimer,1810; Phylloma Billberg,1820; Bombyx Boisduval,1828 nec Linn.,1758 Original Reference: Gastropacha Ochsenheimer,1810, Schmett. Eur. 3: 239. Type-species: Phalaena quercifolia Linnaeus,1758, by subsequent designation by Curtis,1824.

526. Lasiocampa Schrank,1802 (Lasiocampidae) Synonym(s): Lasiocampa Schrank,1802; Pachygastria Hübner,[1820]; Irenocampa Rambur,1858; Lambessa Staudinger,1901 Original Reference: Lasiocampa Schrank,1802, Fauna Boica 2 (2) 153. Type-species: Phalaena quercus Linnaeus,1758, by subsequent designation by Curtis,1827.

527. Malacosoma Hübner,[1820] (Lasiocampidae) Synonym(s): Malacosoma Hübner,[1820]; Trichoda Hübner,1822 nec Müll.,1773; Trichodia Stephens,1827; Clisiocampa Curtis,1828; Cliseocampa Agassiz,1847 Original Reference: Malacosoma Hübner,[1820], Verz. bekannt. Schmett.: 192. Typespecies: Bombyx franconica [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.

**Pachypasa Walker,1855** (Lasiocampidae) Synonym(s): *Pachypasa Walker,1855; Mecistosoma Rambur,1866* Original Reference: Pachypasa Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1387, 1422. Type-species: Sphinx otus Drury,1773, by subsequent designation by Kirby,1892.

**529. Phyllodesma (s.str.) Hübner,[1820]** (Lasiocampidae) Synonym(s): *Phyllodesma Hübner,[1820]*; *Ammatocampa Wallengren,1869* Original Reference: Phyllodesma Hübner,[1820], Verz. bekannt. Schmett.: 190. Type-species: Phalaena ilicifolia Linnaeus,1758, by subsequent designation by Grote,1898.

530. Phyllodesma Hübner,[1820] (Lasiocampidae) Synonym(s): Phyllodesma Hübner,[1820]; Ammatocampa Wallengren,1869 Original Reference: Phyllodesma Hübner,[1820], Verz. bekannt. Schmett.: 190. Type-species: Phalaena ilicifolia Linnaeus,1758, by subsequent designation by Grote.1898.

531. Sena Walker,1862 (Lasiocampidae) Synonym(s): Sena Walker,1862 Original Reference: Sena Walker,1862, Trans. ent. Soc. Lond. (3) 1: 278. Type-species: Sena plusioides Walker,1862, by monotypy.

532. Streblote Hübner,[1820] (Lasiocampidae) Synonym(s): Streblote Hübner,[1820]; Megasoma Boisduval,1833 nec Kby,1825; Nadiasa Walker,1855; Taragama Moore,[1860]; Concaedes Wallengren,1865; Ticera Swinhoe,1892; Megamosa Collier,1936 Original Reference: Streblote Hübner,[1820], Verz. bekannt. Schmett.: 193. Type-species: Streblote panda Hübner,[1820], by subsequent designation by Tams,1928.

533. Trichiura (Giselea) Zolotuhin,2007 (Lasiocampidae) Synonym(s): *Giselea Zolotuhin,2007* Original Reference: Giselea Zolotuhin,2007, Nachr. ent. Ver. Apollo Suppl. 19: 46. Type-species: Trichiura pistaciae Wiltshire,1952, by original designation.

**Trichiura (s.str.) Stephens,1828** (Lasiocampidae) Synonym(s): *Trichiura Stephens,1828; Trichola Gistl,1848* Original Reference: Trichiura Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 42. Type-species: Phalaena crataegi Linnaeus,1758, by monotypy.

535. Trichiura Stephens,1828 (Lasiocampidae) Synonym(s): *Trichiura Stephens,1828; Trichola Gistl,1848* Original Reference: Trichiura Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 42. Typespecies: Phalaena crataegi Linnaeus,1758, by monotypy.

#### Lecithoceridae

**536. Ceuthomadarus Mann,1864** (Lecithoceridae) Synonym(s): *Ceuthomadarus Mann,1864; Asbolistis Meyrick,1936; Exorgana Gozmany,1957* <u>Original Reference:</u> Ceuthomadarus Mann,1864, Wien ent. Monatschr. 8: 188. Type-species: Ceuthomadarus tenebrionellus Mann,1864, ibidem 8: 188, pl.5 figs 1,2, by monotypy.

### Lemoniidae

537. **Lemonia Hübner,[1820]** (Lemoniidae) Synonym(s): *Lemonia Hübner,[1820]; Crateronyx Duponchel,[1845]; Limonia Agassiz,1847 nec Meig.,1803* Original Reference: Lemonia Hübner,[1820], Verz. bekannt. Schmett.: 187. Type-species: Bombyx taraxaci [Denis & Schiffermüller],1775, by monotypy.

### Limacodidae

538. Latoia Guérin-Méneville,[1844] (Limacodidae) Synonym(s): Latoia Guérin-Méneville,[1844]; Somara Walker,1855; Asteria R.Felder & Rogenhofer,1874 nec Müll.,1775 Original Reference: Latoia Guérin-Méneville,[1844], Iconog. Régne Anim. Cuvier 3 (Insectes): 512. Type-species: Latoia albifrons Guérin-Méneville,[1844], by monotypy.

# Lymantriidae

- **539. Arctornis Germar,1810** (Lymantriidae) Synonym(s): *Arctornis Germar,1810*; #Actornis De Freina,1981 Original Reference: Arctornis Germar,1810, Diss. sistens Bombycum Species: 18. Type-species: Bombyx v-nigrum Fabricius,1775, by subsequent designation by Kirby,1892 (cited as Phalaena l-nigrum Müller, originally not included species) (cf. Watson et al.,1980: 16-17).
- 540. Casama Walker,1865 (Lymantriidae) Synonym(s): Casama Walker,1865; Beeria Hartig,1963 nec Match,1957 Original Reference: Casama Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 611. Type-species: Casama indeterminata Walker,1865.
- 541. Euproctis Hübner,[1819] (Lymantriidae) Synonym(s): Euproctis Hübner,[1819]; Nygmia Hübner,[1820]; Porthesia Stephens,1828; Antipha Walker,1855; Arna Walker,1855; Artaxa Walker,1855; Lacida Walker,1855; Dulichia Walker,1855; Lopera Walker,1855; Somena Walker,1856; Urocoma Herrich-Schäffer,1858; Ela Walker,1862; Utidava Walker,1863; Adlullia Walker,1865; Orvasca Walker,1865; Themaca Walker,1865; Cozola Walker,1865; Bembina Walker,1865; Gogana Walker,1866; Micromorphe R.Felder,1874; Choerotricha R.Felder,1874; Chionophasma Butler,1886; Ocybola Turner,1912; Meteuproctis Matsumura,1927; Epeuproctis Matsumura,1933; Vietterma Griveaud,1977; Knappetra Nye,1980; Sphrageidus Maes,1984 Original Reference: Euproctis Hübner,[1819], Verz. bekannt. Schmett.: 159. Type-species: Phalaena chrysorrhoea Linnaeus,1758, by subsequent designation by Moore,[1883].
- **542. Leucoma Hübner,1822** (Lymantriidae) Synonym(s): *Leucoma Hübner,1822; Laria Schrank,1802 nec Scop.,1763; Stilpnotia Humprey & Westwood,1843; Leucosia Rambur,1866 nec Wb.,1795; Nymphyxis Grote,1895* Original Reference: Leucoma Hübner,1822, Syst.- alphab. Verz.: 14-16, 18, 19. Type-species: Phalaena salicis Linnaeus,1758, by subsequent designation by Westwood,1840.
- **Lymantria Hübner,[1819]** (Lymantriidae) Synonym(s): Lymantria Hübner,[1819]; Porthetria Hübner,[1819]; Hypogymna Billberg,1820; Sericaria Berthold,1827; Psilura Stephens,1828; Enome Walker,1855 Original Reference: Lymantria Hübner,[1819], Verz. bekannt. Schmett.: 160. Type-species: Phalaena monacha Linnaeus,1758, by subsequent designation by Moore,[1883].
- **Ocnerogyia Staudinger,[1892]** (Lymantriidae) Synonym(s): Ocnerogyia Staudinger,[1892]; #Ocnerogyia Staudinger,[1892]; #Ocnerogyia De Freina,1999 Original Reference: Ocnerogyia

- Staudinger,[1892], Dt. ent. Z., Iris 4: 254. Type-species: Ocnerogyia amanda Staudinger,1892, by monotypy.
- 545. Orgyia Ochsenheimer,1810 (Lymantriidae) Synonym(s): Orgyia Ochsenheimer,1810; Notolophus Germar,1812; Orgya Zetterstedt,1839; Teia Walker,1855; Clethrogyna Rambur,1866; Micropterogyna Rambur,1866; Apterogynis Guenée,[1875] Original Reference: Orgyia Ochsenheimer,1810, Schmett. Eur. 3: 208. Type-species: Phalaena antiqua Linnaeus,1758, by subsequent designation by Curtis,1831.
- **546. Parocneria Dyar,1897** (Lymantriidae) Synonym(s): *Parocneria Dyar,1897*; *Uliolepis W.Warren,1897*; *Maimaia Matsumura,1933*; *Daniela Hartig,1963 nec Koch,1891*. <u>Original Reference</u>: Parocneria Dyar,1897, Can. Ent. 29 (1): 13. Type-species: Phalaena detrita Esper,1785.
- 547. Polymona Walker,1855 (Lymantriidae) Synonym(s): Polymona Walker,1855; Oreinobia Wallengren,1865 Original Reference: Polymona Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 768. Type-species: Polymona rufifemur Walker,1855, by monotypy.

# Lyonetiidae

- 548. Leucoptera Hübner,[1825] (Lyonetiidae) Synonym(s): Leucoptera Hübner,[1825]; Cemiostoma Zeller,1848; Proleucoptera Busck,1902; Paraleucoptera Heinrich,1918; Perileucoptera Silvestri,1943.

  Original Reference: Leucoptera Hübner,[1825], Verz. bekannter Schmett.: 426. Type-species: Tinea spartifoliella Hübner,[1813], Samml. eur. Schmett. 8: pl.49, fig.335, by subsequent designation by Walsingham,1914, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 348.
- 549. Phyllobrostis (s.str.) Staudinger,1859 (Lyonetiidae) Synonym(s): Phyllobrostis Staudinger,1859 Original Reference: Phyllobrostis Staudinger,1859, Stettin ent. Ztg. 20: 257. Typespecies: Phyllobrostis daphneella Staudinger,1859, by monotypy.
- 550. Phyllobrostis Staudinger,1859 (Lyonetiidae) Synonym(s): Phyllobrostis Staudinger,1859 Original Reference: Phyllobrostis Staudinger,1859, Stettin ent. Ztg. 20: 257. Type-species: Phyllobrostis daphneella Staudinger,1859, by monotypy.

# Momphidae

- 551. **Bifascia Amsel,1961** (Momphidae) Synonym(s): *Bifascia Amsel,1961* Original Reference: Bifascia Amsel,1961, Beitr. naturk. Forsch. SüdwDtl. 20: 52. Type-species: Ascalenia nigralbella Chrétien,1915, by original designation.
- **Bifascioides Kasy,1968** (Momphidae) Synonym(s): *Bifascioides Kasy,1968; #Bifasciodes Clarck et al.,1972* Original Reference: Bifascioides Kasy,1968, Annln naturh. Mus. Wien 72: 509. Type-species: Elachista leucomelanella Rebel,1916, by original designation.
- 553. Mompha (s.str.) Hübner,[1825] (Momphidae) Synonym(s): *Mompha Hübner,*[1825]; *Laverna Curtis,*1839 Original Reference: Mompha Hübner,[1825], Verz. bekannt. Schmett.: 414. Type-species: Tinea conturbatella Hübner,[1819], Samml. eur. Schmett. 8: pl.67 fig. 450, by subsequent designation by Walsingham & Durrant,1909, Entomologist's mon. Mag. 45: 173.
- 554. Mompha Hübner,[1825] (Momphidae) Synonym(s): Mompha Hübner,[1825]; Laverna Curtis,1839 Original Reference: Mompha Hübner,[1825], Verz. bekannt. Schmett.: 414. Typespecies: Tinea conturbatella Hübner,[1819], by subsequent designation by Walsingham & Durrant,1909.

# Nepticulidae

- 555. **Acalyptris Meyrick,1921** (Nepticulidae) Synonym(s): *Acalyptris Meyrick,1921*; *Microcalyptris Brown,1925*; *Niepeltia Strand,1934*; *Weberia Müller-Rutz,1934*; *Weberina Müller-Rutz,1934*. Original Reference: Acalyptris Meyrick,1921, Exotic Microlepid. 2: 410. Type-species: Acalyptris psammophricta Meyrick,1921, by monotypy.
- 556. Ectoedemia (s.str.) Busck,1907 (Nepticulidae) Synonym(s): Ectoedemia Busck,1907; Dechtiria Beirne,1945 Original Reference: Ectoedemia Busck,1907, Proc. ent. Soc. Wash. 8: 97. Type-species: Ectoedemia populella Busck,1907, ibidem 8: 98, by original designation.

- **557. Ectoedemia Busck,1907** (Nepticulidae) Synonym(s): *Ectoedemia Busck,1907; Dechtiria Beirne,1945* Original Reference: Ectoedemia Busck,1907, Proc. ent. Soc. Wash. 8: 97. Typespecies: Ectoedemia populella Busck,1907, ibidem 8: 98, by original designation.
- 558. Stigmella Schrank,1802 (Nepticulidae) Synonym(s): Stigmella Schrank,1802 Original Reference: Stigmella Schrank,1802, Fauna Boica 2(2): 169. Type-species: Phalaena anomalella Goeze,1783, Ent. Beyträge 3(4): 168, by subsequent designation by Walsingham,1908, Proc. zool. Soc. Lond. 1907: 1008.

#### **Noctuidae**

- 559. Abrostola Ochsenheimer,1816 (Noctuidae) Synonym(s): #Unca Oken,1813; Abrostola Ochsenheimer,1816; Habrostola Sodoffsky,1837; Inguridia Butler,1879; Unca Lhomme,[1929]; Trigeminostola Beck,1991; Asclepistola Beck,1991 Original Reference: Abrostola Ochsenheimer,1816, Schmett. Eur. 4: 88. Type-species: Phalaena triplasia Linnaeus,1758, by subsequent designation by Duponchel,1829.
- **560. Acantholipes Lederer,1857** (Noctuidae) Synonym(s): *Acantholipes Lederer,1857*; *Docela Walker,[1866]*; *Lasionota W.Warren,1912* (homonym); *Nolaseniola Strand,1920*; *Isatoolna Nye,1975* Original Reference: Acantholipes Lederer,1857, Noctuinen Eur. 44, 198. Type-species: Noctua regularis Hübner,[1813], by monotypy.
- **561. Achaea Hübner,[1823]** (Noctuidae) Synonym(s): *Achaea Hübner,[1823]; Geria Walker,1858* Original Reference: Achaea Hübner,[1823], Verz. bekannt. Schmett.: 269. Type-species: Phalaena melicerta Drury,1773, by subsequent designation by Moore,1885.
- 562. Acontia (Emmelia) Hübner,[1821] (Noctuidae) Synonym(s): Emmelia Hübner,[1821]; Erotyla Hübner,1822; Agrophila Boisduval,1840; Ponometia Herrich-Schäffer,1868; Fruva Grote,1877; Heliodora Neumoegen,1891; Graeperia Grote,1895; Therasea Grote,1895; Trachidia Hampson,1898; Tornacontia Smith,1900; Conacontia Smith,1900; Conochares Smith,1905; Neptunia Barnes & McDunnough,1911; Hemispargueia Barnes & McDunnough,1923; Acropserotarache Berio,1937; Emmelacontia Beck,2000 Original Reference: Emmelia Hübner,[1821], Verz. bekannt. Schmett.: 254. Type-species: Phalaena sulphuarlis Linnaeus,1767, by monotypy.
- 563. Acontia (Uracontia) Beck,1996 (Noctuidae) Synonym(s): *Uracontia Beck,1996* Original Reference: Uracontia Beck,1996, Neue ent. Nachr. 36: 50. Type-species: Acontia urania Frivaldsky,1835, by original designation.
- 564. Acontia Ochsenheimer,1816 (Noctuidae) Synonym(s): Acontia Ochsenheimer,1816; Tarache Hübner,[1823]; Desmophora Stephens,1829; Euphasia Stephens,1830; Heliothera Sodoffsky,1837; Porrotha Gistl,1848; Tima Walker,[1858]; Pseudalypia H.Edwards,1874; Spragueia Grote,1875; Trichotarache Grote,1875; Hoplotarache Hampson,1910; Prociosis Hampson,1910; Cardiosace Hampson,1910; Fredina Brandt,1939 Original Reference: Acontia Ochsenheimer,1816, Schmett. Eur. 4: 91. Type-species: Noctua solaris [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829.
- 565. Acontiola Staudinger,[1900] (Noctuidae) Synonym(s): Acontiola Staudinger,[1900] Original Reference: Acontiola Staudinger,[1900], Dt. ent. Z., Iris 12 (1899): 382-383. Typespecies: Acontiola sancta Staudinger,[1900], by monotypy.
- **Acrobyla Rebel,1903** (Noctuidae) Synonym(s): *Acrobyla Rebel,1903* Original Reference: Acrobyla Rebel,1903, Dt. ent. Z., Iris 16: 68. Type-species: Acrobyla kneuckeri Rebel,1903, by monotypy.
- **567. Acronicta (Subacronicta) Kozhantshikov,1950** (Noctuidae) Synonym(s): *Subacronicta Kozhantshikov,1950* Original Reference: Subacronicta Kozhantshikov,1950, Fauna USSR (Insecta) Lepid. 12: 456. Type-species:Noctua megacephala [Denis & Schiffermüller],1775, by original designation.
- **568. Acronicta (Triaena) Hübner,1818** (Noctuidae) Synonym(s): #Apatele Hübner,1808; Triaena Hübner,1818; Semaphora Guenée,1841; Sematophora Agassiz,1846; Cuspidia Chapman,1890 Original Reference: Triaena Hübner,1818, Zuträge Samml. exot. Schmett. 1: 21. Type-species: Phalaena psi Linnaeus,1758, by subsequent designation by Grote (1873).
- **569. Acronicta (Viminia) Chapman,1890** (Noctuidae) Synonym(s): *Viminia Chapman,1890; Pharetra Hübner,[1820]; Chamaepora W.Warren,1909* <u>Original Reference:</u> Viminia Chapman,1890, Entomologist's Rec. J. Var. 1: 26. Type-species: Phalaena rumicis Linnaeus,1758, by subsequent designation by Chapman (1890).

- 570. Acronicta (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): Acronicta Ochsenheimer,1816 Original Reference: Acronicta Ochsenheimer,1816, Schmett. Eur. 4: 62. Typespecies: Phalaena leporina Linnaeus,1758, by subsequent designation by Curtis,1826.
- 571. Acronicta Ochsenheimer,1816 (Noctuidae) Synonym(s): Acronicta Ochsenheimer,1816 Original Reference: Acronicta Ochsenheimer,1816, Schmett. Eur. 4: 62. Type-species: Phalaena leporina Linnaeus,1758, by subsequent designation by Curtis,1826.
- 572. **Aedia Hübner,[1823]** (Noctuidae) Synonym(s): *Aedia Hübner,[1823]; Anophia Guenée,1841*Original Reference: Aedia Hübner,[1823], Verz. bekannt. Schmett.: 260. Type-species: Noctua funesta Esper,1786, by subsequent designation by Hampson,1902.
- 573. Aedophron Lederer,1857 (Noctuidae) Synonym(s): Aedophron Lederer,1857 Original Reference: Aedophron Lederer,1857, Noctuinen Eur.: 43, 180. Type-species: Heliothis rhodites Eversmann,1851, by monotypy.
- 574. **Aegle Hübner,[1823]** (Noctuidae) Synonym(s): *Aegle Hübner,[1823]; Metaegle Hampson,1908*Original Reference: Aegle Hübner,[1823], Verz. bekannt. Schmett.: 257. Type-species: Tortrix kaekeritziana Hübner,[1799], by subsequent designation by Hampson,1910.
- 575. Africalpe C.G.Krüger,1939 (Noctuidae) Synonym(s): Africalpe C.G.Krüger,1939 Original Reference: Africalpe C.G.Krüger,1939, Annali Mus. libico Stor. nat. 1: 348. Type-species: Africalpe intrusa C.G.Krüger,1939, by monotypy.
- 576. Agrochola (Alpichola) Ronkay,1984 (Noctuidae) Synonym(s): *Alpichola Ronkay,1984*Original Reference: Alpichola Ronkay,1984, Acta zool. hung. 30 (1/2): 184. Type-species: Agrochola egorovi O.Bang-Haas,1934, by original designation.
- 577. **Agrochola (Anchoscelis) Guenée,1839** (Noctuidae) Synonym(s): *Anchoscelis Guenée,1839*; *Agrolitha Berio,1980*; *Pseudanchoscelis Beck,1991*; *Humichola Beck,1991*; *Rufachola Beck,1991*; *Thurnerichola Beck,1991*; *Osthelderichola Beck,1991* Original Reference: Anchoscelis Guenée,1839, Annls Soc. ent. Fr. 8: 483. Type-species: Noctua nitida [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1841.
- 578. Agrochola (Leptologia) Prout,1901 (Noctuidae) Synonym(s): Leptologia Prout,1901 Original Reference: Leptologia Prout,1901, Entomologist's Rec. J. Var. 13: 183. Type-species: [Phalaena] lota Clerck,1759, by original designation.
- 579. Agrochola (Sunira) Franclemont,1950 (Noctuidae) Synonym(s): Sunira Franclemont,1950 Original Reference: Sunira Franclemont,1950, Bull. Brooklyn ent. Soc. 45: 148. Type-species: Xanthia bicolorago Guenée,1852, by original designation.
- 580. Agrochola (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): Agrochola Hübner,[1821]; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991 Original Reference: Agrochola Hübner,[1821], Verz. bekannt. Schmett.: 229. Type-species: Noctua pistacina [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1906.
- 581. Agrochola Hübner,[1821] (Noctuidae) Synonym(s): Agrochola Hübner,[1821]; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991 Original Reference: Agrochola Hübner,[1821], Verz. bekannt. Schmett.: 229. Type-species: Noctua pistacina [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1906.
- 582. Agrotis (Crassagrotis) Beck,1991 (Noctuidae) Synonym(s): Crassagrotis Beck,1991 Original Reference: Crassagrotis Beck,1991, Atalanta 22: 180. Type-species: Noctua crassa Hübner,[1803], by original designation.
- **583**. **Agrotis (Putagrotis) Beck,1991** (Noctuidae) Synonym(s): *Putagrotis Beck,1991* Original Reference: Putagrotis Beck,1991, Atalanta 22: 181. Type-species: Noctua puta Hübner,[1803], by original designation.
- 584. Agrotis (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): Agrotis Ochsenheimer,1816 Original Reference: Agrotis Ochsenheimer,1816, Schmett. Eur. 4: 66. Type-species: Agrotis segetum [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1827.
- 585. Agrotis Ochsenheimer, 1816 (Noctuidae) Synonym(s): Agrotis Ochsenheimer, 1816 Original Reference: Agrotis Ochsenheimer, 1816, Schmett. Eur. 4: 66. Type-species: Agrotis segetum [Denis & Schiffermüller], 1775, by subsequent designation by Curtis, 1827.
- 586. Allophyes (Crassophyes) Ronkay, Ronkay & Gyulai,2011 (Noctuidae) Synonym(s): Crassophyes Ronkay, Ronkay & Gyulai,2011 Original Reference: Crassophyes Ronkay, Ronkay &

- Gyulai,2011, Witt Catalogue 5: 115. Type-species: Meganephria renalis Wiltshire,1941, by original designation.
- **587. Allophyes (s.str.) Tams,1942** (Noctuidae) Synonym(s): *Allophyes Tams,1942* Original Reference: Allophyes Tams,1942, Entomologist 75: 209. Type-species: Phalaena oxyacanthae Linnaeus,1758, by original designation.
- **588. Allophyes Tams,1942** (Noctuidae) Synonym(s): *Allophyes Tams,1942* <u>Original Reference:</u> Allophyes Tams,1942, Entomologist 75: 209. Type-species: Phalaena oxyacanthae Linnaeus,1758, by original designation.
- **Ammoconia Lederer,1857** (Noctuidae) Synonym(s): *Ammoconia Lederer,1857*; #Ammocania *Tschetverikov,1904* Original Reference: Ammoconia Lederer,1857, Noctuinen Eur.: 33, 97. Typespecies: Noctua caecimacula [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- 590. **Amphipoea Billberg,1820** (Noctuidae) Synonym(s): *Amphipoea Billberg,1820* Original Reference: Amphipoea Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 87. Type-species: Phalaena nictitans Linnaeus,1767, by subsequent designation by Franclemont,1950.
- **591. Amphipyra (Pyrois) Hübner,[1820]** (Noctuidae) Synonym(s): *Pyrois Hübner,[1820]; Syntomopus Guenée,1837 nec Wlk.,1833; Adpyramidcampa Beck,1991* Original Reference: Pyrois Hübner,[1820], Verz. bekannt. Schmett.: 208. Type-species: Phalaena cinnamomea Goeze,1781, by subsequent designation by Hampson (1908).
- 592. Amphipyra (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): Amphipyra Ochsenheimer,1816; Scotophila Hübner,[1821]; Pyrophila Stephens,1829; Philopyra Guenée,1852; Neocomia Rougemont,1902; Pyramidcampa Beck,1991; Adamphipyra Beck,1991; Tetrapyra Beck,1991; Antiamphipyra Beck,1991 Original Reference: Amphipyra Ochsenheimer,1816, Schmett. Eur. 4: 70. Type-species: [Phalaena] tragopoginis Clerck,1759, by subsequent designation by Duponchel,1829.
- 593. Amphipyra Ochsenheimer,1816 (Noctuidae) Synonym(s): Amphipyra Ochsenheimer,1816; Scotophila Hübner,[1821]; Pyrophila Stephens,1829; Philopyra Guenée,1852; Neocomia Rougemont,1902; Pyramidcampa Beck,1991; Adamphipyra Beck,1991; Tetrapyra Beck,1991; Antiamphipyra Beck,1991 Original Reference: Amphipyra Ochsenheimer,1816, Schmett. Eur. 4: 70. Type-species: [Phalaena] tragopoginis Clerck,1759, by subsequent designation by Duponchel,1829.
- **Anagnorisma L.Ronkay & Varga,1999** (Noctuidae) Synonym(s): *Anagnorisma L.Ronkay & Varga,1999* Original Reference: Anagnorisma L.Ronkay & Varga,1999, Acta zool. Acad. Sci. Hung. 45 (4): 361. Type-species: Eugnorisma goniophora Varga, L.Ronkay & Hacker,1990, by original designation.
- **595. Anaplectoides McDunnough,[1929]** (Noctuidae) Synonym(s): *Anaplectoides McDunnough,[1929]* Original Reference: Anaplectoides McDunnough,[1929], Bull. Dep. Mines, Can. 55 (1928): 65. Type-species: Eurois pressus Grote,1874, by original designation.
- 596. Antarchaea Hübner,[1821] (Noctuidae) Synonym(s): Antarchaea Hübner,[1821]; Daona Walker,1864; Byturna Moore,1883; Myana Swinhoe,1884; Pseudomicra Butler,1892 Original Reference: Antarchaea Hübner,[1821], Verz. bekannt. Schmett.: 254. Type-species: Noctua numisma Hübner,[1803], by monotypy.
- 597. Antitype Hübner,[1821] (Noctuidae) Synonym(s): Antitype Hübner,[1821] Original Reference: Antitype Hübner,[1821], Verz. bekannt. Schmett.: 212. Type-species: Phalaena chi Linnaeus,1758, by subsequent designation by Hampson,1906.
- 598. Anumeta Walker,1858 (Noctuidae) Synonym(s): Anumeta Walker,1858; Palpangula Staudinger,1877; Eremonoma W.Warren,1913 Original Reference: Anumeta Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1769. Type-species: Anumeta atrosignata Walker,1858, by monotypy.
- 599. Anydrophila John,1909 (Noctuidae) Synonym(s): *Anydrophila John,1909* Original Reference: Anydrophila John,1909, Revue russ. Ent. 9: 123. Type-species: Euclidia mirifica Erschoff,1874, by original designation.
- 600. Apamea (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): Apamea Ochsenheimer,1816; Abromias Billberg,1820; Septis Hübner,[1821]; Hama Stephens,1829; Xylophasia Stephens,1829; Agrostobia Boie,1835; Crymodes Guenée,1841; Syma Stephens,1850; Eleemosia Prout,1901; Protagrotis Hampson,1903; Trichoplexia Hampson,1908; Heteromma W.Warren,1911; Heterommiola Strand,1912; Apaconjunctdonta Beck,1991; Loscopia Beck,1991; Furvabromias Beck,1991 Original Reference: Apamea Ochsenheimer,1816, Schmett. Eur. 4: 75. Type-species: Noctua basilinea [Denis & Schiff.], 1775, by subsequent designation by Samouelle (1819).

- **Apamea Ochsenheimer, 1816** (Noctuidae) Synonym(s): Apamea Ochsenheimer,1816; Abromias Billberg,1820; Septis Hübner,[1821]; Hama Stephens,1829; Xylophasia Stephens,1829; Agrostobia Guenée,1841; Syma Stephens, 1850; Eleemosia Hampson,1903;Trichoplexia Hampson,1908; Heteromma W.Warren,1911; Heterommiola Strand,1912; Apaconjunctdonta Beck,[1992] Original Reference: Apamea Ochsenheimer,1816, Schmett. Eur. 4: 75. Type-species: Noctua basilinea [Denis & Schiff.], 1775, by subsequent designation by Samouelle (1819).
- **602. Apopestes Hübner,[1823]** (Noctuidae) Synonym(s): *Apopestes Hübner,[1823]; Spintherops Boisdwal,1840* Original Reference: Apopestes Hübner,[1823], Verz. bekannt. Schmett.: 275. Typespecies: Noctua spectrum Esper,1787, by monotypy.
- 603. Archanara (Globia) Fibiger, Zilli, L.Ronkay & Goldstein,2009 (Noctuidae) Synonym(s): Capsula Fibiger, Zilli, L.Ronkay & Goldstein,2005 nec Schumacher,1817 non Agassiz,1846; Globia Fibiger, Zilli, L.Ronkay & Goldstein,2009 Original Reference: Archanara (Globia) Fibiger, Zilli, L.Ronkay & Goldstein,2009, The Witt Catalogue 3: 17 (nom. nov. pro Capsula Fibiger, Zilli, L.Ronkay & Goldstein,2005 nec Schumacher,1817). Type-species: Phalaena sparganii Esper,[1790], by original designation.
- 604. Archanara (s.str.) Walker,1866 (Noctuidae) Synonym(s): *Archanara Walker,1866*Original Reference: Archanara Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1737. Type-species: Archanara nonogriella Walker,1866, by monotypy.
- 605. Archanara Walker,1866 (Noctuidae) Synonym(s): Archanara Walker,1866 Original Reference: Archanara Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1737. Typespecies: Archanara nonogriella Walker,1866, by monotypy.
- **606. Argyrospila Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *Argyrospila Herrich-Schäffer,[1851]* Original Reference: Argyrospila Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 374. Type-species: Leucania maculata Eversmann,1842, by monotypy.
- 607. Armada Staudinger,1884 (Noctuidae) Synonym(s): Armada Staudinger,1884 Original Reference: Armada Staudinger,1884, [in] Romanoff, Mém. lépid. 1: 142. Type-species: Acontia columbina Staudinger,1884, by subsequent designation by Warren (1913).
- 608. Atethmia Hübner,[1821] (Noctuidae) Synonym(s): Atethmia Hübner,[1821]; Cirroedia Guenée,1839 Original Reference: Atethmia Hübner,[1821], Verz. bekannt. Schmett.: 238. Typespecies: Phalaena xerampelina Esper,1793, by subsequent designation by Grote (1874).
- 609. Auchmis (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): Auchmis Hübner,[1821]; Rhizogramma Lederer,1857 Original Reference: Auchmis Hübner,[1821], Verz. bekannt. Schmett.: 243. Type-species: Phalaena petroriza Borkhausen,1792, by subsequent designation by Warren (1914).
- **610. Auchmis Hübner,[1821]** (Noctuidae) Synonym(s): *Auchmis Hübner,[1821]; Rhizogramma Lederer,1857* Original Reference: Auchmis Hübner,[1821], Verz. bekannt. Schmett.: 243. Typespecies: Phalaena petroriza Borkhausen,1792, by subsequent designation by Warren (1914).
- 611. Autographa Hübner,[1821] (Noctuidae) Synonym(s): Autographa Hübner,[1821] Original Reference: Autographa Hübner,[1821], Verz. bekannt. Schmett.: 251. Type-species: Phalaena gamma Linnaeus,1758, by subsequent designation by Grote (1986).
- 612. Autophila (Cheirophanes) Boursin,1955 (Noctuidae) Synonym(s): *Cheirophanes Boursin,1955* Original Reference: Cheirophanes Boursin,1955, Z. wien. ent. Ges. 40: 170. Typespecies: Amphipyra ligaminosa Eversmann,1851, by original designation.
- 613. Autophila (s.str.) Hübner,[1823] (Noctuidae) Synonym(s): Autophila Hübner,[1823] Original Reference: Autophila Hübner,[1823], Verz. bekannt. Schmett. (18): 274. Type-species: Noctua dilucida Hübner,[1808], by subsequent designation by W.Warren,1913.
- 614. Autophila Hübner,[1823] (Noctuidae) Synonym(s): Autophila Hübner,[1823] Original Reference: Autophila Hübner,[1823], Verz. bekannt. Schmett. (18): 274. Type-species: Noctua dilucida Hübner,[1808], by subsequent designation by W.Warren,1913.
- 615. Axylia Hübner,[1821] (Noctuidae) Synonym(s): Axylia Hübner,[1821]; #Actinia Ebert & Hacker,2002 Original Reference: Axylia Hübner,[1821], Verz. bekannt. Schmett.: 242. Typespecies: Phalaena putris Linnaeus,1761, by subsequent designation by Guenée,1852.
- 616. **Bena Billberg,1820** (Noctuidae) Synonym(s): *Bena Billberg,1820* Original Reference: Bena Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 90. Type-species: Phalaena prasinana Linnaeus,1758, by subsequent designation by Tams,1939.

- 617. **Boursinia Brandt,1938** (Noctuidae) Synonym(s): *Boursinia Brandt,1938; Anamecia Boursin,1958; #Bousinia Hacker,1998* Original Reference: Boursinia Brandt,1938, Ent. Rdsch. 55: 518. Type-species: Boursinia symmicta Brandt,1938, by original designation.
- 618. Brachygalea Hampson,1906 (Noctuidae) Synonym(s): Brachygalea Hampson,1906 Original Reference: Brachygalea Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: 2, 8. Typespecies: Brachygalea leucorhabda Hampson,1906, by original designation.
- 619. **Brandtaxia Boursin,1943** (Noctuidae) Synonym(s): *Brandtaxia Boursin,1943* Original Reference: Brandtaxia Boursin,1943, Z. wien. ent. Ges. 28: 314. Type-species: Sidemia discalis Brandt,1941, by original designation.
- **Brandtina Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): Brandtina Bytinski-Salz & Brandt,1937; Cometera Hacker,1996; #Brandtaxia Ebert & Hacker,2002 Original Reference: Brandtina Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49 (9): (11). Type-species: Brandtina albonigra Bytinski-Salz & Brandt,1937, by monotypy.
- **621. Bryomima Staudinger,1900** (Noctuidae) Synonym(s): *Bryomima Staudinger,1900* <u>Original Reference</u>: Bryomima Staudinger,1900, Dt. ent. Z., Iris 12: 357. Type-species: Bryomima carducha Staudinger,1900, by monotypy.
- **622. Bryophilopsis Hampson,1894** (Noctuidae) Synonym(s): *Bryophilopsis Hampson,1894* Original Reference: Bryophilopsis Hampson,1894, Fauna Br. India (Moths) 2: 361. Type-species: Bryophilopsis griseata Hampson,1894, by original designation.
- **623. Calamia Hübner,[1821]** (Noctuidae) Synonym(s): *Calamia Hübner,[1821]* Original Reference: Calamia Hübner,[1821], Verz. bekannt. Schmett.: 240. Type-species: Phalaena virens Linnaeus,1767, by subsequent designation by Hampson,1910.
- **624. Calliergis Hübner,[1821]** (Noctuidae) Synonym(s): #Callierges auct.; Calliergis Hübner,[1821]; Lithocampa Guenée,1852 Original Reference: Calliergis Hübner,[1821], Verz. bekannt. Schmett.: 244. Type-species: Bombyx ramosa Esper,1786, by subsequent designation by Hampson,1906.
- **625. Callistege Hübner,[1823]** (Noctuidae) Synonym(s): *Callistege Hübner,[1823]; Euclidimera Hampson,1913* Original Reference: Callistege Hübner,[1823], Verz. bekannt. Schmett.: 281. Typespecies: Phalaena mi Clerck,1759, by subsequent designation by Berion,1957.
- 626. Callopistria Hübner,[1821] (Noctuidae) Synonym(s): Callopistria Hübner,[1821]; Lagopus R.L.,1817 nec Brisson,1760; Eriopus Treitschke,1825; Agabra Walker,1862; Obana Walker,1862 nec Walk.,1862; Gnamptocera Butler,1881; Haploolophus Butler,1881; Dissolophus Butler,1881; Hemipachycera Butler,1881; Rheptrotrichia Butler,1881; Platydasys Butler,1881; Methorasa Moore,1881; Cotanda Moore,1881; Herrichia Grote,1882 nec Stgr.,1871; Euherrichia Grote,1882; Hyperdasis Swinhoe,1901; Miropalpa Berio,1955 Original Reference: Callopistria Hübner,[1821], Verz. bekannt. Schmett.: 216. Type-species: Phalaena juventina Stoll,1782, by subsequent designation by Grote (1874).
- **627. Calocucullia G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *Calocucullia G.Ronkay & L.Ronkay,1987* Original Reference: Calocucullia G.Ronkay & L.Ronkay,1987, Acta zool. hung. 33 (3/4): 463. Type-species: Cucullia celsiae Herrich-Schäffer,1850, by original designation.
- **628. Calophasia Stephens,1829** (Noctuidae) Synonym(s): *Calophasia Stephens,1829* <u>Original Reference:</u> Calophasia Stephens,1829, Nom. Br. Insects: 42. Type-species: Noctua linariae [Denis & Schiffermüller],1775, by monotypy.
- 629. Calymma Hübner,[1823] (Noctuidae) Synonym(s): Calymma Hübner,[1823] Original Reference: Calymma Hübner,[1823], Verz. bekannt. Schmett.: 281. Type-species: Noctua communimacula [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1910.
- **630. Calyptra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Calyptra Ochsenheimer,1816; Calpe Treitschke,1825; Culasta Moore,1881; Hypocalpe Butler,1883; Percalpe Berio,1956* Original Reference: Calyptra Ochsenheimer,1816, Schmett. Eur.4: 78. Type-species: Phalaena thalictri Borkhausen,1790, by subsequent designation by Duponchel,1826.
- **631. Caradrina (Boursinidrina) Hacker,2004** (Noctuidae) Synonym(s): *Boursinidrina Hacker,2004* Original Reference: Caradrina (Boursinidrina) Hacker,2004, Esperiana 10: 38, 103. Type-species: Athetis rjabovi Boursin,1936, by original designation.
- 632. Caradrina (Eremodrina) Boursin,1937 (Noctuidae) Synonym(s): Eremodrina Boursin,1937 Original Reference: Eremodrina Boursin,1937, Ent. Rdsch. 54: 422. Type-species: Caradrina vicina Staudinger,1870, by original designation.

- 633. Caradrina (Levantrina) Hacker,2004 (Noctuidae) Synonym(s): Levantrina Hacker,2004 Original Reference: Caradrina (Levantrina) Hacker,2004, Esperiana 10: 39, 287. Type-species: Athetis bodenheimeri Draudt,1934, by original designation.
- **634. Caradrina (Paradrina) Boursin,1937** (Noctuidae) Synonym(s): *Paradrina Boursin,1937* Original Reference: Paradrina Boursin,1937, Ent. Rdsch. 54: 421. Type-species: Caradrina selini Boisduval,1840, by original designation.
- 635. Caradrina (Platyperigea) Smith,1894 (Noctuidae) Synonym(s): *Platyperigea Smith*,1894; *Hymenodrina Boursin*,1937 Original Reference: Platyperigea Smith,1894, Trans. Am. ent. Soc. 21: 60. Type-species: Platyperigea camina Smith,1894, by original designation.
- **636. Caradrina (Weigertrina) Hacker,2004** (Noctuidae) Synonym(s): *Weigertrina Hacker,2004* Original Reference: Caradrina (Weigertrina) Hacker,2004, Esperiana 10: 291. Typespecies: Platyperigea eremicola Plante,1998, by original designation.
- **637. Caradrina Ochsenheimer,1816** (Noctuidae) Synonym(s): *Caradrina Ochsenheimer,1816*; *Charadrina Agassiz,1847*; *Amphidrina Staudinger,1892* <u>Original Reference</u>: Caradrina Ochsenheimer,1816, Schmett. Eur. 4: 80. Type-species: Phalaena morpheus Hufnagel,1766, by subsequent designation by Samouelle (1819).
- **638. Cardepia Hampson,1905** (Noctuidae) Synonym(s): *Cardepia Hampson,1905* <u>Original Reference:</u> Cardepia Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: x, 234. Type-species: Mamestra irrisoria Erschoff,1874, by original designation.
- 639. Catamecia Staudinger,1897 (Noctuidae) Synonym(s): Catamecia Staudinger,1897 Original Reference: Catamecia Staudinger,1897, Dt. ent. Z., Iris 10: 288. Type-species: Catamecia jordana Staudinger,1897, by monotypy.
- **640. Catephia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Catephia Ochsenheimer,1816; Idicara Walker,[1863]; Zarima Moore,1882; Mageutica Hampson,1926* Original Reference: Catephia Ochsenheimer,1816, Schmett. Eur. 4: 94. Type-species: Noctua alchymista Hufnagel,1766, by subsequent designation by Duponchel (1829).
- **Catocala (Ephesia) Hübner,1818** (Noctuidae) Synonym(s): *Ephesia Hübner,1818* Original Reference: Ephesia Hübner,1818, Zutr. Samml. exot. Schmett. 1: 11. Type-species: Phalaena paranympha Linnaeus,1767, by subsequent designation by Hampson,1913.
- 642. Catocala (s.str.) Schrank,1802 (Noctuidae) Synonym(s): Catocala Schrank,1802; Hemigeometra Haworth,1809; Lamprosia Hübner,[1821]; Belpharidia Hübner,1822; Astiotes Hübner,[1823]; Corisce Hübner,[1823]; Eucora Hübner,[1823]; Eunetis Hübner,[1823]; Andrewsia Grote,1882; Catabapta Hulst,1884; Andreusia Hampson,1913; Simplicala Beck,1996 Original Reference: Catocala Schrank,1802, Fauna Boica 2 (2): 158. Type-species: Phalaena nupta Linnaeus,1767, by subsequent designation by Curtis (1828).
- 643. Catocala Schrank,1802 (Noctuidae) Synonym(s): Catocala Schrank,1802; Hemigeometra Haworth,1809; Lamprosia Hübner,[1821]; Belpharidia Hübner,1822; Astiotes Hübner,[1823]; Corisce Hübner,[1823]; Eucora Hübner,[1823]; Eunetis Hübner,[1823]; Andrewsia Grote,1882; Catabapta Hulst,1884; Andreusia Hampson,1913; Simplicala Beck,1996 Original Reference: Catocala Schrank,1802, Fauna Boica 2 (2): 158. Type-species: Phalaena nupta Linnaeus,1767, by subsequent designation by Curtis (1828).
- 644. **Cerocala Boisduval,1828** (Noctuidae) Synonym(s): *Cerocala Boisduval,1828* <u>Original Reference:</u> Cerocala Boisduval,1828, Eur. Lepid. Index meth.: 100. Type-species: Noctua scapulosa Hübner,[1808], by monotypy.
- **645. Characoma Walker,1863** (Noctuidae) Synonym(s): *Characoma Walker,1863; Corticata Walker,[1863]; Paraxia Möschler,1890; Hypothripa Hampson,1894.* Original Reference: Characoma Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 106. Type-species: Characoma albulalis Walker,1863, by monotypy.
- **646. Chazaria Moore,1881** (Noctuidae) Synonym(s): *Chazaria Moore,1881; Rhodocleptria Hampson,1903*. <u>Original Reference:</u> Chazaria Moore,1881, Proc. zool. Soc. Lond. 1881: 361. Typespecies: Heliothis incarnata Freyer,1838, by monotypy.
- 647. Chersotis (Cyrebia) Guenée,1852 (Noctuidae) Synonym(s): Cyrebia Guenée,1852 Original Reference: Cyrebia Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 195. Type-species: Cyrebia luperinoides Guenée,1852, by subsequent designation by Hampson,1903.
- 648. Chersotis (s.str.) Boisduval,1840 (Noctuidae) Synonym(s): Chersotis Boisduval,1840; Multsotis Beck,1991; Alpsotis Beck,1991; Cupreosotis Beck,1991; Fimbriosotis Beck,1991; Elesotis Beck,1991; Larixsotis Beck,1991; Margasotis Beck,1991; Original Reference: Chersotis Boisduval,1840, Gen. Index

- Eur. Lepid.: 103. Type-species: Noctua rectngula [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1843.
- 649. Chersotis Boisduval,1840 (Noctuidae) Synonym(s): Chersotis Boisduval,1840; Multsotis Beck,1991; Alpsotis Beck,1991; Cupreosotis Beck,1991; Fimbriosotis Beck,1991; Elesotis Beck,1991; Larixsotis Beck,1991; Margasotis Beck,1991; Original Reference: Chersotis Boisduval,1840, Gen. Index Eur. Lepid.: 103. Type-species: Noctua rectngula [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1843.
- **650. Chilodes Herrich-Schäffer,1849** (Noctuidae) Synonym(s): *Chilodes Herrich-Schäffer,1849*; *Hypostilbia Hampson,1908* Original Reference: Chilodes Herrich-Schäffer,1849, Syst. Bearb. Schmett. Eur. 2: 226. Type-species: Noctua ulvae Hübner,[1817], by subsequent designation by Hampson,1910.
- 651. Chionoxantha Hampson,1914 (Noctuidae) Synonym(s): *Xantholeuca Hampson,1910* (praeocc.); Chionoxantha Hampson,1914 Original Reference: Chionoxantha Hampson,1914, Ann. Mag. nat. Hist. (8) 13: 202. Type-species: Erastria staudingeri Standfuss,1892, by original designation.
- 652. Chloantha Boisduval, Rambur & Graslin,[1836] (Noctuidae) Synonym(s): Chloantha Boisduval, Rambur & Graslin,[1836]; #Cloantha Guenée,1839; Chloantha Agassiz,1846 Original Reference: Chloantha Boisduval, Rambur & Graslin,[1836], 1832, Cooln iconographique hist. Chenilles Eur.: Noctuélides text & pl. 22, figs. 5, 6. Type-species: Noctua hyperici [Denis & Schiffermüller],1775, by monotypy.
- 653. Chortodes Tutt,1897 (Noctuidae) Synonym(s): Chortodes Tutt,1897; Longalatedes Beck,1991
  Original Reference: Chortodes Tutt,1897, Entomologist 30: 284. Type-species: Acosmetia morrisii Dale,1837, by monotypy.
- **654. Chrysodeixis Hübner,[1821]** (Noctuidae) Synonym(s): *Chrysodeixis Hübner,[1821]; Neoplusia Okano,1963* <u>Original Reference:</u> Chrysodeixis Hübner,[1821], Verz. bekannt. Schmett.: 252. Type-species: Phalaena chalcites Esper,1789, by subsequent designation by Dyar,1902.
- 655. Cleonymia (Serryvania) Berio,1980 (Noctuidae) Synonym(s): Serryvania Berio,1980 Original Reference: Serryvania Berio,1980, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 10, 17. Type-species: Xylina yvanii Duponchel,1833, by original designation.
- **656. Cleonymia Berio,1966** (Noctuidae) Synonym(s): *Cleonymia Berio,1966* <u>Original Reference:</u> Cleonymia Berio,1966, Annali Mus. civ. Stor. nat. Giacomo Doria 76: 53. Type-species: Cleophana baetica Rambur,[1837], by original designation.
- **657. Clytie (Hypoglaucitis) Staudinger,1895** (Noctuidae) Synonym(s): *Hypoglaucitis Staudinger,1895*, Dt. ent. Z., Iris 7: 284. Typespecies: Hypoglaucitis moses Staudinger,1895, by monotypy.
- 658. Clytie (s.str.) Hübner,[1823] (Noctuidae) Synonym(s): *Clytie Hübner,[1823]; Pseudophia Guenée,1852*. Original Reference: Clytie Hübner,[1823], Verz. bekannt. Schmett.: 267. Typespecies: Noctua illunaris Hübner,[1813], by subsequent designation by Hampson,1913.
- 659. Clytie Hübner,[1823] (Noctuidae) Synonym(s): Clytie Hübner,[1823]; Pseudophia Guenée,1852.
  Original Reference: Clytie Hübner,[1823], Verz. bekannt. Schmett.: 267. Type-species: Noctua illunaris Hübner,[1813], by subsequent designation by Hampson,1913.
- 660. Colobochyla (Caspicastra) Koçak & Kemal,2002 (Noctuidae) Synonym(s): Caspicastra Koçak & Kemal,2002 Original Reference: Caspicastra Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 86: 4, footnote 8. Type-species: Eulocastra (Thalerastria) capnoessa Zerny,1915, by original designation.
- 661. Colobochyla Hübner,[1825] (Noctuidae) Synonym(s): #Salia Hübner,[1806]; Colobochyla Hübner,[1825]; #Cholobochyla Hübner,[1826]; Madopa Stephens,1829; Cholobochila Agassiz,1846; #Calobochyla Walker,[1859]; #Matopa Hacker,1990. Original Reference: Colobochyla Hübner,[1825], Verz. bekannt. Schmett.: 344. Type-species: Pyralis salicalis [Denis & Schiffermüller],1775, by monotypy.
- **662. Condica Walker,1856** (Noctuidae) Synonym(s): *Condica Walker,1856*; *Gaphara Walker,1862*; *Platysenta Grote,1874*; *Myrtale Druce,1891*; *Monocondica Berio,1981*; *Bicondica Berio,1981*. <u>Original Reference</u>: Condica Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 9: 214, 239. Typespecies: Condica palpalis Walker,1856, by monotypy.
- **663. Conistra (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Conistra Hübner,[1821]; Orrhodia Hübner,[1821]; Gloia Hübner,1822; Peperina Hreblay,1992* <u>Original Reference:</u> Conistra Hübner,[1821], Verz. bekannt. Schmett.: 229. Type-species: Noctua veronicae Hübner,[1803], by subsequent designation by Hampson (1906).

- **664. Conistra Hübner,[1821]** (Noctuidae) Synonym(s): *Conistra Hübner,[1821]; Orrhodia Hübner,[1821]; Gloia Hübner,1822; Peperina Hreblay,1992* <u>Original Reference:</u> Conistra Hübner,[1821], Verz. bekannt. Schmett.: 229. Type-species: Noctua veronicae Hübner,[1803], by subsequent designation by Hampson (1906).
- 665. Cornutiplusia Kostrowicki,1961 (Noctuidae) Synonym(s): Cornutiplusia Kostrowicki,1961 Original Reference: Cornutiplusia Kostrowicki,1961, Acta zool. cracov. 6: 432. Type-species: Phalaena circumflexa Linnaeus,1767, by original designation.
- 666. **Cosmia (Calymnia) Hübner,[1821]** (Noctuidae) Synonym(s): *Calymnia Hübner,[1821]* Original Reference: Calymnia Hübner,[1821], Verz. bekannt. Schmett.: 235. Type-species: Phalaena trapezina Linnaeus,1758, by subsequent designation by Grote (1874).
- 667. Cosmia (Ulmia) Fibiger & Hacker,2007 (Noctuidae) Synonym(s): *Ulmia Fibiger & Hacker*,2007 Original Reference: Cosmia (Ulmia) Fibiger & Hacker,2007, Noctuidae Europaeae 9: 156. Type-species: Phalaena affinis Linnaeus,1767, by original designation.
- **668. Cosmia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Cosmia Ochsenheimer,1816*; *Eustegnia Hübner,[1821]*. <u>Original Reference</u>: Cosmia Ochsenheimer,1816, Schmett. Eur. 4: 84. Type-species: Phalaena affinis Linnaeus,1767, by subsequent designation by Duponchel,1829.
- **669. Craniophora Snellen,1867** (Noctuidae) Synonym(s): *Craniophora Snellen,1867*; *Bisulcia Chapman,1890*; *Cranionycta De Lattin,1949*; *Hampsonia Kozhantschikov,1950*; *Miracopa Draudt,1950*; *Hampsonidia Inoue,1958*. <u>Original Reference:</u> Craniophora Snellen,1867, Vlinders Nederland 1867: 262. Type-species: Noctua ligustri [Denis & Schiffermüller],1775, by monotypy.
- 670. Cryphia (Bryoleuca) Hampson,1908 (Noctuidae) Synonym(s): *Bryoleuca Hampson,1908* Original Reference: Bryoleuca Hampson,1908, Cat. Lepid. Phalaenae Br. Mus. 7: xv, 686. Typespecies: Miana trilinea Bethune-Baker,1894, by original designation.
- 671. Cryphia (Bryophila) Treitschke,1825 (Noctuidae) Synonym(s): Poecilia Schrank,1802 nec Schneider,1801; Bryophila Treitschke,1825 Original Reference: Bryophila Treitschke,1825, Schmett. Eur. 5 (1): 57. Type-species: Noctua perla [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- **672. Cryphia (Bryopsis) Boursin,1969** (Noctuidae) Synonym(s): *Bryopsis Boursin,1969* Original Reference: Bryopsis Boursin,1969, Z. wien. ent. Ges. 54: 46. Type-species: Phalaena muralis Forster,1771, by original designation.
- **673. Cryphia (Euthales) Hübner,[1820]** (Noctuidae) Synonym(s): *Euthales Hübner,[1820]; Jaspidia Hübner,1822* <u>Original Reference:</u> Euthales Hübner,[1820], Verz. bekannt. Schmett.: 205. Type-species: Noctua algae Fabricius,1775, by subsequent designation by Hampson,1908.
- 674. **Cryphia (s.str.) Hübner,1818** (Noctuidae) Synonym(s): *Cryphia Hübner,1818; Heterocryphia Beck,1996* Original Reference: Cryphia Hübner,1818, Zuträge Samml. exot. Schmett. 1: 14. Typespecies: Noctua receptricula Hübner,[1803], by subsequent designation by Hampson,1908.
- 675. **Cryphia Hübner,1818** (Noctuidae) Synonym(s): *Cryphia Hübner,1818; Heterocryphia Beck,1996* Original Reference: Cryphia Hübner,1818, Zuträge Samml. exot. Schmett. 1: 14. Typespecies: Noctua receptricula Hübner,[1803], by subsequent designation by Hampson,1908.
- 676. Cucullia (s.str.) Schrank,1802 (Noctuidae) Synonym(s): Cucullia Schrank,1802; Euderaea Hübner,[1821]; Empusa Hübner,[1821]; Eucalimia Hübner,[1821]; Callaenia Hübner,[1821]; Argyritis Hübner,[1821]; Tribunophora Hübner,1822; Lophia Sodoffsky,1837; Argyrogalea Hampson,1906; Cheligalea Hampson,1906; Argyromata Hampson,1906; Empusada Hampson,1906; Pseudocopicucullia Dumont,1929 Original Reference: Cucullia Schrank,1802, Fauna Boica 2 (2): 157. Type-species: Phalaena umbratica Linnaeus,1758, by subsequent designation by Curtis,1824.
- 677. Cucullia Schrank,1802 (Noctuidae) Synonym(s): Cucullia Schrank,1802; Euderaea Hübner,[1821]; Empusa Hübner,[1821]; Eucalimia Hübner,[1821]; Callaenia Hübner,[1821]; Argyritis Hübner,[1821]; Tribunophora Hübner,1822; Lophia Sodoffsky,1837; Argyrogalea Hampson,1906; Cheligalea Hampson,1906; Argyromata Hampson,1906; Empusada Hampson,1906; Pseudocopicucullia Dumont,1929 Original Reference: Cucullia Schrank,1802, Fauna Boica 2 (2): 157. Type-species: Phalaena umbratica Linnaeus,1758, by subsequent designation by Curtis,1824.
- **678. Dasypolia (Dasymixis) L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *Dasymixis L.Ronkay & Varga,1990* Original Reference: Dasymixis L.Ronkay & Varga,1990, Esperiana 1: 481. Type-species: Dasypolia (Dasymixis) diva L.Ronkay & Varga,1990, by original designation.
- 679. **Dasypolia (s.str.) Guenée,1852** (Noctuidae) Synonym(s): Dasypolia Guenée,1852 <u>Original Reference</u>: Dasypolia Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 44. Type-species: Noctua templi Thunberg,1792, by monotypy.

- **680. Dasypolia Guenée,1852** (Noctuidae) Synonym(s): *Dasypolia Guenée,1852* <u>Original Reference:</u> Dasypolia Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 44. Type-species: Noctua templi Thunberg,1792, by monotypy.
- **681. Deltote Reichenbach,1817** (Noctuidae) Synonym(s): *Deltote Reichenbach,1817* <u>Original Reference:</u> Deltote Reichenbach,1817, Jenaische Allg. Lit.-Ztg. 1: 288. Type-species: Phalaena argentula Hübner,[1787], by subsequent designation by Nye,1975.
- **682. Diachrysia Hübner,[1821]** (Noctuidae) Synonym(s): *Diachrysia Hübner,[1821]* Original Reference: Diachrysia Hübner,[1821], Verz. bekannt. Schmett.: 252. Type-species:Phalaena chryson Esper,1789, by subsequent designation by Dyar,1902.
- **683. Diarsia Hübner,[1821]** (Noctuidae) Synonym(s): *Diarsia Hübner,[1821]; Oxira Walker,1865* Original Reference: Verz. bekannt. Schmett.: 222. Type-species: Noctua dahli Hübner,[1813], by subsequent designation by Hampson,1903.
- **684. Dichagyris (Albocosta) Fibiger & Lafontaine,1997** (Noctuidae) Synonym(s): *Albocosta Fibiger & Lafontaine,1997; Basistriga Fibiger & Lafontaine,1997* Original Reference: Albocosta Fibiger & Lafontaine,1997, Noctuidae Europaeae 3: 126-127. Type-species: Noctua musiva Hübner,[1803], by original designation.
- **685. Dichagyris** (**Grisyigoga**) **Beck,1991** (Noctuidae) Synonym(s): *Grisyigoga Beck,1991* Original Reference: Grisyigoga Beck,1991, Atalanta 22 (2/4): 182. Type-species: candelisequa [Denis & Schiffermüller],1775, by original designation.
- **686. Dichagyris (Stenosomides) Strand,1942** (Noctuidae) Synonym(s): *Stenosoma Turati,1924 nec Leach,[1814]; Stenosomides Strand,1942* <u>Original Reference:</u> Stenosomides Strand,1942, Folia zool. hydrobiol. 11: 390 (nom. nov. pro Stenosoma Turati,1924 nec Leach,[1814]). Typespecies: Stenosoma synesia Turati,1924, by monotypy.
- 687. Dichagyris (Yigoga) Nye,1975 (Noctuidae) Synonym(s): Ogygia Hübner,[1821] nec Brong.,1817; Yigoga Nye,1975; Flavyigoga Beck,1996; Nigryigoga Beck,1996 Original Reference: Yigoga Nye,1975, The generic names of moths of the World 1: 508 (nom. nov. Ogygia Hübner,[1821]). Type-species: Noctua signifera [Denis & Schiffermüller],1775, by subsequent designation by Grote,1895 (for Ogygia Hübner).
- **688. Dichagyris Lederer,1857** (Noctuidae) Synonym(s): *Dichagyris Lederer,1857*; #Dichagyria Walker,1866 <u>Original Reference</u>: Dichagyris Lederer,1857, Noctuinen Eur.: 45, 206. Type-species: Agrotis melanura Carrara,1846, by monotypy.
- **689. Dichonia (Griposia) Tams,1939** (Noctuidae) Synonym(s): *Agriopis Bosiduval,1840 nec Hbn.,[1825]; Griposia Tams,1939; Eudiphthera Nordström,1941* <u>Original Reference:</u> Griposia Tams,1939, Entomologist 72: 72. Type-species: Phalaena aprilina Linnaeus,1758, by monotypy.
- 690. **Dichonia Hübner,[1821]** (Noctuidae) Synonym(s): *Dichonia Hübner,[1821]* Original Reference: Dichonia Hübner,[1821], Verz. bekannt. Schmett.: 217. Type-species: Noctua aeruginea Hübner,[1803], by subsequent designation by Butler,1890.
- 691. Dicycla Guenée,1852 (Noctuidae) Synonym(s): Eugramma Stephens,1850 nec Billb.,1820; Dicycla Guenée,1852 Original Reference: Dicycla Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 7. Type-species: Phalaena oo Linnaeus,1758, by monotypy.
- 692. **Diloba Boisduval,1840** (Noctuidae) Synonym(s): #Heteromorpha Hübner,1808; #Heteromorpha Hübner,1822; Diloba Boisduval,1840 Original Reference: Diloba Boisduval,1840, Genera Index meth. Eur. Lepid.: 88. Type-species: Phalaena caeruleocephala Linnaeus,1758, by monotypy.
- **693. Drasteria Hübner,1818** (Noctuidae) Synonym(s): *Drasteria Hübner,1818; #Drastoria Walker,1858* Original Reference: Drasteria Hübner,1818, Zuträge Samml. exot. Schmett. 1: 8. Type-species: Drasteria graphica Hübner,1818, by subsequent designation by Hampson,1926.
- 694. **Drasteriodes Hampson,1926** (Noctuidae) Synonym(s): *Drasteriodes Hampson,1926*Original Reference: Drasteriodes Hampson,1926, Descr. new Genera Species Lepid. Phalaenae:
  41. Type-species: Photedes limata Christoph,1884, by original designation.
- **695. Dryobotodes (s.str.) W.Warren,1910** (Noctuidae) Synonym(s): *Dryobotodes W.Warren,1910; Monobotodes Beck,1991; Roborbotodes Beck,1991* <u>Original Reference:</u> Dryobotodes W.Warren,1910, [in] Seitz, Macrolepid. World 3: 133. Type-species: Noctua protea [Denis & Schiffermüller],1775, by original designation.
- **696. Dryobotodes W.Warren,1910** (Noctuidae) Synonym(s): *Dryobotodes W.Warren,1910; Monobotodes Beck,1991; Roborbotodes Beck,1991* Original Reference: Dryobotodes W.Warren,1910, [in]

Centre for Entomological Studies Ankara

- Seitz, Macrolepid. World 3: 133. Type-species: Noctua protea [Denis & Schiffermüller],1775, by original designation.
- 697. **Dypterygia Stephens,1829** (Noctuidae) Synonym(s): *Dypterygia Stephens,1829* Original Reference: Dypterygia Stephens,1829, Illust. Br. Ent. (Haustellata) 2: 167. Type-species: Phalaena scabriuscula Linnaeus,1758, by monotypy.
- **698. Dysgonia Hübner,[1823]** (Noctuidae) Synonym(s): *Dysgonia Hübner,[1823]* Original Reference: Dysgonia Hübner,[1823], Verz. bekannt. Schmett.: 269. Type-species: Phalaena algira Linnaeus,1767, by subsequent designation by Moore,[1885].
- **699. Dysmilichia Speiser,1902** (Noctuidae) Synonym(s): *Phalacra Staudinger,1892* (praeocc.); *Milichia Snellen,1899* (praeocc.); *Dysmilichia Speiser,1902*. <u>Original Reference:</u> Dysmilichia Speiser,1902, Berl. ent. Z. 47: 140. Type-species: Perigea gemella Leech,1889, by monotypy.
- **700. Earias Hübner,[1825]** (Noctuidae) Synonym(s): *Earias Hübner,[1825]; #Earis Stephens,1834; Aphusia Walker,[1858]; Digba Walker,1862* Original Reference: Earias Hübner,[1825], Verz. bekannt. Schmett.: 395. Type-species: Phalaena clorana Linnaeus,1761, by subsequent designation by Westwood,1840.
- **701. Egira Duponchel,[1845]** (Noctuidae) Synonym(s): *Egira Duponchel,[1845]*; *Xylomiges GuenÚe,1852* <u>Original Reference:</u> Egira Duponchel,[1845], Cat. méth. Lépid. Eur. (2): 162. Typespecies: Phalaena conspicillaris Linnaeus,1758, by subsequent designation by Desmarest,1857.
- **702. Eicomorpha Staudinger,1888** (Noctuidae) Synonym(s): *Eicomorpha Staudinger,1888* Original Reference: Eicomorpha Staudinger,1888, Stettin ent. Ztg. 49: 24. Type-species: Eicomorpha antiqua Staudinger,1888, by monotypy.
- **703. Elaphria Hübner,1818** (Noctuidae) Synonym(s): *Elaphria Hübner,1818* Original Reference: Elaphria Hübner,1818, Zuträge Samml. exot. Schmett. 1: 16. Type-species: Elaphria grata Hübner,1818, by subsequent designation by Barnes & Benjamin,1929.
- **704. Enargia Hübner,[1821]** (Noctuidae) Synonym(s): *Enargia Hübner,[1821]*; *Euprepia Guenée,1839* <u>Original</u> <u>Reference</u>: Enargia Hübner,[1821], Verz. bekannt. Schmett.: 235. Typespecies: Phalaena paleacea Esper,1788, by monotypy.
- **705. Epharmottomena John,1909** (Noctuidae) Synonym(s): *Epharmottomena John,1909* Original Reference: Epharmottomena John,1909, Revue Russe. Ent. 9: 118. Type-species: Leucanitis nana Staudinger,1884, by original designation.
- **706. Epilecta Hübner,[1821]** (Noctuidae) Synonym(s): *Epilecta Hübner,[1821]; Hiria Duponchel,[1845]* <u>Original Reference:</u> Epilecta Hübner,[1821], Verz. bekannt. Schmett.: 221. Typespecies: Noctua linogrisea [Denis & Schiffermüller],1775, by monotypy.
- **707. Epipsammia Staudinger,1879** (Noctuidae) Synonym(s): *Epipsammia Staudinger,1879*; *Namangana Staudinger,1888*; *Namanganum Riesen,1891*; *Sartha Staudinger,1891*; *Pseudathetis Boursin,1937*. Original Reference: Epipsammia Staudinger,1879, Stettin ent. Ztg. 40: 320. Type-species: Epipsammia deserticola Staudinger,1879, by monotypy.
- **708. Episema Ochsenheimer,1816** (Noctuidae) Synonym(s): *Episema Ochsenheimer,1816;* #*Empiseme Freyer,1848* Original Reference: Episema Ochsenheimer,1816, Schmett. Eur. 4: 65. Type-species: Bombyx glaucina Esper,1789, by subsequent designation by ICZN (Opinion 494).
- 709. Eremobia Stephens,1829 (Noctuidae) Synonym(s): Eremobia Stephens,1829 Original Reference: Eremobia Stephens,1829, Nom. Br. Insects: 42. Type-species: Noctua ochroleuca [Denis & Schiffermüller],1775, by monotypy.
- 710. Eremohadena (Iberihadena) Fibiger & Ronkay,2007 (Noctuidae) Synonym(s): *Iberihadena Fibiger & Ronkay,2007* Original Reference: Eremohadena (Iberihadena) Fibiger & Ronkay,2007, Noctuidae Europaeae 9: 222. Type-species: Pseudohadena mariana Lajonquière,1964, by original designation.
- 711. Eremohadena (Megahadena) L.Ronkay & Varga & Gyulai,2002 (Noctuidae) Synonym(s): *Megahadena Ronkay & Varga & Gyulai,2002* Original Reference: Megahadena Ronkay & Varga & Gyulai,2002, Acta Zool. Acad. Sci. Hung 48 (1): 65.
- 712. Eremohadena (s.str.) L.Ronkay, Varga & Fabian,1995 (Noctuidae) Synonym(s): Eremohadena L.Ronkay, Varga & Fabian,1995 Original Reference: Eremohadena L.Ronkay, Varga & Fabian,1995, Acta Zool. Acad. Sci. Hung 41 (3): 277. Type-species: Mamestra siri Erschoff,1874, by original designation.
- 713. Eremohadena L.Ronkay, Varga & Fabian,1995 (Noctuidae) Synonym(s): Eremohadena L.Ronkay, Varga & Fabian,1995 Original Reference: Eremohadena L.Ronkay, Varga &

- 714. Eriopygodes Hampson,1905 (Noctuidae) Synonym(s): Eriopygodes Hampson,1905 Original Reference: Eriopygodes Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: xii, 353. Type-species: Noctua imbecilla Fabricius,1794, by original designation.
- **T15. Estimata Kozhantshikov,1928** (Noctuidae) Synonym(s): *Estimata Kozhantshikov,1928*; *Estimaja Kozhantshikov,1937* Original Reference: Estimata Kozhantshikov,1928, Russk. ent. Obozr. 22: 94. Type-species: Agrotis herrichschaefferi Alpheraky,1895, Dt. ent. Z., Iris 8: 191-192, by original designation.
- 716. Eublemma (Glossodice) Berio,1991 (Noctuidae) Synonym(s): Glossodice Berio,1991 Original Reference: Glossodice Berio,1991, Fauna d'Italia 27: 75. Type-species: Anthophila polygramma Duponchel,[1842], by original designation.
- 717. **Eublemma Hübner,[1821]** (Noctuidae) Synonym(s): #Antophila Hübner,1806; Anthophila Ochsenheimer,1816 (praeocc.); Eublemma Hübner,[1821]; Eromene Hübner,[1821]; Porphyrinia Hübner,[1821]; Trothisa Hübner,[1821]; Ecthetis Hübner,[1823]; Heliomanes Sodoffsky,1837; Microphisa Boisduval,1840; Mixocharis Lederer,1853; Thalpochares Lederer,1853; Eumestleta Butler,1892; Thalomicra Spuler,1907; Polyorycta W.Warren,1911; Gyophora W.Warren,1913; Eumicremma Berio,1954; Roseoblemma Beck,1996; Parvablemma Beck,1996. Original Reference: Eublemma Hübner,[1821], Verz. bekannt. Schmett.: 256. Typespecies: Noctua amoena Hübner,[1803], by subsequent designation by Moore,1884.
- 718. Euchalcia Hübner,[1821] (Noctuidae) Synonym(s): Euchalcia Hübner,[1821]; Adeva McDunnough,1944; Pseudochalcia Klyuchko,1984; Pareuchalcia Beck,1991 Original Reference: Euchalcia Hübner,[1821], Verz. bekannt. Schmett.: 250. Type-species: Noctua illustris Fabricius,1787, by subsequent designation by Dyar (1902).
- 719. **Euclidia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Euclidia Ochsenheimer,1816*; *Ectypa Billberg,1820*; *Gonospileia Hübner,[1823]*; *Euclidina McDunnough,1937* Original Reference: Euclidia Ochsenheimer,1816, Schmett. Eur. 4: 96. Type-species: Phalaena glyphica Linnaeus,1758, by subsequent designation by Duponchel,1829.
- **T20. Eugnorisma (Metagnorisma) Varga & L.Ronkay,1987** (Noctuidae) Synonym(s): *Metagnorisma Varga & L.Ronkay,1987* Original Reference: Metagnorisma Varga & L.Ronkay,1987, Acta zool. hung. 33 (1/2): 194. Type-species: Agrotis depuncta var. pontica Staudinger,1892, by original designation.
- 721. Eugnorisma (s.str.) Boursin,1946 (Noctuidae) Synonym(s): Eugnorisma Boursin,1946 Original Reference: Eugnorisma Boursin,1946, Revue fr. Lépidopt. 10: 188. Type-species: Graphiphora insignata Lederer,1853, by original designation.
- **Tegnorisma Boursin,1946** (Noctuidae) Synonym(s): Eugnorisma Boursin,1946 Original Reference: Eugnorisma Boursin,1946, Revue fr. Lépidopt. 10: 188. Type-species: Graphiphora insignata Lederer,1853, by original designation.
- **723. Eulocastra Butler,1886** (Noctuidae) Synonym(s): *Eulocastra Butler,1886; Thalerastria Staudinger,1897*. <u>Original Reference:</u> Eulocastra Butler,1886, Trans. ent. Soc. London 1886: 419. Type-species: Eulocastra fasciata Butler,1886, by monotypy.
- **T24. Euplexia Stephens,1829** (Noctuidae) Synonym(s): *Euplexia Stephens,1829; Berrhaea Walker,1858; Epa Bethune-Baker,1906; Yula Bethune-Baker,1906.* Original Reference: Euplexia Stephens,1829, Nom. Br. Insects: 41. Type-species: Phalaena lucipara Linnaeus,1761, by monotypy.
- **T25. Eupsilia Hübner,[1821]** (Noctuidae) Synonym(s): *Eupsilia Hübner,[1821]; Scopelosoma Curtis,1836; Mecoptera Guenée,1837; Dichagramma Grote,1864* Original Reference: Eupsilia Hübner,[1821], Verz. bekannt. Schmett.: 231. Type-species: Phalaena satellitia Linnaeus,1767, by monotypy.
- **726. Eutelia Hübner,[1823]** (Noctuidae) Synonym(s): Eutelia Hübner,[1823]; Eurhipia Boisduval,1829; Phlegetonia Guenée,1852; Ripogenus Grote,1865; Zobia Saalmüller,1891; Alotsa Swinhoe,1900; Silacida Swinhoe,1900; Noctasota Clench,1954; Adoraria Beck,1996; #Alotoa Leraut,1997; #Phlegetomia Leraut,1997 Original Reference: Eutelia Hübner,[1823], Verz. bekannt. Schmett.: 259. Typespecies: Noctua adulatrix Hübner,[1813], by monotypy.
- **T27. Euxoa (Chorizagrotis) Smith,1890** (Noctuidae) Synonym(s): *Chorizagrotis Smith,1890; Mesoeuxoa Corti,1932* <u>Original Reference:</u> Chorizagrotis Smith,1890, Bull. U.S. natn. Mus. 38: 10, 98. Type-species: Agrotis auxilliaris Grote,1873, by original designation.

- **728. Euxoa (Orosagrotis) Hampson,1903** (Noctuidae) Synonym(s): *Orosagrotis Hampson,1903* Original Reference: Orosagrotis Hampson,1903, Cat. Lepid. Phalaenae Br. Mus. 4: 135, 658. Type-species: Agrotis montana Morrison,1875, by original designation.
- **T29. Euxoa (Pleonectopoda) Grote,1873** (Noctuidae) Synonym(s): *Pleonectopoda Grote,1873* Original Reference: Pleonectopoda Grote,1873, Bull. Buffalo Soc. nat. Sci. 1: 136. Type-species: Pleonectopoda lewisi Grote,1873, by monotypy.
- 730. Euxoa (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): Euxoa Hübner,[1821]; Metaxyja Hübner,[1821]; Exarnis Hübner,[1821]; Brotis Hübner,[1821]; Mimetes Hübner,[1821] nec Esch.,1818; Telmia Hübner,[1821]; Carneades Grote,1883; Paragrotis Dyar,1902 Original Reference: Euxoa Hübner,[1821], Verz. bekannt. Schmett.: 209. Type-species: Noctua decora [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- **731. Euxoa Hübner,[1821]** (Noctuidae) Synonym(s): *Euxoa Hübner,[1821]*; *Metaxyja Hübner,[1821]*; *Exarnis Hübner,[1821]*; *Brotis Hübner,[1821]*; *Mimetes Hübner,[1821]* nec *Esch.,1818*; *Telmia Hübner,[1821]*; *Carneades Grote,1883*; *Paragrotis Dyar,1902* Original Reference: Euxoa Hübner,[1821], Verz. bekannt. Schmett.: 209. Type-species: Noctua decora [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- **732. Evisa Reisser,1930** (Noctuidae) Synonym(s): *Evisa Reisser,1930* <u>Original Reference:</u> Evisa Reisser,1930, Z. öst. EntVer. 15 (1): 2. Type-species: Evisa schawerdae Reisser,1930, by original designation.
- **733. Fissipunctia Berio,1991** (Noctuidae) Synonym(s): *Fissipunctia Berio,1991*; *Apterogenum Berio,2002* Original Reference: Fissipunctia Berio,1991, Atalanta 22 (2/4): 208. Type-species: Noctua ypsillon [Denis & Schiffermüller],1775, by original designation.
- 734. Gnamptonyx Hampson,1894 (Noctuidae) Synonym(s): *Gnamptonyx Hampson,1894* Original Reference: Gnamptonyx Hampson,1894, Fauna Br. India (Moths) 2: 432, 478. Typespecies: Homoptera vilis Walker,1865, by original designation.
- 735. Gortyna (Cervyna) L.Ronkay, Zilli & Fibiger,2005 (Noctuidae) Synonym(s): Cervyna L.Ronkay, Zilli & Fibiger,2005, Noctuidae Europaeae 8: 51. Type-species: Gortyna cervago Eversmann,1844, by original designation.
- **736. Gortyna (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Gortyna Ochsenheimer,1816*; *Gnephozeta Billberg,1820*; *Ochria Hübner,[1821]*; *Xanthoecia Hampson,1908*; *Nytorga Beck,1999* <u>Original Reference</u>: Gortyna Ochsenheimer,1816, Schmett. Eur. 4: 82. Type-species: Noctua flavago [Denis & Schiffermüller],1775, by subsequent designation by Samouelle,1819.
- 737. **Gortyna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Gortyna Ochsenheimer,1816; Gnephozeta Billberg,1820; Ochria Hübner,[1821]; Xanthoecia Hampson,1908; Nytorga Beck,1999* Original Reference: Gortyna Ochsenheimer,1816, Schmett. Eur. 4: 82. Type-species: Noctua flavago [Denis & Schiffermüller],1775, by subsequent designation by Samouelle,1819.
- 738. Grammodes Guenée,1852 (Noctuidae) Synonym(s): Grammodes Guenée,1852; Prodotis John,1910 Original Reference: Grammodes Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 7: 275. Type-species: Noctua geometrica Fabricius,1775, by original designation.
- 739. Hada Billberg,1820 (Noctuidae) Synonym(s): Hada Billberg,1820; Clemathada Beck,1991 Original Reference: Hada Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 86. Type-species: Noctua dentina [Denis & Schiffermüller],1775, by subsequent designation by Boursin,1965.
- **740. Hadena (Anepia) Hampson,1918** (Noctuidae) Synonym(s): *Epia Hübner,[1821] nec Hbn.,[1820]*; *Anepia Hampson,1918*; *Perplexhadena Beck,1991*; *Paraperplexia Beck,1991* Original Reference: Anepia Hampson,1918, Novit. zool. 25: 116 (nom. nov. pro Epia Hübner,[1821] nec Hübner,[1820]). Type-species: Phalaena echii Borkhausen,1792, by subsequent designation by Hampson,1905.
- 741. **Hadena (Enterpia) Guenée,1850** (Noctuidae) Synonym(s): *Enterpia Guenée,1850;* #Euterpia Guenée,1852 Original Reference: Enterpia Guenée,1850, Annls Soc. ent. Fr. (2) 8: 235. Type-species: Cleophana laudeti Boisduval,1840, by monotypy.
- 742. Hadena (Maschukia) Hacker,1996 (Noctuidae) Synonym(s): *Maschukia Hacker*,1996 Original Reference: Maschukia Hacker,1996, Esperiana 5: 527. Type-species: Dianthoecia pumila Staudinger,1879, by original designation.
- 743. Hadena (Pinkericola) Hacker,1987 (Noctuidae) Synonym(s): *Pinkericola Hacker,1987* Original Reference: Pinkericola Hacker,1987, Atalanta 18 (1/2): 170. Type-species: Hadena tephroleuca Boisduval,1833, by original designation.

- 744. **Hadena (Pronotestra) Hampson,1905** (Noctuidae) Synonym(s): *Pronotestra Hampson,1905*; #*Protonestra W.Warren,1909* Original Reference: Pronotestra Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: x, 224. Type-species: Mamestra silenides Staudinger,1895, by original designation.
- 745. Hadena (s.str.) Schrank,1802 (Noctuidae) Synonym(s): Hadena Schrank,1802; Miselia Ochsenheimer,1816; Zeteolyga Billberg,1820; Harmodia Hübner,[1820]; Dianthoecia Boisduval,1834; Adena Agassiz,1847; Maghadena Beck,1991 (preocc.); Caeshadena Beck,1991 Original Reference: Hadena Schrank,1802, Fauna Boica 2 (2): 158. Type-species: Noctua capsincola [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1830.
- 746. Hadena Schrank,1802 (Noctuidae) Synonym(s): Hadena Schrank,1802; Miselia Ochsenheimer,1816; Zeteolyga Billberg,1820; Harmodia Hübner,[1820]; Dianthoecia Boisduval,1834; Adena Agassiz,1847; Maghadena Beck,1991 (preocc.); Caeshadena Beck,1991 Original Reference: Hadena Schrank,1802, Fauna Boica 2 (2): 158. Type-species: Noctua capsincola [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1830.
- 747. Haderonia Staudinger,1896 (Noctuidae) Synonym(s): *Haderonia Staudinger,1896; Lasiridia Draudt,1950.* Original Reference: Haderonia Staudinger,1896, Dt. ent. Z., Iris 8: 320. Typespecies: Haderonia subarschanica Staudinger,1896, by monotypy.
- **748. Hadjina Staudinger,1892** (Noctuidae) Synonym(s): *Hadjina Staudinger,1892; Aridagricola Shchetkin,1965* Original Reference: Hadjina Staudinger,1892, Dt. ent. Z., Iris 4: 286. Type-species: Hadjina lutosa Staudinger,1892, by monotypy.
- 749. Hadula (Calocestra) Beck,1991 (Noctuidae) Synonym(s): Calocestra Beck,1991 Original Reference: Calocestra Beck,1991, Atalanta 22 (2/4): 190. Type-species: Noctua pugnax Hübner,[1824], by original designation.
- 750. Hadula (Cardiestra) Boursin,1963 (Noctuidae) Synonym(s): Cardiestra Boursin,1963 Original Reference: Cardiestra Boursin,1963, Z. Wien. ent. Ges. 48: 86. Type-species: Mamestra eremistis Püngeler,1904, by original designation.
- 751. Hadula (Discestra) Hampson,1905 (Noctuidae) Synonym(s): Salacia Boie,1839 nec Lamouroux,1816; Discestra Hampson,1905 Original Reference: Discestra Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: viii, 14. Type-species: Mamestra chartaria Grote,1873, by original designation.
- 752. Hadula (Ptochicestra) Hacker,1998 (Noctuidae) Synonym(s): *Ptochicestra Hacker*,1998 Original Reference: Ptochicestra Hacker,1998, Esperiana 6: 634. Type-species: Mamestra ptochica Püngeler,1900, by original designation.
- 753. **Hadula Staudinger,1889** (Noctuidae) Synonym(s): *Hadula Staudinger,1889* Original Reference: Hadula Staudinger,1889, Stettin ent. Ztg. 50: 43. Type-species: Hadula insolita Staudinger,1889, by monotypy.
- 754. **Haemerosia Boisduval,1840** (Noctuidae) Synonym(s): *Haemerosia Boisduval,1840*; #Haemeosia Ebert & Hacker,2002 Original Reference: Haemerosia Boisduval,1840, Genera Index méth. Eur. Lépid.: 163. Type-species: Pyralis renalis Hübner,[1813], by subsequent designation by Duponchel,1845.
- 755. **Hecatera Guenée,1852** (Noctuidae) Synonym(s): *Aethria Hübner,[1821] nec Hübn.,[1819]; Hecatera Guenée,1852*. Original Reference: Hecatera Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 27. Type-species: Noctua dysodea [Denis & Schiffermüller],1775, by original designation.
- 756. **Helicoverpa Hardwick,1965** (Noctuidae) Synonym(s): *Helicoverpa Hardwick,1965* Original Reference: Helicoverpa Hardwick,1965, Mem. ent. Soc. Can. 40: 9. Type-species: Noctua armigera Hübner,[1808], by original designation.
- 757. **Heliocheilus Grote,1865** (Noctuidae) Synonym(s): *Heliocheilus Grote,1865; Raghuva Moore,1881; Rhodosea Grote,1883; Canthylidia Butler,1886*. <u>Original Reference:</u> Heliocheilus Grote,1865, proc. ent. Soc. Philad. 4: 328. Type-species: Heliocheilus paradoxus Grote,1865, by monotypy.
- 758. **Heliophobus Boisduval,1828** (Noctuidae) Synonym(s): *Heliophobus Boisduval,1828; Neuria Guenée,1841; Nevria Agassiz,1846* Original Reference: Heliophobus Boisduval,1828, Eur. Lepid. Index Méth.: 69. Type-species: Phalaena saponariae Borkhausen,1792, by subsequent designation by Duponchel,1829.
- 759. Heliothis (Masalia) Moore,1881 (Noctuidae) Synonym(s): Masalia Moore,1881; Pradatta Moore,1881; Curubasa Moore,1881; Lecerfia C.Dumont,1920 Original Reference: Masalia Moore,1881,

- Proc. zool. Soc. Lond. 1881: 364. Type-species: Masalia radiata Moore,1881, by original designation.
- 760. Heliothis Ochsenheimer,1816 (Noctuidae) Synonym(s): Heliothis Ochsenheimer,1816; Heliotis Lefèbure,1827; Heliothisa Meigen,1832; Heliotis Sodoffsky,1837; Chloridea Duncan & [Westwood],1841; Aspila Guenée,1852 (praeocc.); Disocnemis Grote,1883; Dysocnemis Grote,1890; Neocleptria Hampson,1903; Nubiothis Berio; Peltothis Beck,1996. Original Reference: Heliothis Ochsenheimer,1816, Schmett. Eur. 4: 91. Type-species: Phalaena dipsacea Linnaeus,1767, by subsequent designation by Samouelle,1819.
- 761. Hemiexarnis Boursin,1948 (Noctuidae) Synonym(s): Hemiexarnis Boursin,1948 Original Reference: Hemiexarnis Boursin,1948, Revue fr. Lépid. 11: 256. Type-species: Euxoa moechilla Püngeler,1906, by original designation.
- 762. Heterographa Staudinger,1877 (Noctuidae) Synonym(s): Heterographa Staudinger,1877 Original Reference: Heterographa Staudinger,1877, Stettin ent. Ztg. 38: 185. Type-species: Luperina mira Staudinger,1877, by monotypy.
- 763. Heteropalpia Berio,1939 (Noctuidae) Synonym(s): Heteropalpia Berio,1939 Original Reference: Heteropalpia Berio,1939, Memorie Soc. ent. ital. 17: 55. Type-species: Heteropalpia cortytoides Berio,1939, by original designation.
- **764. Heterophysa Boursin,1953** (Noctuidae) Synonym(s): *Heterophysa Boursin,1953* <u>Original Reference:</u> Heterophysa Boursin,1953, Z. Lepid. 3: 47. Type-species: Noctua dumetorum Geyer,[1834], by original designation.
- **765. Hoplodrina Boursin,1937** (Noctuidae) Synonym(s): *Hoplodrina Boursin,1937* <u>Original Reference:</u> Hoplodrina Boursin,1937, Ent. Rdsch. 54: 367. Type-species: Phalaena alsines Brahm,1791, by original designation.
- **766. Hydredes Volynkin & Matov,2014** (Noctuidae) Synonym(s): *Hydredes Volynkin & Matov,2014* Original Reference: Hydredes Volynkin & Matov,2014, Zootaxa 3755 (2): 166. Typespecies: Hydredes yakobsoni Volynkin & Matov,2014, by original designation.
- 767. **Hypena (s.str.) Schrank,1802** (Noctuidae) Synonym(s): *Hypena Schrank,1802; Erichila Billberg,1820; Herpyzon Hübner,1822; Bomolocha Hübner,[1825]; Badausa Walker,1863; Peliala Walker,1865; Euhypena Grote,1873; Lomanaltes Grote,1873; Macrhypena Grote,1873; Meghypena Grote,1873; Plathypena Grote,1873; Mathura Moore,1882; Apanda Moore,1882; Hypoepa Leech,1889; Nesamiptis Meyrick,1899; Anepischetos Smith,1900; Placerobela Turner,1903; Obesypena Beck,1996; Rostrypena Beck,1996. Original Reference: Hypena Schrank,1802, Fauna Boica 2 (2): 163. Type-species: Phalaena probsocidalis Linnaeus,1758, by subsequent designation by Curtis,1829.*
- 768. Hypena Schrank,1802 (Noctuidae) Synonym(s): Hypena Schrank,1802; Erichila Billberg,1820; Herpyzon Hübner,1822; Bomolocha Hübner,[1825]; Badausa Walker,1863; Peliala Walker,1865; Euhypena Grote,1873; Lomanaltes Grote,1873; Macrhypena Grote,1873; Meghypena Grote,1873; Plathypena Grote,1873; Mathura Moore,1882; Apanda Moore,1882; Hypoepa Leech,1889; Nesamiptis Meyrick,1899; Anepischetos Smith,1900; Placerobela Turner,1903; Obesypena Beck,1996; Rostrypena Beck,1996. Original Reference: Hypena Schrank,1802, Fauna Boica 2 (2): 163. Type-species: Phalaena probsocidalis Linnaeus,1758, by subsequent designation by Curtis,1829.
- **769. Hypenodes Doubleday,1850** (Noctuidae) Synonym(s): *Hypenodes Doubleday,1850*; *Schrankia Herrich-Schäffer,[1851] nec Hbn.,[1825]; Tholomiges Lederer,1857*; *Schranckia Walker,[1859]* Original Reference: Hypenodes Doubleday,1850, Zoologist 8 (Appendix): cv. Type-species: Hypenodes humidalis Doubleday,1850, by monotypy.
- 770. **Hypersypnoides Berio,1954** (Noctuidae) Synonym(s): *Hypersypnoides Berio,1954; Hypsosypnoides Berio,1954; Othresypna Berio,1958* Original Reference: Hypersypnoides Berio,1954, Annali Mus. civ. Stor. nat. Giacomo Doria 66: 341. Type-species: Hypersypnoides congoensis Berio,1954, by original designation.
- 771. **Hypeuthina Lederer,1855** (Noctuidae) Synonym(s): *Hypeuthina Lederer,1855; #Hypeuthyna Oberthür,1890* Original Reference: Hypeuthina Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 199. Type-species: Hypeuthina fulgurita Lederer,1855, by monotypy.
- 772. **Idia Hübner,[1813]** (Noctuidae) Synonym(s): *Idia Hübner,[1813]*; *Epizeuxis Hübner,1818*; *Camptylochila Stephens,1834 nec Hbn.,1818*; *Campylochila Agassiz,1847*; *Helia Guenée,1854 nec Hbn.,1818*; *Pseudaglossa Grote,1874* Original Reference: Idia Hübner,[1813], Samml. exot. Schmett. 1: pl.[212]. Type-species: Idia aemula Hübner,[1813], by monotypy.
- 773. **Iranada Wiltshire,1977** (Noctuidae) Synonym(s): *Iranada Wiltshire,1977* Original Reference: Iranada Wiltshire,1977, Scientific Results of the Oman Flora and Fauna Sur (Lepid.: 174. Type-species: Phothedes secunda Erschoff,1874, by original designation.

775. Lacanobia (Dianobia) Behounek,1992 (Noctuidae) Synonym(s): *Dianobia Behounek,1992*Original Reference: Dianobia Behounek,1992, Esperiana 3: 47. Type-species: Phalaena thalassina Hufnagel,1766, by original designation.

776. Lacanobia (Diataraxia) Hübner,[1821] (Noctuidae) Synonym(s): Diataraxia Hübner,[1821] Original Reference: Diataraxia Hübner,[1821], Verz. bekannt. Schmett.: 219. Typespecies: Noctua splendens Hübner,[1808], by subsequent designation by Hampson,1905.

777. **Lacanobia (s.str.) Billberg,1820** (Noctuidae) Synonym(s): *Lacanobia Billberg,1820; Peucephila Hampson,1909; #Lacabonia Hacker,1992* Original Reference: Lacanobia Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 87. Type-species: Phalaena w-latinum Hufnagel,1766, by subsequent designation by Tams,1939.

778. Lacanobia Billberg,1820 (Noctuidae) Synonym(s): Lacanobia Billberg,1820; Peucephila Hampson,1909; #Lacabonia Hacker,1992 Original Reference: Lacanobia Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 87. Type-species: Phalaena w-latinum Hufnagel,1766, by subsequent designation by Tams,1939.

779. Lasionycta Aurivillius,1892 (Noctuidae) Synonym(s): Lasionycta Aurivillius,1892 Original Reference: Lasionycta Aurivillius,1892, Ent. Tidskr. 13: 285. Type-species: Phlogophora skraelingia Herrich-Schäffer,1852, by original designation.

**780.** Laspeyria Germar,1810 (Noctuidae) Synonym(s): Laspeyria Germar,1810; Laspeyresia R.L.,1817; Colposia Hübner,[1823]; Aventia Duponchel,1829; Euteles Gistl,1848 Original Reference: Laspeyria Germar,1810, Diss. sistens Bombycum Species: 13. Type-species: Bombyx flexula [Denis & Schiffermüller],1775, by monotypy.

**781.** Leucania Ochsenheimer,1816 (Noctuidae) Synonym(s): Leucania Ochsenheimer,1816; Donachlora Sodoffsky,1837; Leucadia Sodoffsky,1837; Donacochlora Agassiz,1847; Pudorina Gistl,1848; Cirphis Walker,1865; Borolia Moore,1881; Neoborlia Matsumura,1926; Acantholeucania Rungs,1953; Boursinania Rungs,1955; Xipholeucania Sugi,1970. Original Reference: Leucania Ochsenheimer,1816, Schmett. Eur. 4: 81. Type-species: Phalaena comma Linnaeus,1761, by subsequent designation by Samouelle,1819.

**782. Leucochlaena Hampson,1906** (Noctuidae) Synonym(s): *Leucochlaena Hampson,1906* Original Reference: Leucochlaena Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: ix, 132. Type-species: Noctua hispida Hübner,[1832], by original designation.

**783. Lithophane Hübner,[1821]** (Noctuidae) Synonym(s): *Lithophane Hübner,[1821]* Original Reference: Lithophane Hübner,[1821], Verz. bekannt. Schmett.: 242. Type-species: Noctua petrificata [Denis & Schiffermüller],1775, by subsequent designation by Grote,1874.

**784. Lophoterges (Fibigerges) L.Ronkay,2005** (Noctuidae) Synonym(s): *Fibigerges L.Ronkay,2005*, Acta zool. hung. 51: 35. Typespecies: Lithocampa millierei Staudinger,1871, by original designation.

**785. Luperina Boisduval,1828** (Noctuidae) Synonym(s): *Luperina Boisduval,1828; Lyperina Spuler,1908; Palluperina Hampson,1920* <u>Original Reference:</u> Luperina Boisduval,1828, Eur. Lepid. Index méth.: 77. Type-species: Noctua testacea [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829.

**786.** Lycophorus Staudinger,1901 (Noctuidae) Synonym(s): Comophorus Alpheraky,1887 nec Ag.,1848; Lycophorus Staudinger,1901; Pachyagrotis Boursin,1953 Original Reference: Lycophorus Staudinger,1901, [in] Staudinger & Rebel, Cat. Lepid. palaearct. Faunengeb. (3) 1: 154. Typespecies: Comophorus villosus Alpheraky,1887, by monotypy.

**787. Lygephila (s.str.) Billberg,1820** (Noctuidae) Synonym(s): *Lygephila Billberg,1820; Asticta Hübner,[1823]; Eccrita Lederer,1857; Toxocampa Guenée,1841; Craccaphila Beck,1996.* Original Reference: Lygephila Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 85. Type-species: Phalaena lusoria Linnaeus,1758, by subsequent designation by Tams,1939.

**788. Lygephila Billberg,1820** (Noctuidae) Synonym(s): *Lygephila Billberg,1820; Asticta Hübner,[1823]; Eccrita Lederer,1857; Toxocampa Guenée,1841; Craccaphila Beck,1996.* Original Reference: Lygephila Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 85. Type-species: Phalaena lusoria Linnaeus,1758, by subsequent designation by Tams,1939.

**789. Macdunnoughia (s.str.) Kostrowicki,1961** (Noctuidae) Synonym(s): #Paraplusia Mukerji & Krishnamorthy,1955; Macdunnoughia Kostrowicki,1961; Scleroplusia Ichinose,1962 Original

- <u>Reference:</u> Macdunnoughia Kostrowicki,1961, Acta zool. cracov. 6: 402. Type-species: Plusia confusa Stephens,1850, by original designation.
- **Macdunnoughia Kostrowicki,1961** (Noctuidae) Synonym(s): #Paraplusia Mukerji & Krishnamorthy,1955; Macdunnoughia Kostrowicki,1961; Scleroplusia Ichinose,1962 Original Reference: Macdunnoughia Kostrowicki,1961, Acta zool. cracov. 6: 402. Type-species: Plusia confusa Stephens,1850, by original designation.
- **791. Macrochilo Hübner,[1825]** (Noctuidae) Synonym(s): *Macrochilo Hübner,[1825];* \*\*Macrochila Westwood,1840; \*\*Macrochile Walker,1859 Original Reference: Macrochilo Hübner,[1825], Verz. bekannt. Schmett.: 345. Type-species: Pyralis cribralis Hübner,1796, by subsequent designation by Westwood,1840.
- 792. Mamestra Ochsenheimer,1816 (Noctuidae) Synonym(s): Mamestra Ochsenheimer,1816; Barathra Hübner,[1820]; Mamistra Sodoffsky,1837; Copimamestra Grote,1883 Original Reference: Mamestra Ochsenheimer,1816, Schmett. Eur. 4: 76. Type-species: Phalaena brassicae Linnaeus,1758, by subsequent designation by Duponchel,1829.
- 793. Maraschia Osthelder,1933 (Noctuidae) Synonym(s): *Maraschia Osthelder,1933* Original Reference: Maraschia Osthelder,1933, Mitt. münch. ent. Ges. 23: 76. Type-species: Maraschia grisescens Osthelder,1933, ibid. 23: 76-77, by monotypy.
- 794. Margelana Staudinger,1888 (Noctuidae) Synonym(s): Margelana Staudinger,1888 Original Reference: Margelana Staudinger,1888, Stettin ent. Ztg. 49: 20. Type-species: Margelana versicolor Staudinger,1888, by monotypy.
- 795. Megalodes Guenée,1852 (Noctuidae) Synonym(s): Megalodes Guenée,1852 Original Reference: Megalodes Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 261. Type-species: Cosmia eximia Freyer,1845, by monotypy.
- 796. **Meganephria Hübner,[1821]** (Noctuidae) Synonym(s): *Meganephria Hübner,[1821]*; *Belosticta Butler,1879* Original Reference: Meganephria Hübner,[1821], Verz. bekannt. Schmett.: 206. Type-species: Phalaena bimaculosa Linnaeus,1767, by subsequent designation by Butler,1890.
- **797. Meganola Dyar,1898** (Noctuidae) Synonym(s): *Meganola Dyar,1898; Poecilonola Hampson,1900; Poliothripa Hampson,1902; Metanola van Son,1933; Paranola van Son,1933; Antennola de Freina & Witt,1984* Original Reference: Meganola Dyar,1898, J. N. Y. ent. Soc. 6: 43. Type-species: Meganola conspicua Dyar,1898, by monotypy.
- 798. Mekrania Brandt,1941 (Noctuidae) Synonym(s): Mekrania Brandt,1941 Original Reference: Mekrania Brandt,1941, Mitt. münch. ent. Ges. 31: 856. Type-species: Mekrania punctalis Brandt,1941, by monotypy.
- 799. **Melanchra Hübner,[1820]** (Noctuidae) Synonym(s): *Melanchra Hübner,[1820]* Original Reference: Melanchra Hübner,[1820], Verz. bekannt. Schmett.: 207. Type-species: Phalaena persicariae Linnaeus,1761, by monotypy.
- 800. Mesapamea Heinicke,1959 (Noctuidae) Synonym(s): Lampetia Boie,1837 nec Mgn.,1800; Mesapamea Heinicke,1959 Original Reference: Mesapamea Heinicke,1959, Dt. ent. Z. (N.F.) 6: 103. Type-species: Apamea moderata Eversmann,1843, by original designation.
- 801. Mesoligia Boursin,1965 (Noctuidae) Synonym(s): Mesoligia Boursin,1965 Original Reference: Mesoligia Boursin,1965, Bull. mens. Soc. linn. Lyon 34: 185. Type-species: Noctua furuncula [Denis & Schiffermüller],1775, by original designation.
- 802. Mesoplus Boursin,1949 (Noctuidae) Synonym(s): Mesoplus Boursin,1949 Original Reference: Mesoplus Boursin,1949, Z. wien. ent. Ges. 34: 158. Type-species: Agrotis contrita Christoph,1884, by original designation.
- **803. Metachrostis Hübner,[1820]** (Noctuidae) Synonym(s): *Metachrostis Hübner,[1820]; Leptosia Guenée,1841 (praeocc.).* Original Reference: Metachrostis Hübner,[1820], Verz. bekannt. Schmett.: 204. Type-species: Noctua velox Hübner,[1813], by subsequent designation by Hampson,1894.
- 804. Metalopha (s.str.) Staudinger,1892 (Noctuidae) Synonym(s): *Metalopha Staudinger,1892* Original Reference: Metalopha Staudinger,1892, Dt. ent. Z., Iris 4: 313. Type-species: Metalopha plusina Staudinger,1892, by subsequent designation by Hampson,1906.
- **805. Metalopha Staudinger,1892** (Noctuidae) Synonym(s): *Metalopha Staudinger,1892* Original Reference: Metalopha Staudinger,1892, Dt. ent. Z., Iris 4: 313. Type-species: Metalopha plusina Staudinger,1892, by subsequent designation by Hampson,1906.

- **806. Metopistis W.Warren,1913** (Noctuidae) Synonym(s): *Metopistis W.Warren,1913* <u>Original Reference:</u> Metopistis W.Warren,1913, [in] Seitz, Gross-Schmett. erde 3: 395. Type-species: Phothedes erschoffi Christoph,1884, by original designation.
- **807. Metopoceras (s.str.) Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée,1850* Original Reference: Metopoceras Guenée,1850, Bull. Soc. ent. Fr. (2) 8: xviii. Type-species: Polia felicina Donzel,1844, by monotypy.
- **808. Metopoceras Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée,1850* <u>Original Reference:</u> Metopoceras Guenée,1850, Bull. Soc. ent. Fr. (2) 8: xviii. Type-species: Polia felicina Donzel,1844, by monotypy.
- **809. Metopodicha Draudt,1936** (Noctuidae) Synonym(s): *Metopodicha Draudt,1936; Persidia Wiltshire,1946* Original Reference: Metopodicha Draudt,1936, Ent. Rdsch. 53: 491. Type-species: Metopodicha ernesti Draudt,1936, by monotypy.
- 810. Metoponrhis Staudinger,1888 (Noctuidae) Synonym(s): *Metoponrhis Staudinger,1888*Original Reference: Metoponrhis Staudinger,1888, Stettin ent. Ztg. 49: 54. Type-species: Photedes albirena Christoph,1887, by monotypy.
- 811. Metopoplus Alpheraky,1892 (Noctuidae) Synonym(s): *Metopoplus Alpheraky,1892* Original Reference: Metopoplus Alpheraky,1892, [in] Christoph, Dt. ent. Z., Iris 6: 92. Typespecies: Clidia excelsa Christoph,1885, by subsequent designation by Hampson,1910.
- **812. Minucia Moore,[1885]** (Noctuidae) Synonym(s): #Ascalapha Hübner,[1806]; Ophiodes Guenée,1841 nec Wagl.,1830; Minucia Moore,[1885]; Nantesia Kirby,1897 Original Reference: Minucia Moore,[1885], Lepid. Ceylon 3: 159. Type-species: Noctua lunaris [Denis & Schiffermüller],1775, by original designation.
- 813. Mniotype Franclemont,1941 (Noctuidae) Synonym(s): *Mniotype Franclemont,1941;* Pseudomniotype Beck,1991; Eremobastis Pérez-Lopez & Morente-Benitez,1996 Original Reference: Mniotype Franclemont,1941, Ent. News 52: 201. Type-species: Hadena ducta Grote,1878, by original designation.
- **814. Moma Hübner,[1820]** (Noctuidae) Synonym(s): #Diphthera Hübner,[1806]; Moma Hübner,[1820]; Diphtherocome W.Warren,1907; Diphtheramoma Berio,1961 Original Reference: Moma Hübner,[1820], Verz. bekannt. Schmett.: 203. Type-species: Phalaena alpium Osbeck,1778, by subsequent designation by Grote,1874.
- **815. Mormo Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mormo Ochsenheimer,1816*; *Lemur Hübner,1822 nec Linn.,1758*; *Mania Treitschke,1825 nec Hbn.,[1821]*; *Acyra Gistl,1848*; #*Arcyra Neave,1939* Original Reference: Mormo Ochsenheimer,1816, Schmett. Eur. 4: 70. Type-species: Phalaena maura Linnaeus,1758, by subsequent designation by Samouelle,1819.
- 816. Mythimna (Aletia) Hübner,[1821] (Noctuidae) Synonym(s): *Aletia Hübner,[1821]* Original Reference: Aletia Hübner,[1821], Verz. bekannt. Schmett.: 239. Type-species: Noctua vitellina Hübner,[1808], by subsequent designation by Moore,1881.
- 817. Mythimna (Anapoma) Berio,1980 (Noctuidae) Synonym(s): Apoma Berio,1980 nec Beck,1837; Anapoma Berio,1980 Original Reference: Anapoma Berio,1980, Boll. Soc. ent. ital. 112: 40. Type-species: Leucania riparia Rambur,1829, by original designation.
- **818. Mythimna (Hyphilare) Hübner,[1821]** (Noctuidae) Synonym(s): *Hyphilare Hübner,[1821]*; *Allitoria Beck,1996* Original Reference: Hyphilare Hübner,[1821], Verz. bekannt. Schmett.: 239. Type-species: Noctua albipuncta [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1905.
- **819. Mythimna (Morphopoliana) Hreblay,1996** (Noctuidae) Synonym(s): *Morphopoliana Hreblay,1996* <u>Original Reference:</u> Morphopoliana Hreblay,1996, Esperiana 4: 134. Type-species: Hadena consanguis Guenée,1852, by original designation [proposed as subgenus of Mythimna O.].
- **820. Mythimna (Pseudaletia) Franclemont,1951** (Noctuidae) Synonym(s): *Pseudaletia Franclemont,1951* Original Reference: Pseudaletia Franclemont,1951, Proc. ent. Soc. Wash. 53: 64. Type-species: Leucania unipuncta Haworth,1809, by original designation.
- 821. Mythimna (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): *Mythimna Ochsenheimer,1816; Philostola Billberg,1820; Mithimna Sodoffsky,1837; Hyperiodes W.Warren,1910* Original Reference: Mythimna Ochsenheimer,1816, Schmett. Eur. 4: 78. Type-species: Phalaena turca Linnaeus,1761, by subsequent designation by Samouelle,1819.
- **822. Mythimna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer,1816*; *Philostola Billberg,1820*; *Mithimna Sodoffsky,1837*; *Hyperiodes W.Warren,1910* Original Reference:

- Mythimna Ochsenheimer,1816, Schmett. Eur. 4: 78. Type-species: Phalaena turca Linnaeus,1761, by subsequent designation by Samouelle,1819.
- 823. Naenia Stephens,1827 (Noctuidae) Synonym(s): #Phalaena Linnaeus,1758; Naenia Stephens,1827 Original Reference: Naenia Stephens,1827, [in] Anomymous, Retrospective Rev. (2) 1: 243. Type-species: Phalaena typica Linnaeus,1758, by monotypy.
- **824. Nezonycta Varga & Ronkay,1991** (Noctuidae) Synonym(s): *Nezonycta Varga & Ronkay,1991* Original Reference: Nezonycta Varga & Ronkay,1991, Acta zool. Hung 37: 275. Type-species: Thargelia pusilla Püngeler,1900, by original designation.
- 825. Noctua (Euschesis) Hübner,[1821] (Noctuidae) Synonym(s): Euschesis Hübner,[1821] Original Reference: Euschesis Hübner,[1821], Verz. bekannt. Schmett.: 221. Type-species: Noctua janthina [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- 826. Noctua (Lampra) Hübner,[1821] (Noctuidae) Synonym(s): Lampra Hübner,[1821] Original Reference: Lampra Hübner,[1821], Verz. bekannt. Schmett.: 221. Type-species: Phalaena fimbriata Schreber,1759, by monotypy.
- 827. Noctua (Latanoctua) Beck, Kobes & Ahola,1993 (Noctuidae) Synonym(s): *Latanoctua Beck, Kobes & Ahola,1993* Original Reference: Latanoctua Beck, Kobes & Ahola,1993, Atalanta 24 (1/4): 231. Type-species: Phalaena orbona Hufnagel,1766, by original designation.
- 828. Noctua (Paranoctua) Beck, Kobes & Ahola,1993 (Noctuidae) Synonym(s): Paranoctua Beck, Kobes & Ahola,1993; Carvalhoia Beck,1999 nec Kormilev,1951 non Miller & China,1956 Original Reference: Paranoctua Beck, Kobes & Ahola,1993, Atalanta 24 (1/4): 231. Type-species: Noctua comes Hübner,[1813], by original designation.
- **829. Noctua (s.str.) Linnaeus,1758** (Noctuidae) Synonym(s): *Noctua Linnaeus,1758*; *Noctuella Rafinesque,1815*; *Nyctemia Rafinesque,1815*; *Triphaena Ochsenheimer,1816*; *Triphaena Hübner,[1821]*; *Xanthoptera Sodoffsky,1837* Original Reference: Noctua Linnaeus,1758, Systema Naturae (Edn.10) 1: 508. Type-species: Phalaena pronuba Linnaeus,1758, by subsequent designation by ICZN,1957 (Opinion 450).
- 830. Noctua Linnaeus,1758 (Noctuidae) Synonym(s): Noctua Linnaeus,1758; Noctuella Rafinesque,1815; Nyctemia Rafinesque,1815; Triphaena Ochsenheimer,1816; Triphaena Hübner,[1821]; Xanthoptera Sodoffsky,1837 Original Reference: Noctua Linnaeus,1758, Systema Naturae (Edn.10) 1: 508. Type-species: Phalaena pronuba Linnaeus,1758, by subsequent designation by ICZN,1957 (Opinion 450).
- 831. Nola (s.str.) Leach,[1815] (Noctuidae) Synonym(s): Nola Leach,[1815]; Lira Billberg,1820; Chlamifera Hübner,1822; Roeselia Hübner,[1825]; Manoba Walker,[1863]; Celama Walker,1865; Selca Walker,[1866]; Tribunta Walker,[1866]; Aradrapha Walker,[1866]; Lebena Walker,1866; Minnagara Walker,1866; Argyrophyes Grote,1873; Epizeuctis Meyrick,1889; Sorocostia Rosenstock,1885; ztenola Möschler,1890; Rhynchopalpus Hampson,1893; Poliothripa Hampson,1902; Cryphimaea Turner,1933; Nestiodes Turner,1939; Idiocyttara Turner,1944; Neocleta Turner,1944 Original Reference: Nola Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 135. Type-species: Noctua palliola [Denis & Schiffermüller],1775, by monotypy.
- 832. Nola Leach,[1815] (Noctuidae) Synonym(s): Nola Leach,[1815]; Lira Billberg,1820; Chlamifera Hübner,1822; Roeselia Hübner,[1825]; Manoba Walker,[1863]; Celama Walker,1865; Selca Walker,[1866]; Tribunta Walker,[1866]; Aradrapha Walker,[1866]; Lebena Walker,1866; Minnagara Walker,1866; Argyrophyes Grote,1873; Epizeuctis Meyrick,1889; Sorocostia Rosenstock,1885; ztenola Möschler,1890; Rhynchopalpus Hampson,1893; Poliothripa Hampson,1902; Cryphimaea Turner,1933; Nestiodes Turner,1939; Idiocyttara Turner,1944; Neocleta Turner,1944 Original Reference: Nola Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 135. Type-species: Noctua palliola [Denis & Schiffermüller],1775, by monotypy.
- 833. Nonagria Ochsenheimer,1816 (Noctuidae) Synonym(s): Nonagria Ochsenheimer,1816; Enteriona Sodoffsky,1837 Original Reference: Nonagria Ochsenheimer,1816, Schmett. Eur. 4: 82. Type-species: Noctua typhae Thunberg,1784, by subsequent designation by Duponchel,1829.
- 834. Nycteola Hübner,1822 (Noctuidae) Synonym(s): Nycteola Hübner,1822; Sarrothripus Curtis,1824; Axia Hübner,[1825] nec Hbn.,[1821]; Subrita Walker,1866; Dufayella Capuse,1972; #Nycteola Hacker,1998 Original Reference: Nycteola Hübner,1822, Syst.- alph. Verz.: 60, 66. Type-species: Tortrix undulana Hübner,[1799], by subsequent designation by Prout,1901.
- **835. Ochropleura Hübner,[1821]** (Noctuidae) Synonym(s): *Ochropleura Hübner,[1821]* <u>Original Reference:</u> Ochropleura Hübner,[1821], Verz. bekannt. Schmett.: 223. Type-species: Phalaena plecta Linnaeus,1761, by subsequent designation by Grote,1895.
- **836. Odice Hübner,[1823]** (Noctuidae) Synonym(s): *Odice Hübner,[1823]; Microphisa Boisduval,1840* <u>Original Reference:</u> Odice Hübner,[1823], Verz. bekannt. Schmett.: [258]. Typespecies: Noctua inamoena Hübner,[1803], by subsequent designation by Moore,1884.

- 837. Odontestis Hampson,1912 (Noctuidae) Synonym(s): *Odontestis Hampson,1912* Original Reference: Odontestis Hampson,1912, Cat. Lepid. Phalaenae Br. Mus. 11: xvi, 632. Type-species: Plusiocalpe prosticta Holland,1894, by original designation.
- **838. Oligia Hübner,[1821]** (Noctuidae) Synonym(s): *Oligia Hübner,[1821]; Miana Stephens,1829; Procus Agassiz,1846* <u>Original Reference:</u> Oligia Hübner,[1821], Verz. bekannt. Schmett.: 213. Typespecies: Phalaena strigilis Linnaeus,1758, by subsequent designation by Grote,1895.
- 839. Olivenebula Kishida & Yoshimoto,1977 (Noctuidae) Synonym(s): Olivenebula Kishida & Yoshimoto,1977; Chlorothalpa Beck,1996 Original Reference: Olivenebula Kishida & Yoshimoto,1977, Tyo to Ga 28: 144. Type-species: Polyphaenis oberthueri Srtaudinger,1892, by original designation.
- **840. Omphalophana Hampson,1906** (Noctuidae) Synonym(s): *Omphalophana Hampson,1906* Original Reference: Omphalophana Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: viii, 109. Type-species: Noctua antirrhinii Hübner,[1803], by original designation.
- 841. Oncocnemis Lederer,1853 (Noctuidae) Synonym(s): Oncocnemis Lederer,1853; Phornacisa Walker,1862; Copihadena Morrison,1875; Metahadena Morrison,1876 Original Reference: Oncocnemis Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 368. Type-species: Amphipyra confusa Freyer,[1840], by subsequent designation by Grote,1874.
- 842. Ophiusa Ochsenheimer,1816 (Noctuidae) Synonym(s): Ophiusa Ochsenheimer,1816; Ophiogenes Reichenbach,1816; Meropis Hübner,1822; Ophiussa Hübner,[1823]; Hemachra Sodoffsky,1837; Anua Walker,1858; Stenopis Mabille,1880; Trichanua Berio,1954; Subanua Berio,1959; Peranua Berio,1959; Perophiusa Berio,1959. Original Reference: Ophiusa Ochsenheimer,1816, Schmett. Eur. 4: 93. Type-species: Phalaena tirhaca Cramer,1777, by subsequent designation by Duponchel,1829.
- 843. Opigena Boisduval,1840 (Noctuidae) Synonym(s): Opigena Boisduval,1840 Original Reference: Opigena Boisduval,1840, Genera Index méth. Eur. Lepid.: 103. Type-species: Noctua polygona [Denis & Schiffermüller],1775, by monotypy.
- 844. **Oria Hübner,[1821]** (Noctuidae) Synonym(s): *Oria Hübner,[1821]; Synia Duponchel,[1845]; Tapinostola Lederer,1857* <u>Original Reference:</u> Oria Hübner,[1821], Verz. bekannt. Schmett.: 240. Type-species: Noctua musculosa Hübner,[1808], by monotypy.
- 845. **Orthosia (Monima) Hübner,[1821]** (Noctuidae) Synonym(s): *Monima Hübner,[1821]; Microrthosia Berio,1980*. <u>Original Reference:</u> Monima Hübner,[1821], Verz. bekannt. Schmett.: 229. Type-species: Noctua miniosa [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1905.
- 846. Orthosia (s.str.) Ochsenheimer,1816 (Noctuidae) Synonym(s): Orthosia Ochsenheimer,1816; Orthoa Billberg,1820 Original Reference: Orthosia Ochsenheimer,1816, Schmett. Eur. 4: 79. Type-species: Noctua instabilis [Denis & Schiffermüller],1775, Ankündung syst. Werkes. Schmett. Wienergegend: 76, by subsequent designation by Curtis,1828, Br. Ent. 5: 237.
- **847. Orthosia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer,1816*; *Orthosa Billberg,1820* <u>Original Reference</u>: Orthosia Ochsenheimer,1816, Schmett. Eur. 4: 79. Type-species: Noctua instabilis [Denis & Schiffermüller],1775, Ankündung syst. Werkes. Schmett. Wienergegend: 76, by subsequent designation by Curtis,1828, Br. Ent. 5: 237.
- 848. Ostheldera Nye,1975 (Noctuidae) Synonym(s): *Pfeifferella Osthelder*,1933 nec Labbe,1899; Ostheldera Nye,1975 Original Reference: Ostheldera Nye,1975, Generic names of moths of the World 1: 355 (nom. nov. pro Pfeifferella Osthelder,1933 nec Labbe,1899). Type-species: Pfeifferella gracilis Osthelder,1933, by monotypy.
- 849. Oxytrypia Staudinger,1871 (Noctuidae) Synonym(s): Oxytrypia Staudinger,1871; #Oxytripia Staudinger,1871 Original Reference: Oxytrypia Staudinger,1871, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 98, 423. Type-species: Phalaena orbiculosa Esper,[1799], by monotypy.
- **850. Pamparama G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *Pamparama G.Ronkay & L.Ronkay,1995* Original Reference: Pamparama G.Ronkay & L.Ronkay,1995, Noct. Eur. 7: 26. Type-species: Acronycta acuta Freye,[1837], by original designation.
- **851. Panchrysia Hübner,[1821]** (Noctuidae) Synonym(s): *Panchrysia Hübner,[1821]; Tetrargentia Beck,1991; Hexaureia Beck,1991* Original Reference: Panchrysia Hübner,[1821], Verz. bekannt. Schmett.: 252. Type-species: Noctua aurea Hübner,[1803], by monotypy.
- **852. Paracentropus Boursin,1958** (Noctuidae) Synonym(s): *Paracentropus Boursin,1958* Original Reference: Paracentropus Boursin,1958, Bull. mens. Soc. linn. Lyon 27: 6. Type-species: Scythocentropus cyrus Brandt,1938, by original designation.

- **853. Paracolax Hübner,[1825]** (Noctuidae) Synonym(s): *Paracolax Hübner,[1825]* <u>Original Reference:</u> Paracolax Hübner,[1825], Verz. bekannt. Schmett.: 344. Type-species: Pyralis derivalis Hübner,1796, by subsequent designation by Westwood,1840.
- **854. Paraegle Hampson,1908** (Noctuidae) Synonym(s): *Paraegle Hampson,1908* <u>Original Reference:</u> Paraegle Hampson,1908, Cat. Lepid. Phalaenae Br. Mus. 7: 4. Type-species: Metoponia ochracea Erschoff,1874, by subsequent monotypy.
- **855. Parallelia Hübner,1818** (Noctuidae) Synonym(s): #Ascalapha Hübner,1808; Parallelia Hübner,1818 Original Reference: Parallelia Hübner,1818, Zutr. Samml. exot. Schmett. 1: 15. Typespecies: Parallelia bistriaris Hübner,1818, by monotypy.
- 856. Parascotia Hübner,[1825] (Noctuidae) Synonym(s): Parascotia Hübner,[1825]; Boletobia Boisduval,1840; Bolitobia Agassiz,1846; Kara Matsumura,1925 nec Strebel,1910 Original Reference: Parascotia Hübner,[1825], Verz. bekannt. Schmett.: 314. Type-species: Geometra carbonaria [Denis & Schiffermüller],1775, by subsequent designation by W.Warren,1913.
- 857. Parexarnis Boursin,1946 (Noctuidae) Synonym(s): Parexarnis Boursin,1946 Original Reference: Parexarnis Boursin,1946, revue fr. Lépidopt. 10: 187. Type-species: Agrotis sollers Christoph,1877, by original designation.
- **858. Pericyma Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *Pericyma Herrich-Schäffer,[1851]; Alamis Guenée,1852; Dugaria Walker,[1858]; Moepa Walker,1865.* Original Reference: Pericyma Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 429. Type-species: Acidalia albidentaria Freyer,1842, by monotypy.
- 859. **Peridroma Hübner,[1821]** (Noctuidae) Synonym(s): *Peridroma Hübner,[1821]* Original Reference: Peridroma Hübner,[1821], Verz. bekannt. Schmett.: 227. Type-species: Noctua saucia Hübner,[1808], by subsequent designation by Butler,1889.
- **860. Perigrapha (Opacographa) Hreblay,1996** (Noctuidae) Synonym(s): *Opacographa Hreblay,1996* <u>Original Reference:</u> Opacographa Hreblay,1996, Esperiana 4: 72. Type-species: Perigrapha cilissa Püngeler,1917, by original designation.
- 861. Perigrapha (s.str.) Lederer,1857 (Noctuidae) Synonym(s): Perigrapha Lederer,1857 Original Reference: Perigrapha Lederer,1857, Noctuinen Eur.: 38, 136. Type-species: Noctua icinctum [Denis & Schiffermüller],1775, by subsequent designation by Grote,1874.
- 862. Perigrapha Lederer,1857 (Noctuidae) Synonym(s): Perigrapha Lederer,1857 Original Reference: Perigrapha Lederer,1857, Noctuinen Eur.: 38, 136. Type-species: Noctua i-cinctum [Denis & Schiffermüller],1775, by subsequent designation by Grote,1874.
- **863. Periphanes (Philareta) Moore,1881** (Noctuidae) Synonym(s): *Philareta Moore,1881*; #Calocharia Beck,1996 Original Reference: Philareta Moore,1881, Proc. zool. Soc. Lond. 1881 (24): 361. Type-species: Heliothis taurica Herrich-Schäffer,1851, by monotypy [with a very short description].
- **864. Periphanes (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Periphanes Hübner,[1821]; Chariclea Curtis,1825* Original Reference: Periphanes Hübner,[1821], Verz. bekannt. Schmett.: 247. Type-species: Phalaena delphinii Linnaeus,1758, by subsequent designation by Hampson,1903.
- **865. Periphanes Hübner,[1821]** (Noctuidae) Synonym(s): *Periphanes Hübner,[1821]; Chariclea Curtis,1825* Original Reference: Periphanes Hübner,[1821], Verz. bekannt. Schmett.: 247. Typespecies: Phalaena delphinii Linnaeus,1758, by subsequent designation by Hampson,1903.
- 866. Phleboeis Christoph,1887 (Noctuidae) Synonym(s): *Phleboeis Christoph,1887; Stenosomides Strand,1942 (cf. Koçak,1991; Fibiger,1997)*. Original Reference: Phleboeis Christoph,1887, Stettin ent. Ztg. 48: 164. Type-species: Phleboeis petersi Christoph,1887, by monotypy.
- 867. Phlogophora Treitschke,1825 (Noctuidae) Synonym(s): Phlogophora Treitschke,1825; Solenoptera Duponchel,[1845]; Brotolomia Lederer,1857; Racoptera Scott,1858 Original Reference: Phlogophora Treitschke,1825, Schmett. Eur. 5 (1): 369. Type-species: Phalaena meticuosa Linnaeus,1758, by subsequent designation by Duponchel,1829.
- 868. Phoebophilus Staudinger,1888 (Noctuidae) Synonym(s): *Phoebophilus Staudinger,1888*Original Reference: Phoebophilus Staudinger,1888, Stettin ent. Ztg. 49: 21. Type-species: Phoebophilus amoenus Staudinger,1888, by monotypy.
- 869. Phylapora Berio,1980 (Noctuidae) Synonym(s): *Phylapora Berio,1980* Original Reference: Phylapora Berio,1980, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 11,18. Type-species: Polia chioleuca Herrich-Schäffer,[1850], by original designation.

- **870. Phyllophila Guenée,1852** (Noctuidae) Synonym(s): *Phyllophila Guenée,1852*; #*Phyllophyla W.Warren,1912* Original Reference: Phyllophila Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 254. Type-species: Anthophila wimmerii Treitschke,1835, by monotypy.
- 871. Plecoptera Guenée,1852 (Noctuidae) Synonym(s): Plecoptera Guenée,1852; Carteia Walker,[1863]; Biregula Saalmüller,1891; Plecopteroides Strand,1918. Original Reference: Plecoptera Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 429. Type-species: Plecoptera reflexa Guenée,1852, by monotypy.
- **872. Plusia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Plusia Ochsenheimer,1816; Chrysaspidia Hübner,[1821]* Original Reference: Plusia Ochsenheimer,1816, Schmett. Eur. 4: 89. Type-species: Phalaena festucae Linnaeus,1758, by subsequent designation by Duponchel,1826.
- **873. Plusidia Butler,1879** (Noctuidae) Synonym(s): *Plusidia Butler,1879* <u>Original Reference</u>: Plusidia Butler,1879, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 3: 27. Typespecies: Plusidia abrostoloides Butler,1879, by original designation.
- **874. Polia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Polia Ochsenheimer,1816; Chera Hübner,[1821]; Aplecta Guenée,1838* <u>Original Reference:</u> Polia Ochsenheimer,1816, Schmett. Eur. 4: 73. Type-species: Phalaena nebulosa Hufnagel,1766, by subsequent designation by Curtis,1829.
- 875. Polymixis (Brandticola) Hacker & L.Ronkay,1992 (Noctuidae) Synonym(s): Brandticola Hacker & L.Ronkay,1992 Original Reference: Brandticola Hacker & L.Ronkay,1992, Esperiana 3: 490. Type-species: Polymixis dubiosa Brandt,1938, by original designation.
- **876. Polymixis** (**Eremophysa**) **Boursin,1958** (Noctuidae) Synonym(s): *Eremophysa Boursin,1958* Original Reference: Eremophysa Boursin,1958, Bull. mens Soc. linn. Lyon 27: 4. Type-species: Sidemia apotheina Brandt,1938, by original designation.
- 877. **Polymixis (Eumichtis) Hübner,[1821]** (Noctuidae) Synonym(s): *Eumichtis Hübner,[1821]; Epunda Duponchel,[1845]; Eumichthis Agassiz,1846* Original Reference: Eumichtis Hübner,[1821], Verz. bekannt. Schmett.: 211. Type-species: Noctua lichenea Hübner,[1813], by monotypy.
- **878. Polymixis (Parabrachionycha) Hacker,1990** (Noctuidae) Synonym(s): *Parabrachionycha Hacker,1990* Original Reference: Polymixis (Parabrachionycha) Hacker,1990, Neue ent. Nachr. 27: 453-454. Type-species: Brachionycha atossa Wiltshire,1941, by original designation.
- 879. **Polymixis (s.str.) Hübner,[1820]** (Noctuidae) Synonym(s): #Polia Hübner,[1806]; Polymixis Hübner,[1820]; Propolymixis Berio,1980; Simplitype Berio,1980; Myxinia Berio,1985; Serpmyxis Beck,1991; Xanthomixis Beck,1996 Original Reference: Polymixis Hübner,[1820], Verz. bekannt. Schmett.: 205. Type-species: Phalaena polymita Linnaeus,1761, by subsequent designation by Berio,1957.
- **880. Polymixis Hübner,[1820]** (Noctuidae) Synonym(s): #Polia Hübner,[1806]; Polymixis Hübner,[1820]; Propolymixis Berio,1980; Simplitype Berio,1980; Myxinia Berio,1985; Serpmyxis Beck,1991; Xanthomixis Beck,1996 Original Reference: Polymixis Hübner,[1820], Verz. bekannt. Schmett.: 205. Type-species: Phalaena polymita Linnaeus,1761, by subsequent designation by Berio,1957.
- 881. Polyphaenis Boisduval,1840 (Noctuidae) Synonym(s): *Polyphaenis Boisduval,1840* Original Reference: Polyphaenis Boisduval,1840, Genera Index méth. Eur. Lepid.: 128. Typespecies: Noctua sericata Esper,1787, by subsequent designation by Guenée,1852.
- 882. Polypogon Schrank,1802 (Noctuidae) Synonym(s): Polypogon Schrank,1802; Herminia Latreille,1802; Pechipogo Hübner,[1825]; Pogonitis Sodoffsky,1837; Pechypogon Agassiz,1847; Zanclognatha Lederer,1857; Anitha Walker,[1866]; Cleptomita Grote,1873; Megachyta Grote,1873; Pityolita Grote,1873; Mesoplectra Butler,1879; Adrapso,des Matsumura,1925; Quaramia Berio,1988; Microphta Berio,1989; Zellerminia Beck,1996; Gryphopogon Beck,1996 Original Reference: Polypogon Schrank,1802, Fauna Boica 2 (2): 161. Type-species: Phalaena tentacularia Linnaeus,1758, by subsequent designation by Grote,1895.
- **883. Polytela Guenée,1852** (Noctuidae) Synonym(s): *Polytela Guenée,1852* <u>Original Reference:</u> Polytela Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. 5: 113. Type-species: Bombyx gloriosae Fabricius,1775, by subsequent designation by Moore,1884.
- 884. Powellinia Oberthür,1912 (Noctuidae) Synonym(s): Powellinia Oberthür,1912 Original Reference: Powellinia Oberthür,1912, Etudes Lépid. comparée 6: 330. Type-species: Luperina lasserrei Oberthür,1881, by monotypy.
- **885. Protexarnis McDunnough,[1929]** (Noctuidae) Synonym(s): *Protexarnis McDunnough,[1929]* Original Reference: Protexarnis McDunnough,[1929], Bull. Dep. Mines, Can. 55 (1928): 26. Type-species: Agrotis balanitis Grote,1873, by original designation.

- **886. Protodeltote Ueda,1984** (Noctuidae) Synonym(s): *Protodeltote Ueda,1984* Original Reference: Protodeltote Ueda,1984, Bull. Kitakyushu Mus. nat. Hist. (5): 112. Type-species: Phalaena pygarga Hufnagel,1766, by original designation.
- **887. Protolampra McDunnough,[1929]** (Noctuidae) Synonym(s): *Protolampra McDunnough,[1929]* Original Reference: Protolampra McDunnough,[1929], Bull. Dep. Mines, Can. 55 (1928): 66. Type-species: Agrotis rufipectus Morrison,1874, by original designation.
- **888. Proxenus Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Proxenus Herrich-Schäffer,[1850]* Original Reference: Proxenus Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2: 190, 240. Type-species: Caradrina hospes Freyer,[1831], by monotypy.
- 889. Pseudenargia Boursin,1956 (Noctuidae) Synonym(s): *Pseudenargia Boursin,1956* Original Reference: Pseudenargia Boursin,1956, Bull. mens. Soc. linn. Lyon 25: 124. Type-species: Cosmia regina Staudinger,1892, by original designation.
- **890. Pseudocopicucullia Dumont,1928** (Noctuidae) Synonym(s): *Pseudocopicucullia Dumont,1928* <u>Original Reference:</u> Pseudocopicucullia Dumont,1928, Ency. ent. (Sér.B) 3 (Lep.) 3: 20. Type-species:Cucullia syrtana Mabille,1888, by original designation.
- **891. Pseudohadena (Jaxartia) Püngeler,1914** (Noctuidae) Synonym(s): *Jaxartia Püngeler,1914* Original Reference: Jaxartia Püngeler,1914, Dt. ent. Z., Iris 28: 43. Type-species: Jaxartia elinguis Püngeler,1914, by monotypy.
- **892. Pseudohadena (s.str.) Alpheraky,1889** (Noctuidae) Synonym(s): *Pseudohadena Alpheraky,1889* Original Reference: Pseudohadena Alpheraky,1889, [in] Romanoff, Mém. Lépid. 5: 163. Type-species: Hadena armata Alpheraky,1887, by monotypy.
- 893. Pseudohadena Alpheraky,1889 (Noctuidae) Synonym(s): *Pseudohadena Alpheraky,1889*Original Reference: Pseudohadena Alpheraky,1889, [in] Romanoff, Mém. Lépid. 5: 163. Typespecies: Hadena armata Alpheraky,1887, by monotypy.
- **894. Pseudoips Hübner,1822** (Noctuidae) Synonym(s): *Pseudoips Hübner,1822*; *Hylophila Hübner,[1825]*, *Chloephora Stephens,1827*; *Halias Treitschke,1829*; *#Chloeophora Staudinger,1887* Original Reference: Pseudoips Hübner,1822, Syst.- alph. Verz.: 59, 63. Type-species: Pyralis fagana Fabricius,1781, by subsequent designation by D.S.Fletcher,1966.
- **895. Pseudoligia Staudinger,1901** (Noctuidae) Synonym(s): *Pseudoligia Staudinger,1901* Original Reference: Pseudoligia Staudinger,1901, Cat. Lepid. palaearct. Faunengeb. 3 (1): 242. Type-species: Ligia similliaria Ménétriés,1849, by monotypy.
- **896. Pseudozarba W.Warren,1914** (Noctuidae) Synonym(s): *Pseudozarba W.Warren,1914; Euthytoma Turner,1920* <u>Original Reference:</u> Pseudozarba W.Warren,1914, [in] Seitz, Gross-Schmett. Erde 11: 289. Type-species: Acontia opella Swinhoe,1885, by original designation.
- **897. Pyrrhia Hübner,[1821]** (Noctuidae) Synonym(s): *Pyrrhia Hübner,[1821]; Syntomopus Guenée,1837* Original Reference: Pyrrhia Hübner,[1821], Verz. bekannt. Schmett.: 208. Typespecies: Phalaena cinnamomea Goeze,1781, by subsequent designation by Hampson,1908.
- 898. Raparna Moore,1882 (Noctuidae) Synonym(s): Raparna Moore,1882 Original Reference: Raparna Moore,1882, [in] Hewitson & Moore, Descr. new Indian lepid Insects Colln late Mr. W. S. Atkinson: 177. Type-species: Raparna ochreipennis Moore,1882, by original designation.
- 899. Recoropha Nye,1975 (Noctuidae) Synonym(s): Phorocera Guenée,1852 nec Robineau-Desvoidy,1830; Recoropha Nye,1975 Original Reference: Recoropha Nye,1975, Generic names of moths of the World 1: 426 (nom. nov. pro Phorocera Guenée,1852 nec Robineau-Desvoidy,1830). Type-species: Polia cantereri Duponchel,1833, by subsequent designation by Hampson,1906.
- 900. Rhabdophera Staudinger,1898 (Noctuidae) Synonym(s): Rhabdophera Staudinger,1898; Hansa Berio,1959; Beriohansa Nye,1975 Original Reference: Rhabdophera Staudinger,1898, Dt. ent. Z., Iris 10: 296. Type-species: Rhabdophera messrae Staudinger,1898, by monotypy.
- 901. Rhabinopteryx Christoph,1889 (Noctuidae) Synonym(s): Rhabinopteryx Christoph,1889 Original Reference: Rhabinopteryx Christoph,1889, [in] Romanoff, Mém. Lépid. 5: 33. Typespecies: Ligia turanica Erschoff,1874, by monotypy.
- 902. Rhiza (Graphantha) L.Ronkay, Varga & Fabian,1995 (Noctuidae) Synonym(s): *Graphantha L.Ronkay, Varga & Fabian,1995* Original Reference: Graphantha L.Ronkay, Varga & Fabian,1995, Acta zool. hung. 41 (3): 278. Type-species: Chloantha laciniosa Christoph,1887, by original designation.

- 903. Rhiza (s.str.) Staudinger,1889 (Noctuidae) Synonym(s): Rhiza Staudinger,1889 Original Reference: Rhiza Staudinger,1889, Stettin ent. Ztg. 50: 44. Type-species: Rhiza commoda Staudinger,1889, by monotypy.
- 904. Rhiza Staudinger,1889 (Noctuidae) Synonym(s): Rhiza Staudinger,1889 Original Reference: Rhiza Staudinger,1889, Stettin ent. Ztg. 50: 44. Type-species: Rhiza commoda Staudinger,1889, by monotypy.
- 905. Rhyacia (Anchorhyacia) Varga,2011 (Noctuidae) Synonym(s): *Anchorhyacia Varga,2011*Original Reference: Rhyacia (Anchorhyacia) Varga,2011, Esperiana 16: 257. Type-species: Agrotis psammia Püngeler,1906, by original designation.
- 906. Rhyacia (Epipsilia) Hübner,[1821] (Noctuidae) Synonym(s): *Epipsilia Hübner,[1821]*Original Reference: Epipsilia Hübner,[1821], Verz. bekannt. Schmett.: 210. Type-species: Noctua latens Hübner,[1809], by subsequent designation by Hampson,1903.
- 907. Rhyacia (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): Rhyacia Hübner,[1821]; Antirhyacia Beck,1991 Original Reference: Rhyacia Hübner,[1821], Verz. bekannt. Schmett.: 210. Type-species: Noctua lucipeta [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- 908. Rhyacia Hübner,[1821] (Noctuidae) Synonym(s): Rhyacia Hübner,[1821]; Antirhyacia Beck,1991 Original Reference: Rhyacia Hübner,[1821], Verz. bekannt. Schmett.: 210. Typespecies: Noctua lucipeta [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- **Rhypagla Nye,1975** (Noctuidae) Synonym(s): *Glaphyra Guenée,1852 nec Newman,1840; Rhypagla Nye,1975* Original Reference: Rhypagla Nye,1975, Generic names of moths of the World 1: 432-433 (nom. nov. pro Glaphyra Guenée,1852 nec Newman,1840). Type-species: Anthophila glarea Treitschke,1826, by subsequent designation by Desmarest,1857.
- 910. Rivula Guenée,1845 (Noctuidae) Synonym(s): Rivula Guenée,1845; Cholimma Walker,1863; Motina Walker,1863; Rhazunda Walker,1866; Pasira Moore,1882 nec Stal,1859; Rivulana Bethune-Baker,1911; Alikangiana Strand,1920; Paurosceles Turner,1945 Original Reference: Rivula Guenée,1845, [in] Duponchel, Cat. méth. Lépid. Eur. (2): 206. Type-species: Phalaena sericealis Scopoli,1763, by monotypy.
- 911. Saragossa Staudinger,1900 (Noctuidae) Synonym(s): Saragossa Staudinger,1900 Original Reference: Saragossa Staudinger,1900, Dt. ent. Z., Iris 13: 109. Type-species: Saragossa seeboldi Staudinger,1900, by monotypy.
- 912. Schinia Hübner,[1818] (Noctuidae) Synonym(s): Schinia Hübner,[1818]; Melicleptria Hübner,1823; Anthoecia Boisduval,1840; Trypana Guenée,1841; Oria Guenée,1852; Rhodophora Guenée,1852; Tamila Guenée,1852; Euleucyptera Grote,1865; Tricopia Grote,1874; Heliophana Grote,1875; Oxylos Grote,1875; Pippon Grote,1875; Porrima Grote,1877; Rhododipsa Grote,1877; Bessula Grote,1881; Trileuca Grote,1883; Pseudotamila Smith,1893; Canidia Grote,1890; Eupanychis Grote,1890; Trichosellus Grote,1890; Incita Grote,1895; Palada Smith,1900; Chloroleptria Hampson,1903; Protoschinia Hardwick,1970 Original Reference: Schinia Hübner,[1818], Zutr. Exot. Schmett. 1, 8, 11, 14. Type-species: Schinia trifascia Hübner,1818 by subsequent designation by Grote,1895.
- 913. Schrankia Hübner,[1825] (Noctuidae) Synonym(s): Schrankia Hübner,[1825]; Hypenodes Guenée,1854 nec Dbl.,1850 Original Reference: Schrankia Hübner,[1825], Verz. bekannt. Schmett.: 345. Type-species: Pyralis taenialis Hübner,[1809], by monotypy.
- 914. Scoliopteryx Germar,1810 (Noctuidae) Synonym(s): Scoliopteryx Germar,1810; Pterodonta Reichenbach,1817; Ephemias Hübner,[1821]; Euphais Hüber,1822; Gonoptera Berthold,1827 nec Billb.,1820 Original Reference: Scoliopteryx Germar,1810, Diss. sistens Bombycum Species: 14. Typespecies: Phalaena libatrix Linnaeus,1758, by monotypy.
- 915. Scythocentropus Speiser,1902 (Noctuidae) Synonym(s): Centropus Christoph,1889 nec Ill.,1811; Scythocentropus Speiser,1902; Ecbolemia Hampson,1908; Hugonia Alpheraky,1908; #Scythocentropia Oberthür,1912 Original Reference: Scythocentropus Speiser,1902, Berl. ent. Z. 47: 140. Typespecies: Xylina scripturosa Eversmann,1854, by original designation.
- 916. Selepa Moore,1858 (Noctuidae) Synonym(s): Selepa Moore,1858; Detounda Walker,1864
  Original Reference: Selepa Moore,1858, [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India
  Coy 2: 353. Type-species: Selepa celtis Moore,1858, by monotypy.
- 917. Sesamia Guenée,1852 (Noctuidae) Synonym(s): Sesamia Guenée,1852; Microsemyra Butler,1883; Conicophoria Matsumura,1929 Original Reference: Sesamia Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 5: 95. Type-species: Cossus nonagrioides Lefebvre,1827, by monotypy.

919. Shargacucullia (Prenanthcucullia) Beck,1996 (Noctuidae) Synonym(s): Prenanthcucullia Beck,1996 Original Reference: Prenanthcucullia Beck,1996, Neue ent. Nachr. 36: 53. Type-species: Cucullia prenanthis Boisduval,1840, by original designation.

920. Shargacucullia (Verbascullia) G.Ronkay, L.Ronkay & Gyulai,2011 (Noctuidae) Synonym(s): *Verbascullia G.Ronkay, L.Ronkay & Gyulai,2011* Original Reference: Shargacucullia (Verbascullia) G.Ronkay, L.Ronkay & Gyulai,2011, The Witt Catalogue 5: 33. Type-species: Phalaena verbasci Linnaeus,1758, by original designation.

921. Shargacucullia (s.str.) G.Ronkay & L.Ronkay,1992 (Noctuidae) Synonym(s): Shargacucullia G.Ronkay & L.Ronkay,1992 Original Reference: Shargacucullia G.Ronkay & L.Ronkay,1992, Acta zool. hung. 38 (3/4): 345. Type-species: Cucullia lychnitis Rambur,1833, by original designation.

922. Shargacucullia G.Ronkay & L.Ronkay,1992 (Noctuidae) Synonym(s): Shargacucullia G.Ronkay & L.Ronkay,1992 Original Reference: Shargacucullia G.Ronkay & L.Ronkay,1992, Acta zool. hung. 38 (3/4): 345. Type-species: Cucullia lychnitis Rambur,1833, by original designation.

923. Sideridis (Conisania) Hampson,1905 (Noctuidae) Synonym(s): *Conisania Hampson,1905* Original Reference: Conisania Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: xiv, 472. Typespecies: Apamea leineri Freyer,1836, by original designation.

924. Sideridis (Luteohadena) Beck,1991 (Noctuidae) Synonym(s): Luteohadena Beck,1991 Original Reference: Hadena (Luteohadena) Beck,1991, Atalanta 22 (2/4): 193. Type-species: Hadena luteago [Denis & Schiffermüller],1775, by original designation.

925. Sideridis (s.str.) Hübner,[1821] (Noctuidae) Synonym(s): Sideridis Hübner,[1821]; Colonsideridis Beck,1991. Original Reference: Sideridis Hübner,[1821], Verz. bekannt. Schmett.: 232. Type-species: Noctua evidens Hübner,[1808], by subsequent designation by Hampson,1905.

**926. Sideridis Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis Hübner,[1821]; Colonsideridis Beck,1991.* Original Reference: Sideridis Hübner,[1821], Verz. bekannt. Schmett.: 232. Typespecies: Noctua evidens Hübner,[1808], by subsequent designation by Hampson,1905.

927. Simyra Ochsenheimer,1816 (Noctuidae) Synonym(s): Simyra Ochsenheimer,1816 Original Reference: Simyra Ochsenheimer,1816, Schmett. Eur. 4: 81. Type-species: Noctua nervosa [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.

**Spaelotis Boisduval,1840** (Noctuidae) Synonym(s): *Spaelotis Boisduval,1840* Original Reference: Spaelotis Boisduval,1840, Genera Index méth. Eur. Lepid.: 106. Type-species: Noctua ravida [Denis & Schiffermüller],1775, by subsequent designation by Desmarest,1848.

929. **Spodoptera Guenée,1852** (Noctuidae) Synonym(s): *Spodoptera Guenée,1852*; *Calogramma Guenée,1852*; *Laphygma Guenée,1852*; *Prodenia Guenée,1852*; *Rusidrina Staudinger,1892*; *Douzdrina De Laever,1985*. Original Reference: Spodoptera Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 5: 153. Type-species: Hadena mauritia Boisduval,1833, by subsequent designation by Hampson,1894.

930. Standfussiana Boursin,1946 (Noctuidae) Synonym(s): *Standfussiana Boursin,1946*Original Reference: Standfussiana Boursin,1946, Revue fr. Lépidopt. 10: 190. Type-species: Phalaena lucernea Linnaeus,1758, by original designation.

931. Stenodrina Boursin,1937 (Noctuidae) Synonym(s): Stenodrina Boursin,1937 Original Reference: Stenodrina Boursin,1937, Ent. Rdsch. 54: 368. Type-species: Caradrina paupera Romanoff,1885, by original designation.

932. Stilbina (s.str.) Staudinger,1892 (Noctuidae) Synonym(s): Stilbina Staudinger,1892 Original Reference: Stilbina Staudinger,1892, Dt. ent. Z., Iris 4: 290. Type-species: Stilbina hypaenides Staudinger,1892, by monotypy.

933. Stilbina Staudinger,1892 (Noctuidae) Synonym(s): Stilbina Staudinger,1892 Original Reference: Stilbina Staudinger,1892, Dt. ent. Z., Iris 4: 290. Type-species: Stilbina hypaenides Staudinger,1892, by monotypy.

934. Tarachephia Hampson,1926 (Noctuidae) Synonym(s): Tarachephia Hampson,1926 Original Reference: Tarachephia Hampson,1926, Descr. new genera species Lepid. Phalaenae Subfamily Noctuinae Br. Mus.: 87. Type-species: Acontia hueberi Erschoff,1874, by original designation.

936. Thalpophila Hübner,[1820] (Noctuidae) Synonym(s): *Thalpophila Hübner,*[1820]; *Cerigo Stephens,*1829; #Talpophila W.Warren,1911 Original Reference: Thalpophila Hübner,[1820], Verz. bekannt. Schmett.: 208. Type-species: Phalaena texta Esper,1787, by subsequent designation by Moore,1884.

937. Thargelia Püngeler,1899 (Noctuidae) Synonym(s): Thargelia Püngeler,1899 Original Reference: Thargelia Püngeler,1899, Dt. ent. Z., Iris 12: 104. Type-species: Scotochrosta distincta Christoph,1884, by subsequent designation by Hampson,1905

938. Thiacidas Walker,1855 (Noctuidae) Synonym(s): Thiacidas Walker,1855 Original Reference: Thiacidas Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 979, 1027. Type-species: Thiacidas postica Walker,1855, by monotypy.

939. Tholera Hübner,[1821] (Noctuidae) Synonym(s): *Tholera Hübner,[1821]; Charaeas Stephens,1829* Original Reference: Tholera Hübner,[1821], Verz. bekannt. Schmett.: 215. Typespecies: Noctua cespitis [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1905.

940. Thria Walker,[1858] (Noctuidae) Synonym(s): Thria Walker,[1858]; Subpandesma Berio,1966
Original Reference: Thria Walker,[1858], List Specimens lepid. Insects Colln Br. Mus. 13: 1079,
1111. Type-species: Thria robusta Walker,[1858], by monotypy.

**941. Thysanoplusia (Daubeplusia) Beck,1991** (Noctuidae) Synonym(s): *Daubeplusia Beck,1991* Original Reference: Daubeplusia Beck,1991, Atalanta 22 (2/4): 226. Type-species: Plusia daubei Boisduval,1840, by original designation.

**742. Thysanoplusia (s.str.) Ichinose,1973** (Noctuidae) Synonym(s): *Thysanoplusia Ichinose,1973* Original Reference: Thysanoplusia Ichinose,1973, Kontyu 41: 137. Type-species: Phytometra intermixta W.Warren,1913, by original designation.

943. Thysanoplusia Ichinose,1973 (Noctuidae) Synonym(s): *Thysanoplusia Ichinose,1973*Original Reference: Thysanoplusia Ichinose,1973, Kontyu 41: 137. Type-species: Phytometra intermixta W.Warren,1913, by original designation.

944. Trachea Ochsenheimer,1816 (Noctuidae) Synonym(s): Trachea Ochsenheimer,1816; Achatis Billberg,1820; Berrhaea Walker,1858 Original Reference: Trachea Ochsenheimer,1816, Schmett. Eur. 4: 75. Type-species: Phalaena atriplicis Linnaeus,1758, by subsequent designation by Curtis,1832.

945. **Trichoplusia McDunnough,1944** (Noctuidae) Synonym(s): *Trichoplusia McDunnough,1944; Thysanoplusia Inoue,1973; Daubeplusia Beck,1991*. <u>Original Reference:</u> Trichoplusia McDunnough,1944, Mem. sth. Calif. Acad. Sci. 2: 204. Type-species: Plusia brassicae Riley,1870, by original designation.

946. **Trigonodes Guenée,1852** (Noctuidae) Synonym(s): *Trigonodes Guenée,1852* Original Reference: Trigonodes Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. 7: 281. Typespecies: Phalaena hyppasia Cramer,1779, by subsequent designation by Moore (1885, Lepid. Ceylon 3: 186).

947. **Trisateles Tams,1939** (Noctuidae) Synonym(s): Aethia Hübner,[1825] nec Merrem,1788; Sophronia Duponchel,[1845] nec Hbn.,[1825]; Standfussia Spuler,1907 nec Tutt,1900; Trisateles Tams,1939 Original Reference: Trisateles Tams,1939, Entomologist 72: 141 (nom. nov. pro Standfussia Spuler,1907 nec Tutt,1900). Type-species: Pyralis emortualis [Denis & Schiffermüller],1775, by subsequent designation by Tams,1939.

948. Tyta Billberg,1820 (Noctuidae) Synonym(s): *Tyta Billberg,1820; Dysthymia Newman,1863*Original Reference: Tyta Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 88. Type-species: Noctua italica Fabricius,1781, by monotypy.

949. Tytroca Wiltshire,1970 (Noctuidae) Synonym(s): Tytroca Wiltshire,1970 Original Reference: Tytroca Wiltshire,1970, Veröff. zool. StSamml.Münch. 14: 101. Type-species: Hypaetra leucoptera Hampson,1905 by original designation.

950. Ulochlaena Lederer,1857 (Noctuidae) Synonym(s): *Ulochlaena Lederer,1857* Original Reference: Ulochlaena Lederer,1857, Noctuinen Eur.: 33, 96. Type-species: Noctua hirta Hübner,[1813], by monotypy.

952. Valerietta Draudt,1938 (Noctuidae) Synonym(s): Valerietta Draudt,1938 Original Reference: Valerietta Draudt,1938, Mitt. münch. ent. Ges. 28: 30. Type-species: Valerietta forsteri Draudt,1938, by monotypy.

953. Victrix (Rasihia) Koçak,1989 (Noctuidae) Synonym(s): *Christophia Varga & Ronkay,1989 nec Rag.,1887; Rasihia Koçak,1989.* Original Reference: Rasihia Koçak,1989, Priamus 5 (3): 103-104. Type-species: Bryophila conspersa Christoph,1893, by original designation.

954. Victrix Staudinger,1879 (Noctuidae) Synonym(s): Victrix Staudinger,1879 Original Reference: Victrix Staudinger,1879, [in] Romanoff, Horae Soc. ent. ross. 14: 489. Type-species: Victrix karsiana Staudinger,1879, by monotypy.

955. Wiltshireola Hacker,2001 (Noctuidae) Synonym(s): Wiltshireola Hacker,2001 Original Reference: Wiltshireola Hacker,2001, Esperiana 8: 230. Type-species: Agrochola disrupta Wiltshire,1952, by original designation.

956. Xanthia (Cirrhia) Hübner,[1821] (Noctuidae) Synonym(s): Cirrhia Hübner,[1821] Original Reference: Cirrhia Hübner,[1821], Verz. bekannt. Schmett.: 234. Type-species: Phalaena icteritia Hufnagel,1766, by subsequent designation by Grote,1902

957. Xanthia Ochsenheimer,1816 (Noctuidae) Synonym(s): *Xanthia Ochsenheimer,1816; Citria Hübner,[1821]; Mellinia Hübner,[1821]; Euthemonia Gistl,1848 nec Stph.,1828* Original Reference: Xanthia Ochsenheimer,1816, Schmett. Eur. 4: 82. Type-species: Noctua flavago Fabricius,1787, by subsequent designation by Curtis,1825.

958. Xanthodes Guenée,1852 (Noctuidae) Synonym(s): Acontia Hübner,[1823] nec Ochs.,1816; Xanthodes Guenée,1852 Original Reference: Xanthodes Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 209. Type-species: Phalaena malvae Esper,[1796], by original designation.

959. **Xenophysa Boursin,1969** (Noctuidae) Synonym(s): *Xenophysa Boursin,1969* Original Reference: Xenophysa Boursin,1969, Entomops, Nice 2: 221. Type-species: Agrotis junctimacula Christoph,1887, by original designation.

**960. Xestia (Megasema) Hübner,[1821]** (Noctuidae) Synonym(s): *Megasema Hübner,[1821]; Agrotiphila Grote,1876; Agrotimorpha Barnes & McDunnough,1929; Ashworthia Beck,1996* <u>Original Reference:</u> Megasema Hübner,[1821], Verz. bekannt. Schmett.: 222. Type-species: Phalaena triangulum Hufnagel,1766, by subsequent designation by Moore,1881.

961. Xestia (s.str.) Hübner,1818 (Noctuidae) Synonym(s): Xestia Hübner,1818; Amathes Hübner,[1821]; Lytaea Stephens,1829; Segetia Stephens,1829; Hiptelia Guenée,1852; Ericarthia Beck,1996; Castanasta Beck,1996; Palkermes Beck,1996; Monticollia Beck,1996 Original Reference: Xestia Hübner,1818, Zuträge Samml. exot. Schmett. 1: 16. Type-species: Noctua ochreago Hübner,[1809], by subsequent designation by Hampson,1903.

**Yestia Hübner,1818** (Noctuidae) Synonym(s): *Xestia Hübner,1818*; *Amathes Hübner,[1821]*; *Lytaea Stephens,1829*; *Segetia Stephens,1829*; *Hiptelia Guenée,1852*; *Ericarthia Beck,1996*; *Castanasta Beck,1996*; *Palkermes Beck,1996*; *Monticollia Beck,1996* Original Reference: Xestia Hübner,1818, Zuträge Samml. exot. Schmett. 1: 16. Type-species: Noctua ochreago Hübner,[1809], by subsequent designation by Hampson,1903.

**963. Xylena Ochsenheimer,1816** (Noctuidae) Synonym(s): *Xylena Ochsenheimer,1816*; *Xylites R.L.,1817*; *Xylina Treitschke,1826*; *Calocampa Stephens,1829*; *Callicampa Agassiz,1846* Original Reference: Xylena Ochsenheimer,1816, Schmett. Eur. 4: 85. Type-species: Phalaena exsoleta Linnaeus,1758, by subsequent designation by Duponchel,1829.

**Yylomoia Staudinger,1892** (Noctuidae) Synonym(s): *Xylomoia Staudinger,1892*; *Xylomoea Hampson,1909* Original Reference: Xylomoia Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 451. Type-species: Xylomoia separata Staudinger,1892, by monotypy.

**965. Zekelita (Ravalita) Lödl & Mayerl,1997** (Noctuidae) Synonym(s): *Ravalita Lödl & Mayerl,1997* Original Reference: Ravalita Lödl & Mayerl,1997, Z. ArbGem. öst. Ent. 49 (3/4): 90. Type-species: Hypena ravalis Herrich-Schäffer,[1852], by original designation.

**966. Zekelita (Rhynchodontodes) W.Warren,1913** (Noctuidae) Synonym(s): *Rhynchodontodes W.Warren,1913* Original Reference: Rhynchodontodes W.Warren,1913, [in] Seitz, Gross Schmett. Erde 3: 430. Type-species: Pyralis antiqualis Hübner,[1809], by original designation.

- **267. Zekelita Walker,1863** (Noctuidae) Synonym(s): *Zekelita Walker,1863* Original Reference: Zekelita Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 199. Type-species: Zekelita equalisella Walker,1863, by monotypy.
- **Zethes Rambur,1833** (Noctuidae) Synonym(s): *Zethes Rambur,1833* Original Reference: Zethes Rambur,1833, Annls Soc. ent. Fr. 2: 29. Type-species: Zethes insularis Rambur,1833, by monotypy.
- 969. **Zonoplusia Chou & Lu,1979** (Noctuidae) Synonym(s): *Zonoplusia Chou & Lu,1979* Original Reference: Zonoplusia Chou & Lu,1979, Entomotaxonomia 1: 15, 21. Type-species: Plusia ochreata Walker,1865, by original designation.

### Notodontidae

- 970. Cerura Schrank,1802 (Notodontidae) Synonym(s): Cerura Schrank,1802; Andria Hübner,1822; Pania Dalman,1823; Dicranura Boisduval,1828 nec Reichenbach,1817; Apocerura De Lattin, Becker & Bender,1974 Original Reference: Cerura Schrank,1802, Fauna Boica 2(2): 155. Type-species: Phalaena vinula Linnaeus,1758, Syst. Nat. (Edn.10)1: 499, by subsequent designation by Curtis,1827, Br. Ent. 4: 193.
- 971. **Dicranura Reichenbach,1817** (Notodontidae) Synonym(s): *Dicranura Reichenbach,1817*; *Exaereta Hübner,[1820]*. <u>Original Reference</u>: Dicranura Reichenbach,1817, Jena allg. Lit.-Ztg. 1(36): 282. Type-species: Noctua ulmi [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend: 66, by monotypy.
- 972. **Drymonia Hübner,[1819]** (Notodontidae) Synonym(s): *Drymonia Hübner,[1819]; Ochrostigma Hübner,[1819]; Chaonia Stephens,1828; Drynobia Duponchel,[1845].* Original Reference: Drymonia Hübner,[1819], Verz. bekannter Schmett.: 144. Type-species: Bombyx dodonea [Denis & Schiffermüller],1775, Ankündung eines syst. Werkes Schmett. Wienergegend: 49, by subsequent designation by Curtis,1839, Br. Ent. 16: 755.
- 973. Furcula Lamarck,1816 (Notodontidae) Synonym(s): Furcula Lamarck,1816; Harpyias Hübner,[1819] Original Reference: Furcula Lamarck,1816, Hist. nat. Anim. sans Vertebres 3: 581. Type-species: [Phalaena] furcula Clerck,1759, Icones Insect. rariorum 1: pl.9 fig.9, by absolute tautonymy.
- 974. Neoharpyia Daniel,1965 (Notodontidae) Synonym(s): Neoharpyia Daniel,1965 Original Reference: Neoharpyia Daniel,1965, Z. wien. ent. Ges. 50: 44. Type-species: Cossus verbasci Fabricius,1798, by original designation.
- 975. Notodonta Ochsenheimer,1810 (Notodontidae) Synonym(s): Notodonta Ochsenheimer,1810; Notodon Meigen,1830; Mimodonta Matsumura,1920; Microdontella Strand,1934; Triophia Kiriakoff,1967; Eligmodonta Kiriakoff,1967 Original Reference: Notodonta Ochsenheimer,1810, Schmett. Eur. 3: 45. Type-species: Phalaena dromedarius Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 827, by subsequent designation by Curtis,1839, Br. Ent. 16: 739.
- 976. **Paradrymonia Kiriakoff,1967** (Notodontidae) Synonym(s): *Paradrymonia Kiriakoff,1967* Original Reference: Paradrymonia Kiriakoff,1967, [in] Wytsman, Genera Insect. 217(B): 122. Type-species: Notodonta vittata Staudinger,1892, Dt. ent. Z., Iris 4: 262, by original designation.
- 977. **Peridea Stephens,1828** (Notodontidae) Synonym(s): *Peridea Stephens,1828; Mesodonta Matsumura,1920 nec Baly,1865; Fusadonta Matsumura,1920* Original Reference: Peridea Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 32. Type-species: Bombyx serrata Thunberg,1792, Diss. ent. sistens Insect Suecica (3): 47, by monotypy.
- 978. Pheosia Hübner,[1819] (Notodontidae) Synonym(s): Pheosia Hübner,[1819]; Leiocampa Stephens,1828; Liocampa Agassiz,1847 Original Reference: Pheosia Hübner,[1819], Verz. bekannter Schmett.: 145. Type-species: Phalaena dictaea Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 826, by subsequent designation by Hampson,[1893], Fauna Br. India (Moths) 1: 160.
- 979. **Ptilodon Hübner,1822** (Notodontidae) Synonym(s): #Ptilodon Hübner,1806; Ptilodon Hübner,1822; Lophopteryx Stephens,1828; Ptilodontella Kiriakoff,1967 Original Reference: Ptilodon Hübner,1822, Syst.- alphab. Verz.: 14-16, 18, 20. Type-species: Phalaena camelina Linnaeus,1758, by subsequent designation by Grote,1895.
- **980. Ptilophora Stephens,1828** (Notodontidae) Synonym(s): *Ptilophora Stephens,1828; Ptilophora Stephens,1829; Ptilophoroides Matsumura,1920* <u>Original Reference:</u> Ptilophora Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 29. Type-species: Phalaena variegata Villers,1789, by monotypy.

- 981. Stauropus Germar,1812 (Notodontidae) Synonym(s): Stauropus Germar,1812; Terasion Hübner,[1819]; Neostauropus Kiriakoff,1967 Original Reference: Stauropus Germar,1812, Diss. sistens Bombycum Species (2): 45. Type-species: Phalaena fagi Linnaeus,1758, Syst. Nat. (Edn.10)1: 508, by monotypy.
- **Sumeria Tams,1938** (Notodontidae) Synonym(s): Sumeria Tams,1938 Original Reference: Sumeria Tams,1938, Proc. R. ent. Soc. Lond. (B) 7: 144. Type-species: Sumeria dipotamica Tams,1938, by original designation.

# Oecophoridae

- 983. Agonopterix Hübner,[1825] (Oecophoridae) Synonym(s): Agonopterix Hübner,[1825]; #Agonopteryx Stephens,1834; Agoniopteryx Treitschke,1835 Original Reference: Agonopterix Hübner,[1825], Verz. bekannt. Schmett.: 410. Type-species: Tinea signella Hübner,1796, by subsequent designation by Meyrick,1922.
- 984. Anchinia Hübner,[1825] (Oecophoridae) Synonym(s): Anchinia Hübner,[1825]; Palpula Kollar,1832; Fugia Duponchel,[1846] Original Reference: Anchinia Hübner,[1825], Verz. bekannter Schmett.: 409. Type-species: Tinea verrucella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Meyrick,1922, in Wytsman, Genera Insect. 180:63.
- 985. Depressaria Haworth,[1811] (Oecophoridae) Synonym(s): Depressaria Haworth,[1811]; Piesta Billberg,1820; Volucrum Berthold,1827; #Depressia Staudinger,1879; Schistodepressaria Spuler,1910 Original Reference: Depressaria Haworth,[1811], Lepid. Br.: 505. Type-species: Phalaena heracliana Linnaeus sensu Haworth,1811 (=Haemilis pastinacella Duponchel,1838). by subsequent designation by Curtis,1828 (for Phalaena heracliana Linnaeus sensu Haworth).
- 986. Exaeretia Stainton,1849 (Oecophoridae) Synonym(s): Exaeretia Stainton,1849; Depressariodes Turati,1924; Martyrhilda Clarke,1941 Original Reference: Exaeretia Stainton,1849, Trans. ent. Soc. Lond 5: 152. Type-species: Exaeretia allisella Stainton,1849, by monotypy.
- **987. Horridopalpus Hannemann,1953** (Oecophoridae) Synonym(s): *Horridopalpus Hannemann,1953* Original Reference: Horridopalpus Hannemann,1953, Mitt. zool. Mus. Berl. 29: 274, 320. Type-species: Haemylis dictamnella Treitschke,1835, by original designation.
- 988. Karwandania Amsel,1959 (Oecophoridae) Synonym(s): *Karwandania Amsel,1959* Original Reference: Karwandania Amsel,1959, Stuttg. Beitr. Naturk. 28: 30. Type-species: Karwandania chimabacchella Amsel,1959, by original designation.
- 989. Pleurota (s.str.) Hübner,[1825] (Oecophoridae) Synonym(s): Pleurota Hübner,[1825]; Eupleuris Hübner,[1825]; Macrochila Stephens,1829; Palpula Treitschke,1833 nec Koll.,1832; Acropogona Sodoffsky,1837 Original Reference: Pleurota Hübner,[1825], Verz. bekannt. Schmett. (26): 406. Type-species: [Phalaena] bicostella Clerck,1759.
- 990. Pleurota Hübner,[1825] (Oecophoridae) Synonym(s): Pleurota Hübner,[1825]; Eupleuris Hübner,[1825]; Macrochila Stephens,1829; Palpula Treitschke,1833 nec Koll.,1832; Acropogona Sodoffsky,1837 Original Reference: Pleurota Hübner,[1825], Verz. bekannt. Schmett.: 406. Type-species: [Phalaena] bicostella Clerck,1759, by subsequent designation by Meyrick,1922.

# **Psychidae**

- 991. Amicta Heylaerts,1881 (Psychidae) Synonym(s): Amicta Heylaerts,1881 Original Reference: Acanthopsyche (Amicta) Heylaerts,1881, Annls Soc. ent. Belg. 25: 66, 70. Typespecies: Psyche quadrangularis Christoph,1873, by subsequent designation by Hampson,1893.
- 992. Apterona Millière,1857 (Psychidae) Synonym(s): Apterona Milliere,1857; Cochliotheca Rambur,1866; Cochlophanes Staudinger,1871; Cochlophora Siebold,1871. Original Reference: Apterona Millière,1857, Annls Soc. linn. Lyon 4: 181, 192. Type-species: Psyche helix Siebold,1851, by subsequent designation by Kirby,1892.
- 993. Canephora Hübner,1822 (Psychidae) Synonym(s): Canephora Hübner,1822; Pachytelia Westwood,1848; Lepidopsyche Newman,1850; Oiketicoides Heylaerts,1881; Oiceticoides Kirby,1882; Eurukuttarus Hampson,1891; #Amictoides Gerasimov,1937; Amictoides Bourgogne,1949 nec Bezzi,1909; Paramictoides Koçak,1980. Original Reference: Canephora Hübner,1822, Syst.-alph. Verz. eur. Schmett.: 68, 71, 72-76, 78-80. Type-species: Tinea graminella [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.

- 994. Kalliesia Sobczyk,2004 (Psychidae) Synonym(s): Kalliesia Sobczyk,2004 Original Reference: Kalliesia Sobczyk,2004, Nota lepid. 27: 20-22. Type-species: Kalliesia irana Sobczyk,2004, by original designation.
- 995. **Typhonia Boisduval,1834** (Psychidae) Synonym(s): Coracia Hübner,[1819] nec Brisson,1760; #Corasia Hübner,[1826]; Typhonia Boisduval,1834; Melasina Boisduval,1840; Melapsyche Kozhanchikov,1956 Original Reference: Typhonia Boisduval,1834, Icones hist. nouv. ou peu connus 2: 88. Typespecies: Bombyx lugubris Hübner,1808, by monotypy.

# Pterophoridae

- 996. Adaina Tutt,1905 (Pterophoridae) Synonym(s): Adaina Tutt,1905 Original Reference: Adaina Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Alucita microdactyla Hübner,[1813], by original designation.
- 997. **Agdistis Hübner,[1825]** (Pterophoridae) Synonym(s): *Agdistis Hübner,[1825]; Adactylus Curtis,1833; Adactyla Zeller,1841.* Original Reference: Agdistis Hübner,[1825], Verz. bekannt. Schmett.: 429. Type-species: Alucita adactyla Hübner,[1819], by monotypy.
- 998. Amblyptilia Hübner,[1825] (Pterophoridae) Synonym(s): *Amblyptilia Hübner,*[1825]; *Amblyptilus Wallengren,*1862. Original Reference: Amblyptilia Hübner,[1825], Verz. bekannt. Schmett.: 430. Type-species: Alucita acanthadactyla Hübner,[1813], by subsequent designation by Tutt,1905.
- 999. Calyciphora Kasy,1960 (Pterophoridae) Synonym(s): Calyciphora Kasy,1960 Original Reference: Aciptilia (Calyciphora) Kasy,1960, Z. wien. ent. Ges. 45: 175. Type-species: Alucita xanthodactyla Treitschke,1833, by original designation.
- **1000. Capperia Tutt,1905** (Pterophoridae) Synonym(s): *Capperia Tutt,1905; Anacapperia Bigot & Picard,1986*. <u>Original Reference:</u> Capperia Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Typespecies: Phalaena heterodactyla Villers,1789, by original designation.
- 1001. Cnaemidophorus Wallengren,1862 (Pterophoridae) Synonym(s): *Cnaemidophorus Wallengren,1862; Cnemidophorus Zeller,1867; Eucnemidophorus Wallengren,1881* Original Reference: Cnaemidophorus Wallengren,1862, K. svenska VetenskAkad. Handl. (n.f.) 3 (7): 10. Typespecies: Alucita rhododactyla [Denis & Schiffermüller],1775, by monotypy.
- **1002. Crombrugghia Tutt,1906** (Pterophoridae) Synonym(s): *Crombrugghia Tutt,1906*; #Combrugghia Neave,1939 Original Reference: Crombrugghia Tutt,1906, Nat. Hist. Br. Lepid. 5: 409, 411, 449. Type-species: Pterophorus distans Zeller,1847, by subsequent designation by Meyrick,1910.
- 1003. Emmelina Tutt,1905 (Pterophoridae) Synonym(s): Emmelina Tutt,1905 Original Reference: Emmelina Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Phalaena monodactyla Linnaeus,1758, by original designation.
- 1004. Exelastis Meyrick,1907 (Pterophoridae) Synonym(s): Exelastis Meyrick,1907 Original Reference: Exelastis Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 730.
- 1005. Gillmeria Tutt,1905 (Pterophoridae) Synonym(s): Gillmeria Tutt,1905 Original Reference: Gillmeria Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Alucita ochrodactyla [Denis & Schiffermüller],1775.
- 1006. Hellinsia Tutt,1905 (Pterophoridae) Synonym(s): Hellinsia Tutt,1905; Leioptilus Wallengren,1862 nec Gray,1860; Lioptilus Zeller,1867 nec Cabanis,1850; Paulianilus Gibeaux,1995 Original Reference: Hellinsia Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Pterophorus osteodactylus Zeller,1841, by original designation.
- 1007. Marasmarcha Meyrick,1886 (Pterophoridae) Synonym(s): Marasmarcha Meyrick,1886; Snellenia Ustjuzhanin,1996 Original Reference: Marasmarcha Meyrick,1886, Trans. ent. Soc. Lond. 1886: 6, 11. Type-species: Alucita phaeodactyla Hübner,[1813], by subsequent designation by Tutt,1906.
- 1008. Megalorhipida Amsel,1935 (Pterophoridae) Synonym(s): Megalorhipida Amsel,1935; #Megalorrhipida Amsel,1935; Antarches Gibeaux,1994 Original Reference: Megalorhipida Amsel,1935, Mitt. zool. Mus. Berl. 20: 293. Type-species: Megalorhipida palaestinensis Amsel,1935, by monotypy [published "ä", as german spelling; therefore, palaestinensis is the correct spelling].

- 1009. Merrifieldia Tutt,1905 (Pterophoridae) Synonym(s): *Merrifieldia Tutt,1905* Original Reference: Merrifieldia Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Phalaena tridactyla Linnaeus,1758, by original designation.
- 1010. Oidaematophorus Wallengren,1862 (Pterophoridae) Synonym(s): Oidaematophorus Wallengren,1862; Oedematophorus Zeller,1867; Ovendenia Tutt,1905; Euleioptilus Bigot & Picard,1996; Oidaemalus Bigot & Picard,1996. Original Reference: Oidaematophorus Wallengren,1862, K. svenska VetenskAkad. Handl. (n.f.) 3 (7): 19. Type-species: Alucita lithodactyla Treitschke,1833, by monotypy.
- 1011. Oxyptilus Zeller,1841 (Pterophoridae) Synonym(s): Oxyptilus Zeller,1841 Original Reference: Pterophorus (Oxyptilus) Zeller,1841, Isis, Leipzig 1841: 765. Type-species: Pterophorus pilosellae Zeller,1841, by subsequent designation by Tutt,1905.
- 1012. Paracapperia Bigot & Picard,1986 (Pterophoridae) Synonym(s): Paracapperia Bigot & Picard,1986 Original Reference: Capperia (Paracapperia) Bigot & Picard,1986, Alexanor 14 (6) (Suppl.): 23. Type-species: Oxyptilus anatolicus Caradja,1920, by original designation.
- 1013. Paraplatyptilia Bigot & Picard,1986 (Pterophoridae) Synonym(s): Mariana Tutt,1907 nec Locard,1889; Paraplatyptilia Bigot & Picard,1986. Original Reference: Paraplatyptilia Bigot & Picard,1986, Alexanor 14 (6) (Suppl.): 17 (nom. nov. pro Mariana Tutt,1907 nec Locard,1889). Type-species: Pterophorus metzneri Zeller,1841, by original designation.
- 1014. Platyptilia Hübner,[1825] (Pterophoridae) Synonym(s): Platyptilia Hübner,[1825]; Platyptilus Zeller,1841; Gillmeria Tutt,1905; Fredericina Tutt,1905. Original Reference: Platyptilia Hübner,[1825], Verz. bekannt. Schmett.: 429. Type-species: Alucita megadactyla [Denis & Schiffermüller],1775, by subsequent designation by Tutt,1905.
- 1015. **Procapperia** Adamczewski,1951 (Pterophoridae) Synonym(s): *Procapperia Adamczewski*,1951 Original Reference: Procapperia Adamczewski,1951, Bull. Br. Mus. nat. Hist. (Ent.) 1: 338. Type-species: Oxyptilus maculatus Constant,1865, by original designation.
- 1016. Pselnophorus Wallengren,1881 (Pterophoridae) Synonym(s): Pselnophorus Wallengren,1881; Crasimetis Meyrick,1890. Original Reference: Pselnophorus Wallengren,1881, Ent. Tidskr. 2: 96. Type-species: Alucita brachydactyla Kollar,1832, by monotypy.
- 1017. Pterophorus Schäffer,1766 (Pterophoridae) Synonym(s): Pterophorus Schäffer,1766; Pterophora Hübner,1822; Aciptilia Hübner,[1825]; Aciptilus Zeller,1841; Acoptilia Agassiz,1847. Original Reference: Pterophorus Schäffer,1766, Elementa Entomologica: pl.104, figs.2,3. Type-species: Phalaena pentadactyla Linnaeus,1758, by subsequent designation by Whalley,1961 (No species included until Fabricius (1775)).
- 1018. Puerphorus Arenberger,1990 (Pterophoridae) Synonym(s): Puerphorus Arenberger,1990 Original Reference: Puerphorus Arenberger,1990, NachrBl. bayer. Ent. 39 (1): 18, figs. Typespecies: Pterophorus olbiadactylus Millière,1859, by original designation.
- **Sphenarches Meyrick,1886** (Pterophoridae) Synonym(s): *Sphenarches Meyrick,1886* Original Reference: Sphenarches Meyrick,1886, Trans. ent. Soc. London 1886: 8.
- 1020. Stangeia Tutt,1906 (Pterophoridae) Synonym(s): Stangeia Tutt,1906 Original Reference: Stangeia Tutt,1906, Nat. Hist. Br. Lepid. 5: 492. Type-species: Pterophorus siceliota Zeller,1847, by monotypy.
- 1021. Stenodacma Amsel,1959 (Pterophoridae) Synonym(s): Stenodacma Amsel,1959 Original Reference: Stenodacma Amsel,1959, Stuttg. Beitr. Naturk. 28: 29. Type-species: Stenodacma iranella Amsel,1959, by original designation.
- 1022. Stenoptilia Hübner,[1825] (Pterophoridae) Synonym(s): Stenoptilia Hübner,[1825]; Mimaeseoptilus Wallengren,1862; Mimeseoptilus Zeller,1867; Doxosteres Meyrick,1886; Adkinia Tutt,1905.

  Original Reference: Stenoptilia Hübner,[1825], Verz. bekannt. Schmett.: 430. Type-species: Phalaena pterodactyla Linnaeus,1761, by subsequent designation by Tutt,1905.
- 1023. Stenoptilodes Zimmermann,1958 (Pterophoridae) Synonym(s): Stenoptilodes Zimmermann,1958 Original Reference: Stenoptilodes Zimmermann,1958, Insects Hawaii 8: 407. Type-species: Platyptilus littoralis Butler,1882, by original designation.
- **Tabulaephorus** Arenberger,1993 (Pterophoridae) Synonym(s): *Tabulaephorus* Arenberger,1993 Original Reference: Tabulaephorus Arenberger,1993, Nachr. ent. Ver. Apollo (n.s.) 13 (3a): 309. Type-species: Aciptilia punctinervis Constant,1885, by original designation.
- 1025. Wheeleria Tutt,1905 (Pterophoridae) Synonym(s): Wheeleria Tutt,1905 Original Reference: Wheeleria Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Pterophorus spilodactylus Curtis,1827, by original designation.

# **Pyralidae**

- **1026. Achyra Guenée,1849** (Pyralidae) Synonym(s): *Achyra Guenée,1849*; *Dosara Walker,1859*; *Eurycreon Lederer,1863*; *Tritaea Meyrick,1884*. <u>Original Reference</u>: Achyra Guenée,1849, [in] Lucas, Explor. scient. Algérie... 1840-1842 (Zool.) Hist. nat. Anim. artic. 3: 404. Type-species: Pyralis interpunctalis Hübner,1796, by subsequent designation by Marion,1957.
- **1027. Acritonia Amsel,1954** (Pyralidae) Synonym(s): *Acritonia Amsel,1954* Original Reference: Acritonia Amsel,1954, Ark. Zool. (2) 6: 270. Type-species: Acritonia comeella Amsel,1954, by original designation.
- 1028. Acrobasis Zeller,1839 (Pyralidae) Synonym(s): Acrobasis Zeller,1839; Conobathra Meyrick,1886; Mineola Hulst,1890; Seneca Hulst,1890; Numonia Ragonot,1893; Trachycera Ragonot,1893; Acrocaula Hulst,1900; Hylopylora Meyrick,1933; Rhodophaeopsis Amsel,1950; Catacrobasis Gozmany,1958; Cyprusia Amsel,1958; Acrobasopsis Amsel,1958; Hylophora Whalley,1970; Cyphita Roesler,1971 Original Reference: Acrobasis Zeller,1839, Isis 1839: 176. Type-species: Tinea consociella Hübner,[1813], Samml. eur. Schmett. 8: pl.48 fig.328, by subsequent designation by Moore,[1886], Lepid. Ceylon 3: 359.
- 1029. Acteniopsis Amsel,1959 (Pyralidae) Synonym(s): Acteniopsis Amsel,1959 Original Reference: Acteniopsis Amsel,1959, Bull. Soc. ent. Egypte 43: 50. Type-species: Acteniopsis kurdistanella Amsel,1959, by original designation.
- 1030. Aeglotis Amsel,1949 (Pyralidae) Synonym(s): Aeglotis Amsel,1949 Original Reference: Aeglotis Amsel,1949, Bull. Soc. Fouad I Ent. 33: 242. Type-species: Anaeglis argentalis Christoph,1887, by original designation.
- 1031. Aeschremon Lederer,1863 (Pyralidae) Synonym(s): Aeschremon Lederer,1863 Original Reference: Aeschremon Lederer,1863, Wien. ent. Monatschr. 7: 269, 362. Type-species: Tegostoma disparalis Herrich-Schäffer,1855, by monotypy.
- 1032. Aglossa Latreille,[1796] (Pyralidae) Synonym(s): Aglossa Latreille,[1796]; Euclita Hübner,[1825]; Oryctocera Ragonot,1891; Crocalia Ragonot,1892; Agriope Ragonot,1894 Original Reference: Aglossa Latreille,[1796], Précis Caract. génér. Ins.: 145. Type-species: Phalaena pinguinalis Linnnaeus,1758, subsequently included by Latreille,[1802], by subsequent monotypy.
- 1033. Agriphila Hübner,[1825] (Pyralidae) Synonym(s): *Agriphila Hübner,[1825]; Agrophila Agassiz,1847; Alisa Ganev & Hacker,1984 nec Bsd.,1840* Original Reference: Agriphila Hübner,[1825], Verz. bekannter Schmett.: 365. Type-species: Tinea deliella Hübner,[1813], by subsequent designation by Lhomme (1935).
- 1034. Agrotera Schrank,1802 (Pyralidae) Synonym(s): Agrotera Schrank,1802; Tetracona Meyrick,1884; Sagariphora Meyrick,1894 Original Reference: Agrotera Schrank,1802, Fauna Boica 2(2): 163. Type-species: Phalaena nemoralis Scopoli,1763, Ent. Carniolica: 242, by monotypy.
- 1035. Alophia Ragonot,1893 (Pyralidae) Synonym(s): Alophia Ragonot,1893; #Alophila Arenberger & Wimmer,1996 Original Reference: Alophia Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: 433 Type-species: Pyralis combustella Herrich-Schäffer,1855, by monotypy.
- 1036. Ambluncus Amsel,1954 (Pyralidae) Synonym(s): Ambluncus Amsel,1954 Original Reference: Ambluncus Amsel,1954, Ark. Zool. (2) 6: 301. Type-species: Ambluncus nervosellus Amsel,1954, by original designation.
- 1037. Amechedia Amsel,1961 (Pyralidae) Synonym(s): Amechedia Amsel,1961 Original Reference: Amechedia Amsel,1961, Ark. Zool. (2) 13: 385. Type-species: Amechedia pagmanella Amsel,1961, by original designation.
- 1038. Amselia Bleszynski,1959 (Pyralidae) Synonym(s): Amselia Bleszynski,1959 Original Reference: Amselia Bleszynski,1959, Beitr. naturk. Forsch. SüdwDtl. 18: 114. Type-species: Crambus heringi Amsel,1935, by original designation.
- 1039. Anania (s.str.) Hübner,[1823] (Pyralidae) Synonym(s): Anania Hübner,[1823]; Perinephela Hübner,[1825]; Phlyctaenia Hübner,[1825]; Ennychia Treitschke,1828; Ebulea Doubleday,1849; Algedonia Lederer,1863; Crypsiptya Meyrick,1894; Udonomeiga Mutuura,1954; Trichovalva Amsel,1956; Pronomis Munroe & Mutuura,1968; Coclebotys Munroe & Mutuura,1969; Tenerobotys Munroe & Mutuura,1971; Mutuuraia Munroe,1976; Nealgedonia Munroe,1976 Original Reference: Anania Hübner,[1823], Zuträge Samml. exot. Schmett. 2: 27. Type-species: Pyralis guttalis [Denis & Schiffermüller],1775, by subsequent designation by Hannemann (1964).

- 1040. Anania Hübner,[1823] (Pyralidae) Synonym(s): Anania Hübner,[1823]; Perinephela Hübner,[1825]; Phlyctaenia Hübner,[1825]; Ennychia Treitschke,1828; Ebulea Doubleday,1849; Algedonia Lederer,1863; Crypsiptya Meyrick,1894; Udonomeiga Mutuura,1954; Trichovalva Amsel,1956; Pronomis Munroe & Mutuura,1968; Coclebotys Munroe & Mutuura,1969; Tenerobotys Munroe & Mutuura,1971; Mutuuraia Munroe,1976; Nealgedonia Munroe,1976 Original Reference: Anania Hübner,[1823], Zuträge Samml. exot. Schmett. 2: 27. Type-species: Pyralis guttalis [Denis & Schiffermüller],1775, by subsequent designation by Hannemann (1964).
- 1041. Anarpia Chapman,1912 (Pyralidae) Synonym(s): Anarpia Chapman,1912 Original Reference: Anarpia Chapman,1912, Trans. ent. Soc. Lond 1911: 507. Type-species: Eudorea pyrenaealis Duponchel,1842, by monotypy.
- 1042. Ancylodes Ragonot,1887 (Pyralidae) Synonym(s): Ancylodes Ragonot,1887 Original Reference: Ancylodes Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 250. Type-species: Ancylodes pallens Ragonot,1887, loc. cit., by original designation.
- 1043. Ancylolomia Hübner,[1825] (Pyralidae) Synonym(s): Ancylolomia Hübner,[1825]; Jartheza Walker,1863; Ctenus Mabille,1906 nec Walken.,1805; Pseudoctenella Strand,1907; Tollia Amsel,1949 nec Pavlov,1914. Original Reference: Ancylolomia Hübner,[1825], Verz. bekannter Schmett.: 363. Type-species: Tinea palpella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 134, by subsequent designation by Moore,[1866], Lepid. Ceylon 3: 381.
- 1044. Ancylosis Zeller,1839 (Pyralidae) Synonym(s): Ancylosis Zeller,1839; Heterographis Ragonot,1885; Staudingeria Ragonot,1887; Syria Ragonot,1887; Hedemannia Ragonot,1887; Cabotia Ragonot,1888; Mona Hulst,1888; Heterographia Ragonot,1890; Hypogryphia Ragonot,1890; Canarsia Hulst,1890; Hulstia Hampson,1901; Encystia Hampson,1901; Harnocha Dyar,1914; Canarsiana Strand,1920; Homoeograpta Hampson,1930; Cornigerula Amsel,1935; Acornigerula Amsel,1935; Iransharia Amsel,1959; Niethammeriodes Roesler,1969; Gregorempista Roesler,1969 Original Reference: Ancylosis Zeller,1839, Isis 1839: 178. Type-species: Phycis dilutella Treitschke,1832, by subsequent designation by Ragonot,1901.
- 1045. Ancylosoma Roesler,1973 (Pyralidae) Synonym(s): Ancylosoma Roesler,1973 Original Reference: Ancylosoma Roesler,1973, [in] Amsel, Gregor & Reisser, Microlepid. Palaearct. 4: Phycitinae etc. Textband: 298. Type-species: Myelois substratella Christoph,1877, by original designation.
- **1046. Anerastia Hübner,[1825]** (Pyralidae) Synonym(s): *Anerastia Hübner,[1825]; Prinanerastia Hampson,1918* <u>Original Reference:</u> Anerastia Hübner,[1825], Verz. bekannter Schmett.: 367. Typespecies: Tinea lotella Hübner,[1813], by subsequent designation by Desmarest,1857.
- 1047. Angustalius Marion,1954 (Pyralidae) Synonym(s): Angustalius Marion,1954; Crambopsis De Lattin,1952 nec Walk.,1865; Bleszynskia De Lattin,1961 Original Reference: Angustalius Marion,1954, Mém. Inst. scient. Madagascar (E) 5: 42, 50. Type-species: Angustalius ditaeniellus Marion,1954, by original designation
- 1048. Anthophilopsis Ragonot,1891 (Pyralidae) Synonym(s): Anthophilopsis Ragonot,1891 Original Reference: Anthophilopsis Ragonot,1891, Annls Soc. ent. Fr. (6) 10: 449. Type-species: Thalpochares moesleri Christoph,1862, by subsequent designation by D.S.Fletcher & Nye,1984.
- 1049. Antigastra Lederer,1863 (Pyralidae) Synonym(s): Antigastra Lederer,1863 Original Reference: Antigastra Lederer,1863, Wien. ent. Monatschr. 7: 274 (key), 419. Type-species: Botys catalaunalis Duponchel,1833 [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 8(2): 330, pl.232 fig.8, by monotypy.
- 1050. Aphomia Hübner,[1825] (Pyralidae) Synonym(s): Aphomia Hübner,[1825]; Ilithyia Berthold,1827; Melia Curtis,1828; Melissoblaptes Zeller,1839; Aphomoea Agassiz,1847; Arenipses Hampson,1901; #Arenipsis Rothschild,1915 Original Reference: Aphomia Hübner,[1825], Verz. bekannt. Schmett.: 369. Type-species: Phalaena sociella Linnaeus,1758, by subsequent designation by Hampson,1917.
- **1051. Apomyelois Heinrich,1956** (Pyralidae) Synonym(s): *Apomyelois Heinrich,1956*; *Ectomyelois Heinrich,1956*; *Spectrobates sensu Roesler,1965* Original Reference: Apomyelois Heinrich,1956, Bull. U.S. natn. Mus. 207: 8, 42. Type-species: Dioryctria bistriatella Hulst,1887, by original designation.
- 1052. Aporodes Guenée,1854 (Pyralidae) Synonym(s): Aporodes Guenée,1854 Original Reference: Aporodes Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 159. Typespecies: Pyralis floralis Hübner,[1809], by original designation.

**1054. Archiephestia Amsel,1955** (Pyralidae) Synonym(s): *Archiephestia Amsel,1955*; *Bignathosia Amsel,1955* Original Reference: Archiephestia Amsel,1955, Bull. Inst. r. Sci. nat. Belg. 31: 38. Typespecies: Archiephestia murciella Amsel,1955, by original designation.

1055. Ardekanopsis Amsel,1954 (Pyralidae) Synonym(s): *Ardekanopsis Amsel,1954* Original Reference: Ardekanopsis Amsel,1954, Ark. Zool. (2) 6: 266. Type-species: Ardekanopsis griseella Amsel,1954, by original designation.

1056. Arimania Amsel,1954 (Pyralidae) Synonym(s): Arimania Amsel,1954 Original Reference: Arimania Amsel,1954, Ark. zool. 6 (16): 289. Type-species: Salebria komaroffi Ragonot,1888, by original designation.

1057. Arsissa Ragonot,1893 (Pyralidae) Synonym(s): Arsissa Ragonot,1893; Myeloisiphana Hartig,1937; Palloria Amsel,1961; Farsia Amsel,1961; Anjumania Amsel,1970. Original Reference: Arsissa Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: xlv, 131. Type-species: Pyralis ramosella Herrich-Schäffer,1855, by monotypy.

1058. Asalebria (Exophora) Roesler,1988 (Pyralidae) Synonym(s): Exophora Roesler,1988 Original Reference: Exophora Roesler,1988, Entomofauna 9 (24): 462-463. Type-species: Nephopteryx florella Mann,1862, by original designation.

1059. Asalebria (s.str.) Amsel,1953 (Pyralidae) Synonym(s): Asalebria Amsel,1953; Praesalebria Amsel,1954; Postsalebria Amsel,1955. Original Reference: Asalebria Amsel,1953, Revue fr. Ent. 20: 226. Type-species: Salebria venustella Ragonot,1887, by original designation.

1060. Asalebria Amsel,1953 (Pyralidae) Synonym(s): Asalebria Amsel,1953; Praesalebria Amsel,1954; Postsalebria Amsel,1955. Original Reference: Asalebria Amsel,1953, Revue fr. Ent. 20: 226. Typespecies: Salebria venustella Ragonot,1887, by original designation.

1061. Asarta Zeller,1848 (Pyralidae) Synonym(s): Chionea Guenée,1845 nec Dalm.,1816; Asarta Zeller,1848. Original Reference: Asarta Zeller,1848, Isis 1848: 686. Type-species: Phycis aethiopella Duponchel,[1837], by subsequent designation by Ragonot,1901 [in] Romanoff, Mém. Lépid. 8: 1.

1062. Auxacia Ragonot,1888 (Pyralidae) Synonym(s): Auxacia Ragonot,1888 Original Reference: Auxacia Ragonot,1888, Nouv. Genres Espèces Phycitidae Galleriidae: 25. Type-species: Aria bilineella Ragonot,1887, by monotypy (a replacement name for Aria Ragonot,1887 nec R.-D.,1830).

1063. Bazaria Ragonot,1887 (Pyralidae) Synonym(s): Bazaria Ragonot,1887; Anorista Rebel,1914; Culcita Amsel,1959; Culcitaria Amsel,1970; Vixsinusia Amsel,1970. Original Reference: Bazaria Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 234. Type-species: Bazaria turensis Ragonot,1887, by subsequent designation by D.S.Fletcher & Nye,1984.

1064. **Belutchistania** Amsel,1951 (Pyralidae) Synonym(s): Belutchistania Amsel,1951; #Belutschistania Amsel,1951 Original Reference: Belutchistania Amsel,1951, Ark. Zool. (2) 1: 539. Type-species: Belutchistania squamalis Amsel,1951, by monotypy.

1065. **Benderia Amsel,1949** (Pyralidae) Synonym(s): *Benderia Amsel,1949* Original Reference: Benderia Amsel,1949, Bull. Soc. Fouad I Ent. 33: 248. Type-species: Benderia talhouki Amsel,1949, by original designation.

1066. Bocchoris Moore,[1885] (Pyralidae) Synonym(s): Bocchoris Moore,[1885]; Chabula Moore,1886 Original Reference: Bocchoris Moore,[1885], Lepid. Ceylon 3: 271. Type-species: Botys inspersalis Zeller,1852, by original designation.

1067. Bostra Walker,1863 (Pyralidae) Synonym(s): Bostra Walker,1863: Arippara Walker,1863; Phasga Walker,1863; Paleca Butler,1879; Paredra Snellen,1880; Acotomera Butler,1881; Therapne Ragonot,1890; Megalomia Ragonot,1891; Comaria Ragonot,1892; Stygiochroa Ragonot,1895 Original Reference: Bostra Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 123. Type-species: Bostra illusella Walker,1863, by monotypy.

1068. Bradyrrhoa Zeller,1848 (Pyralidae) Synonym(s): Bradyrrhoa Zeller,1848; #Bradyrhaea Marschall,1873 Original Reference: Bradyrrhoa Zeller,1848, Isis Oken 1848: 681. Type-species: Phycis gilveolella Treitschke,1833, by subsequent designation by Ragonot,1893.

1069. Cadra Walker,1864 (Pyralidae) Synonym(s): Cadra Walker,1864; Xenephestia Gozmany,1958.
Original Reference: Cadra Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 961.
Type-species: Cadra defectella Walker,1864, by monotypy.

- 1070. Caina Ragonot,1893 (Pyralidae) Synonym(s): Caina Ragonot,1893 Original Reference: Caina Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: lii, 463. Type-species: Caina deletella Ragonot,1893, by original designation.
- 1071. Calamochrous Lederer,1863 (Pyralidae) Synonym(s): Calamochrous Lederer,1863; Calamochrosta Lederer,1863 Original Reference: Calamochrous Lederer,1863, Wien. ent. Monatschr. 7: 277, 386. Type-species: Calamochrous chilonalis Lederer,1863, by subsequent designation by Hampson,1896.
- **1072.** Calamotropha Zeller,1863 (Pyralidae) Synonym(s): Calamotropha Zeller,1863; Myeza Walker,1863; Aurelianus Bleszynski,1962 nec Dist.,1902 Original Reference: Calamotropha Zeller,1863, Chilonidarum Crambidarum Genera Species: 8. Type-species: Tinea paludella Hübner,[1824], by subsequent designation by Shibuya,1928.
- **1073.** Cataclysta Hübner,[1825] (Pyralidae) Synonym(s): Cataclysta Hübner,[1825]; Cryptocosma Lederer,1863; Eugauria Snellen,1901; Chalcoelopsis Dyar,1914 Original Reference: Cataclysta Hübner,[1825], Verz. bekannt. Schmett.: 363. Type-species: Phalaena lemnata Linnaeus,1758, by subsequent designation by Guenée,1854.
- 1074. Cataonia Ragonot,1891 (Pyralidae) Synonym(s): Cataonia Ragonot,1891 Original Reference: Cataonia Ragonot,1891, Annls Soc. ent. Fr. (6) 10: 449-450. Type-species: Cataonia monocerialis Ragonot,1891, by monotypy.
- 1075. Catoptria Hübner,[1825] (Pyralidae) Synonym(s): Catoptria Hübner,[1825]; Exoria Hübner,[1825]. Original Reference: Catoptria Hübner,[1825], Verz. bekannt. Schmett.: 365. Typespecies: Catoptria speculalis Hübner,[1825], by subsequent designation by Bleszynski,1956.
- 1076. Ceutholopha Zeller,1867 (Pyralidae) Synonym(s): Ceutholopha Zeller,1867; Hypophana Meyrick,1882; #Centolopha Caradja,1910 Original Reference: Ceutholopha Zeller,1867, Trans. ent. Soc. Lond. (3) 5: 465. Type-species: Nephopteryx isidis Zeller,1867, by monotypy.
- 1077. Chilo Zincken,1817 (Pyralidae) Synonym(s): Chilo Zincken,1817; Chilona Sodoffsky,1837; Borer Guenée,1854; Diphryx Grote,1881; Nephalia Turner,1911; Hypiesta Hampson,1919; Silveria Dyar,1925 Original Reference: Chilo Zincken,1817, Magazin Ent. (Germar) 2: 33. Type-species: Tinea phragmitella Hübner,[1810], Samml. eur. Schmett. 8: pl. 43, figs. 297, 298, by subsequent designation by Duponchel,1836, [in] Godart & Duponchel, Hist. nat. Lepid. Papillons 10: 9.
- 1078. Chrysocrambus Bleszynski,1957 (Pyralidae) Synonym(s): *Chrysocrambus Bleszynski,1957* Original Reference: Chrysocrambus Bleszynski,1957, Acta zool. cracov. 1: 200 (key), 443. Typespecies: Crambus cassentiniellus Herrich-Schäffer,1848, by original designation.
- 1079. Chrysoteuchia Hübner,[1825] (Pyralidae) Synonym(s): *Chrysoteuchia Hübner,*[1825]; *Amphibolia Snellen,*1884 nec Macq.,1843 Original Reference: Chrysoteuchia Hübner,[1825], Verz. bekannt. Schmett.: 366. Type-species: Tinea hortuella Hübner,1796, by subsequent designation by Shibuya,1928.
- **1080. Ciliocera Amsel,1954** (Pyralidae) Synonym(s): *Ciliocera Amsel,1954* <u>Original Reference:</u> Ciliocera Amsel,1954, Ark. Zool. (2) 6: 264. Type-species: Emmalocera leucosarca Meyrick,1937, by original designation.
- 1081. Coenochroa Ragonot,1887 (Pyralidae) Synonym(s): Coenochroa Ragonot,1887; Petaluma Hulst,1888; Alamosa Hampson,1901; Raphimetopus Hampson,1918 Original Reference: Coenochroa Ragonot,1887, Diagnoses N. Am. Phycitidae Galleridae: 20. Type-species: Coenochroa californiella Ragonot,1887, by original designation.
- 1082. Coniesta Hampson,1919 (Pyralidae) Synonym(s): Coniesta Hampson,1919 Original Reference: Coniesta Hampson,1919, Ann. Mag. nat. Hist. (9) 3: 540. Type-species: Chilo araealis Hampson,1912, by original designation.
- 1083. Cornifrons Lederer,1858 (Pyralidae) Synonym(s): Cornifrons Lederer,1858 Original Reference: Cornifrons Lederer,1858, Wien. ent. Monatschr. 2: 147. Type-species: Cornifrons ulceratalis Lederer,1858, by monotypy.
- 1084. Crambus Fabricius,1798 (Pyralidae) Synonym(s): Crambus Fabricius,1798; Palparia Haworth,[1811]; Tetrachila Hübner,1822; Argyroteuchia Hübner,[1825]; Arequipa Walker,1863. Original Reference: Crambus Fabricius,1798, Ent. Syst. (Suppl.): 420, 464. Type-species: Phalaena pascuella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 535, by subsequent designation by Curtis,1826, Br. Ent. 3: folio 109.
- 1085. Crocidolomia Zeller,1852 (Pyralidae) Synonym(s): Crocidolomia Zeller,1852; Godara Walker,1859; Pseudopisara Shiraki,1913; Tschahbaharia Amsel,1951 Original Reference: Crocidolomia

- Zeller,1852, K. svenska VetenskAkad. Handl. 40 (3): 65. Type-species: Crocidolomia binotalis Zeller,1852, by monotypy.
- 1086. Cybalomia Lederer,1863 (Pyralidae) Synonym(s): *Cybalomia Lederer,1863; #Cybolomia Ragonot,1887; Capparidia Dumont,1931* Original Reference: Cybalomia Lederer,1863, Wien. ent. Monatschr. 7: 276, 420. Type-species: Botys pentadalis Lederer,1855, by monotypy.
- 1087. Cynaeda (Noctuelia) Guenée,1854 (Pyralidae) Synonym(s): Noctuelia Guenée,1854; Noctuaelia Wocke,1871 Original Reference: Noctuelia Guenée,1854, [in] Boisduval & Guenée,1854, Hist. nat. Insectes 8: 113. Type-species: Cynaeda superbalis Herrich-Schäffer,1848, by monotypy.
- 1088. Cynaeda (Usgentia) Amsel,1949 (Pyralidae) Synonym(s): *Usgentia Amsel,1949* Original Reference: Usgentia Amsel,1949, Bull. Soc. Fouad Ier Ent. 33: 306, 307. Type-species: Tegostoma quadridentale Zerny,1914, by original designation.
- 1089. Cynaeda (s.str.) Hübner,[1825] (Pyralidae) Synonym(s): Cynaeda Hübner,[1825]; Odontia Duponchel,1832 Original Reference: Cynaeda Hübner,[1825], Verz. bekannt. Schmett: 346. Typespecies: Pyralis dentalis [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 1090. Cynaeda Hübner,[1825] (Pyralidae) Synonym(s): Cynaeda Hübner,[1825]; Odontia Duponchel,1832 Original Reference: Cynaeda Hübner,[1825], Verz. bekannt. Schmett: 346. Typespecies: Pyralis dentalis [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- **Dalakia Amsel,1961** (Pyralidae) Synonym(s): *Dalakia Amsel,1961* Original Reference: Dalakia Amsel,1961, Ark. Zool. (2) 13: 333. Type-species: Dalakia uniformella Amsel,1961, by original designation.
- **Daria Ragonot,1888** (Pyralidae) Synonym(s): *Daria Ragonot,1888; Paradaria Kusnesov,1908*. Original Reference: Daria Ragonot,1888, Nouv. Genres Espéces Phycitidae Galleridae: 13. Typespecies: Daria coenosella Ragonot,1888, by monotypy.
- 1093. Denticera Amsel,1961 (Pyralidae) Synonym(s): Denticera Amsel,1961 Original Reference: Denticera Amsel,1961, Ark. Zool. 13: 366. Type-species: Denticera sardzeella Amsel,1961, by original designation.
- 1094. **Dentifovea Amsel,1970** (Pyralidae) Synonym(s): Dentifovea Amsel,1970 Original Reference: Dentifovea Amsel,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 60. Type-species: Hellula fulvifascialis Christoph,1887, by original designation.
- 1095. **Dentitegumia Amsel,1961** (Pyralidae) Synonym(s): *Dentitegumia Amsel,1961* Original Reference: Dentitegumia Amsel,1961, Ark. Zool. (2) 13: 374. Type-species: Pristophora nigrigranella Ragonot,1890, by original designation.
- 1096. **Diaphania Hübner,1818** (Pyralidae) Synonym(s): *Diaphania Hübner,1818; Eudioptis Hübner,1823; Diaphania Stephens,1829 nec Hübn.,1818; Phakellura Guilding,1830; Phacellura Agassiz,1847; Sestia Snellen,1875* Original Reference: Diaphania Hübner,1818, Zuträge Samml. exot. Schmett. 1: 20. Type-species: Diaphania vitralis Hübner,1818, by subsequent designation by Klima,1939.
- 1097. Dilacinia Amsel,1961 (Pyralidae) Synonym(s): Dilacinia Amsel,1961; #Dilacina Amsel,1961 Original Reference: Dilacinia Amsel,1961, Ark. Zool. 13 (17): 432. Type-species: Dilacina [sic!] badialis Amsel,1961, by original designation.
- 1098. Dipleurina Chapman,1912 (Pyralidae) Synonym(s): Dipleurina Chapman,1912; #Dipluerina Sharp,1913 Original Reference: Dipleurina Chapman,1912, Trans. ent. Soc. Lond. 191: 507. Typespecies: Phalaena crataegella Linnaeus sensu Hübner,1796 (=Phalaena lacustrata Panzer,1804), by monotypy.
- 1099. Dolicharthria Stephens,1834 (Pyralidae) Synonym(s): Dolicharthria Stephens,1834; Stenia Duponchel,1835; Dolycharthria Stephens,1850; Amaurophanes Lederer,1863; Epistenia Chrétien,1911 nec Westw.,1832; Leptarchis Meyrick,1937; Parastenia Hartig,1940 Original Reference: Dolicharthria Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 55. Type-species: Scopula longipedalis Curtis,1830, by monotypy.
- 1100. **Donacaula Meyrick,1890** (Pyralidae) Synonym(s): *Donacaula Meyrick,1890* Original Reference: Donacaula Meyrick,1890, Trans. ent. Soc. Lond. 1890: 437, 466. Type-species: Tinea mucronella [Denis & Schiffermüller],1775, by monotypy.
- 1101. **Duzulla Amsel,1952** (Pyralidae) Synonym(s): *Duzulla Amsel,1952* <u>Original Reference:</u> Duzulla Amsel,1952, Mitt. münch. ent. Ges. 42: 65. Type-species: Phlyctaenodes subhyalinalis Hampson,1900, by original designation.

- **1102. Ecbatania Amsel,1961** (Pyralidae) Synonym(s): *Ecbatania Amsel,1961; Rhinogradentia Amsel,1970.* Original Reference: Ecbatania Amsel,1961, Ark. zool. 13 (17): 358-359. Type-species: Ecbatania alvandella Amsel,1961, by original designation.
- 1103. Eccopisa Zeller,1848 (Pyralidae) Synonym(s): Eccopisa Zeller,1848 Original Reference: Eccopisa Zeller,1848, Isis 1848: 648. Type-species: Eccopisa effractella Zeller,1848, by monotypy.
- 1104. **Ecpyrrhorrhoe Hübner,[1825]** (Pyralidae) Synonym(s): *Ecpyrrhorrhoe Hübner,[1825]*; *Harpadispar Agenjo,1952*; *Pyraustegia Marion,1963*. <u>Original Reference</u>: Ecpyrrhorrhoe Hübner,[1825], Verz. bekannt. Schmett.: 356. Type-species: Pyralis rubiginalis Hübner,1796, by subsequent designation by Hannemann,1964.
- 1105. Elbursia Amsel,1950 (Pyralidae) Synonym(s): Elbursia Amsel,1950 Original Reference: Elbursia Amsel,1950, Ark. Zool. (2) 1: 247. Type-species: Elbursia stocki Amsel,1950, by monotypy.
- 1106. Elophila Hübner,1822 (Pyralidae) Synonym(s): Elophila Hübner,1822; Hydrocampus Berthold,1827; Hydrocampa Stephens,1829; Hydrocampe Latreille,1829; Cyrtogramme Yoshiyasu,1985 Original Reference: Elophila Hübner,1822, Syst.-alphab. Verz.: 54-57. Type-species: Phalaena nymphaeata Linnaeus,1758, by subsequent designation by Whalley,1966.
- 1107. Ematheudes Zeller,1867 (Pyralidae) Synonym(s): Ematheudes Zeller,1867; Proavitheudes Amsel,1961 Original Reference: Ematheudes Zeller,1867, Stettin ent. Ztg. 28 (10/12): 385. Typespecies: Chilo punctellus Treitschke,1833.
- 1108. Emmalocera Ragonot,1888 (Pyralidae) Synonym(s): Ampycophora Meyrick,1882 nec Wahlb.,1847; Emmalocera Ragonot,1888; Lodiana Ragonot,1888; Poujadia Ragonot,1888; Baroda Ragonot,1888 nec Stoliczka,1870; Pectinigeria Ragonot,1888; Ambala Ragonot,1888; Socora Ragonot,1888; Papua Ragonot,1890; Critonia Ragonot,1891; Enosima Ragonot,1901; Singhaliella Strand,1920 Original Reference: Emmalocera Ragonot,1888, Nouv. Genres Espèces Phycitidae Galleridae: 38. Type-species: Emmalocera crenatella Ragonot,1888, by original designation.
- 1109. Emprepes Lederer,1863 (Pyralidae) Synonym(s): Phlyctaenodes Guenée,1854 nec Newm.,1840; Emprepes Lederer,1863; Hammocallos Chrétien,1908 Original Reference: Emprepes Lederer,1863, Wien. ent. Monatschr. 7: 269, 360. Type-species: Pyrausta pudicalis Duponchel,1832, by subsequent designation by Lhomme,1939.
- 1110. Endotricha Zeller,1847 (Pyralidae) Synonym(s): Endotricha Zeller,1847; Doththa Walker,1859; Messatis Walker,1859; Pacoria Walker,1866; Zania Walker,1866; Tricomia Walker,1866; Rhisina Walker,1866; #Paconia Walker,1866; Endotrichodes Ragonot,1891; Endotrichopsis W.Warren,1895; #Rhisinia Whalley,1961 Original Reference: Endotricha Zeller,1847, Isis 1847: 593. Type-species: Pyralis flammealis [Denis & Schiffermüller],1775, by original designation.
- 1111. Epactoctena Meyrick,1937 (Pyralidae) Synonym(s): Epactoctena Meyrick,1937 Original Reference: Epactoctena Meyrick,1937, Exot. Microlep. 5: 105. Type-species: Metasia octogenalis Lederer,1863, by original designation.
- 1112. **Epascestria Hübner,[1825]** (Pyralidae) Synonym(s): *Epascestria Hübner,[1825]; Phlyctaenodes Guenée,1854; #Phlyctoenodes Le Cerf,[1910]; #Epacestria Marion,1957* Original Reference: Epascestria Hübner,[1825], Verz. bekannt. Schmett.: 358. Type-species: Pyralis pustulalis Hübner,[1823], by subsequent designation by Marion,1957.
- Ephelis Lederer,1863 (Pyralidae) Synonym(s): Ephelis Lederer,1863 Original Reference: Ephelis Lederer,1863, Wien. ent. Monatschr. 7: 273, 356. Type-species: Uresiphita cruentalis Geyer,1832, by monotypy.
- 1114. Ephestia (Anagasta) Heinrich,1956 (Pyralidae) Synonym(s): Anagasta Heinrich,1956 Original Reference: Anagasta Heinrich,1956, Bull. U.S. natn. Mus. 207: 186, Type-species: Ephestia kuehniella Zeller,1879, by original designation.
- 1115. Ephestia (s.str.) Guenée,1845 (Pyralidae) Synonym(s): Ephestia Guenée,1845; Hyphantidium Scott,1859. Original Reference: Ephestia Guenée,1845, Annls Soc. ent. Fr. (2) 3: 319. Type-species: Tinea elutella Hübner,1796, Samml. eur. Schmett. 8: 33, pl. 24, fig.163., by subsequent designation by Desmarest,1857,[in] Chenu, Encycl. Hist. nat.: 255.
- **1116. Ephestia Guenée,1845** (Pyralidae) Synonym(s): *Ephestia Guenée,1845; Hyphantidium Scott,1859.* Original Reference: Ephestia Guenée,1845, Annls Soc. ent. Fr. (2) 3: 319. Type-species: Tinea elutella Hübner,1796, Samml. eur. Schmett. 8: 33, pl. 24, fig.163., by subsequent designation by Desmarest,1857,[in] Chenu, Encycl. Hist. nat.: 255.

- 1117. **Epiepischnia Amsel,1954** (Pyralidae) Synonym(s): *Epiepischnia Amsel,1954* Original Reference: Epiepischnia Amsel,1954, Ark. Zool. (2) 6: 308. Type-species: Epiepischnia pseudolydella Amsel,1954, by original designation.
- **1118. Epimetasia Ragonot,1894** (Pyralidae) Synonym(s): *Metasiodes Ragonot,1894 nec Meyr.,1894; Epimetasia Ragonot,1894; Thyridopsis Amsel,1953* Original Reference: Epimetasia Ragonot,1894, Annls Soc. ent. Fr. 63: 226. Type-species: Metasiodes vestalis Ragonot,1894, by original designation for Metasiodes Ragonot,1894.
- Epiparthia Amsel,1935 (Pyralidae) Synonym(s): Epiparthia Amsel,1935; Irakia Amsel,1955.
   Original Reference: Epiparthia Amsel,1935, Veröff. dt. Kolon. u. ■berseeMus. Bremen 1: 216.
   Type-species: Epiparthia vasta Amsel,1935, by original designation.
- 1120. Epischnia Hübner,[1825] (Pyralidae) Synonym(s): Epischnia Hübner,[1825]; Epischoria Stephens,1834; Epischnopsis Amsel,1954 Original Reference: Epischnia Hübner,[1825], Verz. bekannter Schmett.: 371. Type-species: Tinea prodromella Hübner,1796, Samml. eur. Schmett. 8: pl.37 fig.254, by subsequent designation by Bruand,[1848], Mém. Soc. Emul. Doubs [1] 3 (1, livr.2): 105.
- **1121. Episcythrastis Meyrick,1937** (Pyralidae) Synonym(s): *Episcythrastis Meyrick,1937*; *Myelopsis Heinrich,1956*. <u>Original Reference:</u> Episcythrastis Meyrick,1937, Exotic Microlep. 5: 74. Typespecies: Episcythrastis elaphitis Meyrick,1937, by monotypy.
- **Etiella Zeller,1839** (Pyralidae) Synonym(s): Etiella Zeller,1839; Rhamphodes Guenée,1845; Mella Walker,1859; Modiana Walker,1863; Alata Walker,1863 nec Linck,1783; Arucha Walker,1863; Ceratamma Butler,1881. Original Reference: Etiella Zeller,1839, Isis 1839: 179. Type-species: Phycis zinckenella Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201, by monotypy.
- **Euchromius Guenée,1845** (Pyralidae) Synonym(s): Eromene Hübner,[1825] nec Hübn.,[1821]; Euchromius Guenée,1845; Ommatopteryx Kirby,1897; Pseudoancylolomia Ahmad, Zaidi & Kamaluddin,1982.

  Original Reference: Euchromius Guenée,1845, Annls Soc. ent. Fr. (2) 3: 324. Type-species: Tinea bella Hübner,1796, by subsequent designation by Desmarest,1857.
- 1124. Euclasta (Proteuclasta) Munroe,1958 (Pyralidae) Synonym(s): *Proteuclasta Munroe,1958* Original Reference: Proteuclasta Munroe,1958, Can. Ent. 90: 250. Type-species: Pyrausta stoetzneri Caradja,1927, by original designation.
- 1125. Euclasta Lederer,1855 (Pyralidae) Synonym(s): Euclasta Lederer,1855; Ilurgia Walker,1859 Original Reference: Euclasta Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 252. Type-species: Botys splendidalis Herrich-Schäffer,1848, Syst. Bearb. Schmett. Eur. 4: 32, Pyralides pl.16 fig.109, by monotypy.
- 1126. Eudonia Billberg,1820 (Pyralidae) Synonym(s): Eudonia Billberg,1820; Boiea Zetterstedt,[1839]; Witlesia Chapman,1912; #Eudoria Marion,1959; Toulgoetodes Leraut,1988; Malageudonia Leraut,1989; Vietteina Leraut,1989 Original Reference: Eudonia Billberg,1820, Enumeratio Insect Mus. G.J.Billberg: 93. Type-species: Phalaena mercurella Linnaeus,1758, by monotypy.
- 1127. Eurhodope (Eurhobasis) Roesler,1988 (Pyralidae) Synonym(s): Eurhobasis Roesler,1988 Original Reference: Eurhobasis Roesler,1988, Ent. Z., Frankf.a.M. 98 (1/2): 1. Type-species: Myelois cinerea Staudinger,1879, by original designation.
- 1128. Eurhodope (s.str.) Hübner,[1825] (Pyralidae) Synonym(s): Eurhodope Hübner,[1825]; Semnia Guenée,1845 nec Hübn.,[1823]; Kyra Gozmany,1958 Original Reference: Eurhodope Hübner,[1825], Verz. bekannt. Schmett.: 371. Type-species: Pyralis pudoralis [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 124, by subsequent designation by Ragonot,1885, Entomologist's mon. Mag. 22: 19.
- 1129. Eurhodope Hübner,[1825] (Pyralidae) Synonym(s): Eurhodope Hübner,[1825]; Semnia Guenée,1845 nec Hübn.,[1823]; Kyra Gozmany,1958 Original Reference: Eurhodope Hübner,[1825], Verz. bekannt. Schmett.: 371. Type-species: Pyralis pudoralis [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 124, by subsequent designation by Ragonot,1885, Entomologist's mon. Mag. 22: 19.
- 1130. Eurrhypis Hübner,[1825] (Pyralidae) Synonym(s): Eurrhypis Hübner,[1825]; Threnodes Duponchel,[1845] Original Reference: Eurrhypis Hübner,[1825], Verz. bekannt. Schmett.: 351. Type-species: Pyralis pollinalis [Denis & Schiffermüller],1775, by subsequent designation by Leraut & Luquet,[1983].
- 1131. Euzophera (Cymbalorissa) Gozmany,1958 (Pyralidae) Synonym(s): *Cymbalorissa Gozmany,1958* Original Reference: Cymbalorissa Gozmany,1958, Annls. hist. nat.Mus. nat. hung. 50: 233. Type-species: Stenoptycha fuliginosella Heinemann,1865, by original designation.

- 1132. Euzophera (s.str.) Zeller,1867 (Pyralidae) Synonym(s): Stenoptycha Heinemann,1865 nec Agas.,1862; Melia Heinemann,1865 nec Risso,1813; Euzophera Zeller,1867; Pistogenes Meyrick,1937; Ahwazia Amsel,1949; Longignathia Roesler,1965 Original Reference: Euzophera (s.str.) Zeller,1867, Trans. ent. Soc. Lond. (3) 5: 456. Type-species: Myelois cinerosella Zeller,1839, by subsequent designation by Hulst,1890, Phyct. N. Amer. 1890: 174.
- 1133. Euzophera Zeller,1867 (Pyralidae) Synonym(s): Stenoptycha Heinemann,1865 nec Agas.,1862; Melia Heinemann,1865 nec Risso,1813; Euzophera Zeller,1867; Pistogenes Meyrick,1937; Ahwazia Amsel,1949; Longignathia Roesler,1965 Original Reference: Euzophera (s.str.) Zeller,1867, Trans. ent. Soc. Lond. (3) 5: 456. Type-species: Myelois cinerosella Zeller,1839, by subsequent designation by Hulst,1890, Phyct. N. Amer. 1890: 174.
- 1134. Euzopherodes Hampson,1899 (Pyralidae) Synonym(s): Euzopherodes Hampson,1899; Lydia Rebel,1901 nec Gistl,1848; Lydia Hampson,1901 nec Gistl,1848; Phloeophaga Chrétien,1910; Radiestra Hampson,1927; Neononia Hampson,1930; Symphestia Hampson,1930; Trigonopyralis Amsel,1935; Nyctigenes Meyrick,1937 Epilydia Amsel,1954; Delattinia Roesler,1965; Infinita Whalley,1970. Original Reference: Euzopherodes Hampson,1899, J. Bombay nat. Hist. Soc. 12: 475. Type-species: Euzopherodes albicans Hampson,1899, loc. cit., by original designation.
- 1135. Evergestis Hübner,[1825] (Pyralidae) Synonym(s): Evergestis Hübner,[1825]; Homochroa Hübner,[1825]; Mesographe Hübner,[1825]; Scopolia Hübner,[1825]; Pionea Duponchel,1845; Orobena Guenée,1854; Aedis Grote,1878; Paraedis Grote,1882; Maelinoptera Staudinger,1893; Pachyzancloides Matsumura,1925; Reskovitsia Szent-Ivany,1942 Original Reference: Evergestis Hübner,[1825], Verz. bekannt. Schmett.: 354. Type-species: Pyralis margaritalis [Denis & Schiffermüller],1775, by subsequent designation by W.Warren,1892.
- 1136. Faveria Walker,1859 (Pyralidae) Synonym(s): Faveria Walker,1859; Oligochroa Ragonot,1888; Pristarthria Ragonot,1893; Sclerobia Ragonot,1893 Original Reference: Faveria Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 19: 888. Type-species: Faveria laiasalis Walker,1859, by monotypy.
- 1137. Galleria Fabricius,1798 (Pyralidae) Synonym(s): Galleria Fabricius,1798; #Adeona Rafinesque,1815; Cerioclepta Sodoffsky,1837; Vindana Walker,1866. Original Reference: Galleria Fabricius,1798, Ent. Syst. (Suppl.): 419, 462. Type-species: Phalaena cereana Blom,1764, by subsequent designation by Latreille,1810.
- 1138. Glaucocharis Meyrick,1938 (Pyralidae) Synonym(s): Ditomoptera Hampson,1893 nec Germ.,1839; Glaucocharis Meyrick,1938; Pareromene Osthelder,1941; Pagmania Amsel,1961 Original Reference: Glaucocharis Meyrick,1938, Trans. R. Soc. N.Z. 67: 426. Type-species: Glaucocharis stella Meyrick,1938, by monotypy.
- 1139. **Gymnancyla (Dentinodia) Ragonot,1887** (Pyralidae) Synonym(s): *Dentinodia Ragonot,1887*; #Dentinosa Caradja,1937 Original Reference: Dentinodia Ragonot,1887, Annls. Soc. ent. Fr. 6 (7): 251. Type-species: Dentinodia craticulella Ragonot,1887, by monotypy.
- 1140. **Gymnancyla (s.str.) Zeller,1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller,1848; Nefertitita Gozmany,1960*. <u>Original Reference:</u> Gymnancyla Zeller,1848, Isis (Oken) 1848: 744. Type-species: Tinea canella [Denis & Schiffermüller],1775, by monotypy.
- 1141. **Gymnancyla Zeller,1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller,1848; Nefertitita Gozmany,1960*. <u>Original Reference:</u> Gymnancyla Zeller,1848, Isis (Oken) 1848: 744. Type-species: Tinea canella [Denis & Schiffermüller],1775, by monotypy.
- 1142. **Hafisia Amsel,1950** (Pyralidae) Synonym(s): *Hafisia Amsel,1950* Original Reference: Hafisia Amsel,1950, Ark. Zool. (2) 1: 242. Type-species: Hafisia lundbladi Amsel,1950, by monotypy.
- 1143. Hannemanneia Roesler,1967 (Pyralidae) Synonym(s): Hannemanneia Roesler,1967 Original Reference: Hannemanneia Roesler,1967, Ent. Z., Frankf.a.M. 77: 278. Type-species: Cataremna tcapella Ragonot,1887, by original designation.
- 1144. Heliothela Guenée,1854 (Pyralidae) Synonym(s): Heliothela Guenée,1854; Orosana Walker,1863; Nyctarcha Meyrick,1884 Original Reference: Heliothela Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 152. Type-species: Phalaena atralis Hübner,[1788], by monotypy.
- 1145. Hellula Guenée,1854 (Pyralidae) Synonym(s): #Oeobia Hübner,[1825] (rejected name by ICZN,1959 Opinion 536); Hellula Guenée,1854; Phyratocosma Meyrick,1936; Ashwania Pajni & Rose,1977 Original Reference: Hellula Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 415. Type-species: Phalaena undalis Fabricius,1781, by original designation.
- 1146. **Herpetogramma Lederer,1863** (Pyralidae) Synonym(s): Herpetogramma Lederer,1863; Pachyzancla Meyrick,1884; Acharana Moore,[1885]; Piloptila Swinhoe,1894; Pantoeocome W.Warren,1896;

- Macrobotys Munroe,1950; Coremataria Amsel,1956; Culcitaria Amsel,1957; #Herpitogramma Hutacharern & Tubtim,1995 Original Reference: Herpetogramma Lederer,1863, Wien. ent. Monatschr. 7: 279, 430. Type-species: Herpetogramma servalis Lederer,1863, by monotypy.
- 1147. Homoeosoma (Anhomoeosoma) Roesler,1965 (Pyralidae) Synonym(s): Anhomoeosoma Roesler,1965 Original Reference: Anhomoeosoma Roesler,1965, Unters. Syst. Chorologie Homoeosoma- Ephestia- Komplexes: 64. Type-species: Phycis nimbella Duponchel,[1837], by original designation.
- 1148. Homoeosoma (s.str.) Curtis,1833 (Pyralidae) Synonym(s): Homoeosoma Curtis,1833; Phycidea Zeller,1839; Lotria Guenée,1845. Original Reference: Homoeosoma Curtis,1833, Ent. Mag. 1: 190. Type-species: Phycis gemina Haworth,1811, by monotypy.
- 1149. Homoeosoma Curtis,1833 (Pyralidae) Synonym(s): Homoeosoma Curtis,1833; Phycidea Zeller,1839; Lotria Guenée,1845. Original Reference: Homoeosoma Curtis,1833, Ent. Mag. 1: 190. Type-species: Phycis gemina Haworth,1811, by monotypy.
- 1150. **Hyperlais Marion,1959** (Pyralidae) Synonym(s): *Hypolais Guenée,1854 nec Kaup,1829; Hyperlais Marion,1959* Original Reference: Hyperlais Marion,1959, Alexanor 1: 105 (nom. nov. pro Hypolais Guenée,1854 nec Kaup,1829). Type-species: Hypolais siccalis Guenée,1854, by subsequent designation by Marion,1957.
- 1151. Hypochalcia Hübner,[1825] (Pyralidae) Synonym(s): Hypochalcia Hübner,[1825]; #Hypochalcea Hübner,[1826]; Araxes Stephens,1834 Original Reference: Hypochalcia Hübner,[1825], Verz. bekannter Schmett.: 368. Type-species: Tinea ahenella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 135, by subsequent designation by Hulst,1890 (Trans. Am. ent. Soc. 17: 168).
- 1152. **Hypodaria Hartig,1939** (Pyralidae) Synonym(s): *Paradaria Hartig,1937 nec Kuzn.,1908; Hypodaria Hartig,1939; Gnathomorpha Amsel,1959* Original Reference: Hypodaria Hartig,1939, Z. öst. EntVer. 24: 10. Type-species: Paradaria myeloisiformis Hartig,1937, by monotypy (for Paradaria Hartig,1937).
- 1153. **Hyporatasa Rebel,1901** (Pyralidae) Synonym(s): *Hyporatasa Rebel,1901*; *Hyporatasa Ragonot,1901* Original Reference: Hyporatasa Rebel,1901, [in] Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb. (3) 2: 25. Type-species: ratasa allotriella Herrich-Schäffer,1855, by monotypy.
- 1154. Hypotia Zeller,1847 (Pyralidae) Synonym(s): Hypotia Zeller,1847; Dattinia Ragonot,1887; Constantia Ragonot,1887 nec Adams,1860; Mnesixena Meyrick,1890; Zonora Swinhoe,1890; Palmitia Ragonot,1890; Baniura Ragonot,1891; Palura Ragonot,1891 (preocc.); Epizonora Ragonot,1892; Hercynodes Ragonot,1895; Macroctenia Hampson,1900; Boursinella Amsel,1953; Gomezmenoria Agenjo,1966 Original Reference: Hypotia Zeller,1847, Isis 1847: 594. Type-species: Pyralis corticalis [Denis & Schiffermüller],1775, by original designation.
- 1155. **Hypsipyla Ragonot,1888** (Pyralidae) Synonym(s): *Hypsipyla Ragonot,1888* Original Reference: Hypsipyla Ragonot,1888, Nouv. Genres Espéces Phycitidae Galleridae: 10. Typespecies: Hypsipyla pagodella Ragonot,1888, by monotypy.
- 1156. Hypsopygia Hübner,[1825] (Pyralidae) Synonym(s): Herculia Walker,1859; Buzala Walker,1863; Cisse Walker,1863; Ocrasa Walker,[1866]; Bejuda Walker,[1866]; Pseudasopia Grote,1873; Orthopygia Ragonot,1890; Bleone Ragonot,1890; Parasopia Möschler,1890; Dolichomia Ragonot,1891 Original Reference: Hypsopygia Hübner,[1825], Verz. bekannt. Schmett.: 348. Type-species: Phalaena costalis Fabricius,1775, by subsequent designation by Westwood,1840.
- 1157. Iranarpia Leraut,1982 (Pyralidae) Synonym(s): *Iranarpia Leraut,1982* Original Reference: Iranarpia Leraut,1982, Alexanor 12 (Suppl.): [1]. Type-species: Witlesia silacealis Amsel,1951, by original designation.
- 1158. Iranomecyna Koçak & Kemal,2016 (Pyralidae) Synonym(s): Paramecyna Amsel,1961 nec Auriv.,1910; Iranomecyna Koçak & Kemal,2016 Original Reference: Iranomecyna Koçak & Kemal, 2016, Cesa News 120: 4 (nom. nov. pro Paramecyna Amsel,1961 nec Aurivillius,1910). Type-species: Paramecyna dimorphalis Amsel,1961, by original designation (for Paramecyna Amsel,1961).
- 1159. Isauria Ragonot,1887 (Pyralidae) Synonym(s): Isauria Ragonot,1887; Adelosemia Ragonot,1887; Melitene Ragonot,1888; Divona Ragonot,1893; Pseudomegasis Chrétien,1931. Original Reference: Isauria Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 228. Type-species: Isauria kuldgensis Ragonot,1887, by monotypy.
- 1160. Keradere Whalley,1970 (Pyralidae) Synonym(s): Praesalebria Amsel,1954 (preocc.); Keradere Whalley,1970 Original Reference: Keradere Whalley,1970, Bull. Br. Mus. nat. Hist. (Ent.) 25: 49

- (nom. nov. pro Praesalebria Amsel,1954 nec Amsel,1954). Type-species: Pempelia noctivaga Staudinger,1879, by original designation for Praesalebria Amsel,1954.
- 1161. Kerbela Amsel,1949 (Pyralidae) Synonym(s): *Kerbela Amsel,1949* Original Reference: Kerbela Amsel,1949, Bull. Soc. Fouad I Ent. 33: 306, 307, 309. Type-species: Kerbela monotona Amsel,1949, by original designation.
- **1162. Khorassania Amsel,1951** (Pyralidae) Synonym(s): *Brephia Heinemann,1865 nec Hübn.,1822; Khorassania Amsel,1951; Abrephia Amsel,1953* <u>Original Reference:</u> Khorassania Amsel,1951, Ark. Zool. 2 (1): 534. Type-species: Khorassania hartigi Amsel,1951, by monotypy.
- 1163. Khuzistania Amsel,1959 (Pyralidae) Synonym(s): *Khuzistania Amsel,1959* Original Reference: Khuzistania Amsel,1959, Stuttg. Beitr. Naturk. 28: 12. Type-species: Khuzistania richteri Amsel,1959, by original designation.
- 1164. Krombia Chrétien,1911 (Pyralidae) Synonym(s): Krombia Chrétien,1911 Original Reference: Krombia Chrétien,1911, Annls Soc. ent. Fr. 79: 526. Type-species: Krombia harralis Chrétien,1911, by subsequent designation by Luquet & Minet,1982.
- 1165. Lambaesia Rebel,1903 (Pyralidae) Synonym(s): Lambaesia Rebel,1903; Monotonia Amsel,1955 Original Reference: Lambaesia Rebel,1903, Dt. ent. Z., Iris 16: 1. Type-species: Lambaesia caradjae Rebel,1903, by monotypy.
- 1166. Lamoria Walker,1863 (Pyralidae) Synonym(s): Lamoria Walker,1863; Maraclea Walker,1863; Hornigia Ragonot,1885; Tugela Ragonot,1888. Original Reference: Lamoria Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 87. Type-species: Lamoria planalis Walker,1863, ibidem 27: 88, by monotypy.
- 1167. Laristania Amsel,1951 (Pyralidae) Synonym(s): Laristania Amsel,1951; Praeepischnia Amsel,1954 Original Reference: Laristania Amsel,1951, Ark. Zool. 2 (1): 536. Type-species: Laristania sardzella Amsel,1951, by monotypy.
- 1168. Lepidogma Meyrick,1890 (Pyralidae) Synonym(s): Lepidogma Meyrick,1890; Precopia Ragonot,1891; Asopina Christoph,1893 Original Reference: Lepidogma Meyrick,1890, Trans. ent. Soc. Lond. 1890: 470, 472. Type-species: Hypotia tamaricalis Mann,1873, by monotypy.
- 1169. Loxostege Hübner,[1825] (Pyralidae) Synonym(s): Loxostege Hübner,[1825]; Leimonia Hübner,[1825]; Margaritia Stephens,1827; Boreophila Guenée,1845; Limonia Agassiz,1847; Cosmocreon W.Warren,1892; Maroa Barnes & McDunnough,1914; Polingia Barnes & McDunnough,1914; Parasitochroa Hannemann,1964 Original Reference: Loxostege Hübner,[1825], Verz. bekannt. Schmett.: 352. Type-species: Pyralis aeruginalis Hübner,1796, by subsequent designation by Hampson,1918.
- 1170. Makrania Amsel,1959 (Pyralidae) Synonym(s): *Makrania Amsel,1959* Original Reference: Makrania Amsel,1959, Stuttg. Beitr. Naturk. 28: 12. Type-species: Makrania belutschistanella Amsel,1959, by original designation.
- 1171. Margaretania Amsel,1961 (Pyralidae) Synonym(s): *Margaretania Amsel,1961* Original Reference: Margaretania Amsel,1961, Ark. Zool. 13: 329. Type-species: Margaretania superba Amsel,1961, by original designation.
- 1172. **Mecyna Doubleday,[1849]** (Pyralidae) Synonym(s): *Mecyna Doubleday,[1849]* Original Reference: Mecyna Doubleday,[1849], Synonymic List Br. Lepid. (2 (2)): 14. Type-species: Pyralis asinalis Hübner,[1819], by monotypy.
- 1173. **Megasis (Tsaraphycis) Viette,1970** (Pyralidae) Synonym(s): *Tsaraphycis Viette,1970; Gigasis Leraut,2003* <u>Original Reference:</u> Tsaraphycis Viette,1970, Mém. O.R.S.T.O.M. 37: 151. Type-species: Tsaraphycis philippella Viette,1970, by original designation.
- 1174. **Megasis (s.str.) Guenée,1845** (Pyralidae) Synonym(s): *Megasis Guenée,1845* Original Reference: Megasis Guenée,1845, Annls Soc. ent. Fr. (2) 3: 309. Type-species: Anerastia rippertella Zeller,1839, Isis 1839: 177, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 254.
- Megasis Guenée,1845 (Pyralidae) Synonym(s): Megasis Guenée,1845 Original Reference: Megasis Guenée,1845, Annls Soc. ent. Fr. (2) 3: 309. Type-species: Anerastia rippertella Zeller,1839, Isis 1839: 177, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 254.
- 1176. **Melathrix Ragonot,1893** (Pyralidae) Synonym(s): *Melathrix Ragonot,1893* Original Reference: Melathrix Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: i, 435. Type-species: Pempelia praetextella Christoph,1877, by monotypy.

- 1177. **Merulempista Roesler,1967** (Pyralidae) Synonym(s): *Merulempista Roesler,1967* Original Reference: Merulempista Roesler,1967, Ent. Z., Frankf.a.M. 77: 274. Type-species: Pempelia cingillella Zeller,1846, by original designation.
- 1178. Metacrambus Bleszynski,1957 (Pyralidae) Synonym(s): *Metacrambus Bleszynski,1957*Original Reference: Metacrambus Bleszynski,1957, Acta zool. cracov. 1: 199, 253. Type-species: Crambus carectellus Zeller,1847, by original designation.
- 1179. **Metallosticha Rebel,1901** (Pyralidae) Synonym(s): *Metallosticha Rebel,1901*; *Metallosticha Rebel,1901*; *Ametallosticha Amsel,1935*. <u>Original Reference</u>: Metallosticha Rebel,1901, [in] Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb. (3) 2: 23. Type-species: Myelois argyrogrammos Zeller,1847, by subsequent designation by D.S.Fletcher & Nye,1984.
- **1180. Metasia (s.str.) Guenée,1854** (Pyralidae) Synonym(s): *Metasia Guenée,1854* Original Reference: Metasia Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 251. Typespecies: Pyralis suppandalis Hübner,[1823], by subsequent designation by Hampson,1896.
- 1181. Metasia Guenée,1854 (Pyralidae) Synonym(s): Metasia Guenée,1854 Original Reference: Metasia Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 251. Type-species: Pyralis suppandalis Hübner,[1823], by subsequent designation by Hampson,1896.
- 1182. Metaxmeste Hübner,[1825] (Pyralidae) Synonym(s): *Metaxmeste Hübner,*[1825]; *Hercyna Treitschke,*1828. Original Reference: Metaxmeste Hübner,[1825], Verz. bekannt. Schmett.: 352. Type-species: Pyralis phrygialis Hübner,1796, by subsequent designation by Munroe,1954 (Can. Ent. 86 (11): 499).
- 1183. Moitrelia Leraut,2001 (Pyralidae) Synonym(s): Moitrelia Leraut,2001 Original Reference: Moitrelia Leraut,2001, Revue fr. Ent. (n.s.) 23 (2): 135. Type-species: Pempelia obductella Zeller,1839, by original designation.
- 1184. Myelois (Gnathogutta) Roesler,1988 (Pyralidae) Synonym(s): *Gnathogutta Roesler,1988*Original Reference: Myelois (Gnathogutta) Roesler,1988, Ent. Z., Essen 98 (13): 177. Typespecies: Myelois pumicosa Lederer,1855, by original designation.
- 1185. Myelois (s.str.) Hübner,[1825] (Pyralidae) Synonym(s): Myelois Hübner,[1825]; Lispe Treitschke,1832; Myelophila Treitschke,1835; #Myclois Schreiner,1849; #Myelais Schawerda,1909; #Meylois Ganev,1984 Original Reference: Myelois Hübner,[1825], Verz. bekannt. Schmett.: 371. Typespecies: Tinea cribrella Hübner,1796, by monotypy.
- 1186. Myelois Hübner,[1825] (Pyralidae) Synonym(s): Myelois Hübner,[1825]; Lispe Treitschke,1832; Myelophila Treitschke,1835; #Myclois Schreiner,1849; #Myelais Schawerda,1909; #Meylois Ganev,1984 Original Reference: Myelois Hübner,[1825], Verz. bekannt. Schmett.: 371. Typespecies: Tinea cribrella Hübner,1796, by monotypy.
- 1187. Myrlaea Ragonot,1887 (Pyralidae) Synonym(s): *Myrlaea Ragonot,1887* Original Reference: Myrlaea Ragonot,1887, Annls. Soc. ent. Fr. 1887: 234. Type-species: Pempelia albistrigata Staudinger,1881.
- 1188. Nascia Curtis,1835 (Pyralidae) Synonym(s): Nascia Curtis,1835 Original Reference: Nascia Curtis,1835, Br. Ent. 12: folio 559. Type-species: Pyralis cilialis Hübner,1796, by original designation.
- 1189. Neorastia Amsel,1954 (Pyralidae) Synonym(s): Neorastia Amsel,1954 Original Reference: Neorastia Amsel,1954, Ark. Zool. (2) 6: 269. Type-species: Neorastia albicostella Amsel,1954, by original designation.
- 1190. Nephopterix Hübner,[1825] (Pyralidae) Synonym(s): Nephopterix Hübner,[1825]; #Nephopteryx Zeller,1839; Alispa Zeller,1848 Original Reference: Nephopterix Hübner,[1825], Verz. bekannter Schmett.: 370. Type-species: Tinea angustella Hübner,1796, Samml. eur. Schmett. 8: 33, pl.10 fig.68, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 1191. Nephopterygia Amsel,1965 (Pyralidae) Synonym(s): Nephopterygia Amsel,1965 Original Reference: Nephopterygia Amsel,1965, Annln naturh. Mus. Wien 68: 596. Type-species: Nephopterygia austeritella Amsel,1965, by original designation.
- 1192. Nomophila Hübner,[1825] (Pyralidae) Synonym(s): Nomophila Hübner,[1825]; Stenopteryx Guenée,[1845] nec Meigen,1830; Macronomeutis Meyrick,1936 Original Reference: Nomophila Hübner,[1825], Verz. bekannter Schmett.: 368. Type-species: Pyralis hybridalis Hübner,1796, Samml. eur. Schmett. 6: 29, pl.17, f.114, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects):113.

- 1193. Nyctegretis Zeller,1848 (Pyralidae) Synonym(s): Nyctegretis Zeller,1848; Trichorachia Hampson,1930; Synallorema Gozmany,1958. Original Reference: Nyctegretis Zeller,1848, Isis Oken 1848: 650. Type-species: Tinea achatinella Hübner,[1824], by monotypy.
- 1194. Nymphula Schrank,1802 (Pyralidae) Synonym(s): Nymphula Schrank,1802 Original Reference: Nymphula Schrank,1802, Fauna Boica 2 (2): 162. Type-species: Pyralis potamogalis [Denis & Schiffermüller],1775, by subsequent designation by Moore,[1887].
- 1195. Ocrisiodes Amsel,1950 (Pyralidae) Synonym(s): Ocrisiodes Amsel,1950; Mechedia Amsel,1951; Uncinomorpha Amsel,1958. Original Reference: Ocrisiodes Amsel,1950, Ark. zool. (2) 1: 225. Typespecies: Ocrisiodes chirazalis Amsel,1950, by original designation.
- 1196. Oncocera Stephens,1829 (Pyralidae) Synonym(s): Oncocera Stephens,1829; Pollichia Roesler,1980 Original Reference: Oncocera Stephens,1829, Nom. Br. Insects: 50. Type-species: Phalaena carnella Linnaeus,1767, by subsequent designation by Westwood,1840.
- 1197. Ostrinia Hübner,[1825] (Pyralidae) Synonym(s): Ostrinia Hübner,[1825]; Micractis W.Warren,1892; Eupolemarcha Meyrick,1937; Zeaphagus Agenjo,1952. Original Reference: Ostrinia Hübner,[1825], Verz. bekannt. Schmett.: 360. Type-species: Pyralis palustralis Hübner,1796, by monotypy.
- 1198. Palpusopsis Amsel,1959 (Pyralidae) Synonym(s): #Palpusopsis Amsel,1959 [proposed conditionally!] Original Reference: Palpusopsis Amsel,1959, Stuttg. Beitr. Naturk. 28: 15. Typespecies: Palpusopsis roseella Amsel,1959, by original designation.
- 1199. Paracorsia Marion,1959 (Pyralidae) Synonym(s): Paracorsia Marion,1959 Original Reference: Paracorsia Marion,1959, Entomologiste 15: 45. Type-species: Pyralis repandalis [Denis & Schiffermüller],1775, by original designation.
- 1200. Paraemporia Amsel,1951 (Pyralidae) Synonym(s): Paraemporia Amsel,1951 Original Reference: Paraemporia Amsel,1951, Ark. Zool. (2) 1: 544. Type-species: Paraemporia monotona Amsel,1951, by monotypy.
- 1201. Parapoynx Hübner,[1825] (Pyralidae) Synonym(s): Parapoynx Hübner,[1825]; #Paraponyx Guenée,1854; Eustales Clemens,1860 nec Schönherr,1826; Sironia Clemens,1860 nec Hübn.,[1823]; Nymphaeella Grote,1880; Hydreuretis Meyrick,1885; Microdracon W.Warren,1890; Cosmophylla Turner,1905. Original Reference: Parapoynx Hübner,[1825], Verz. bekannt. Schmett.: 362. Type-species: Phalaena stratiotata Linnaeus,1758, by subsequent designation by Guenée,1854.
- 1202. Parasefidia Amsel,1950 (Pyralidae) Synonym(s): Parasefidia Amsel,1950 Original Reference: Parasefidia Amsel,1950, Ark. Zool. (2) 1: 235. Type-species: Parasefidia benderella Amsel,1950, by monotypy.
- **1203. Paratalanta Meyrick,1890** (Pyralidae) Synonym(s): *Paratalanta Meyrick,1890; Microstega Meyrick,1890* Original Reference: Paratalanta Meyrick,1890, Trans. ent. Soc. London 1890: 440. Type-species: Botyodes ussurialis Bremer,1864, by subsequent designation by Hampson,1899.
- 1204. Patania Moore,1888 (Pyralidae) Synonym(s): Nagia Walker,[1866] nec Wlk.,1858; Patania Moore,1888; Pleuroptya Meyrick,1890; Loxoscia W.Warren,1890; Nagiella Munroe,1976 Original Reference: Patania Moore,1888, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W. S. Atkinson (3): 209. Type-species: Botys concatenalis Walker,[1866], by original designation.
- **1205. Pediasia Hübner,[1825]** (Pyralidae) Synonym(s): *Pediasia Hübner,[1825]*; *Carvanca Walker,1856*; *Pseudopediasia Ganev,1987*; *Oseriates Fazekas,1991* <u>Original</u> <u>Reference</u>: Pediasia Hübner,[1825], Verz. bekannt. Schmett.: 365. Type-species: Tinea fascelinella Hübner,[1813], by subsequent designation by Bleszynski,1953.
- **1206. Pempelia Hübner,[1825]** (Pyralidae) Synonym(s): *Pempelia Hübner,[1825]*; *Salebria Zeller,1846*; *Hoeneia Caradja,1938* Original Reference: Pempelia Hübner,[1825], Verz. bekannter Schmett.: 369. Type-species: Tinea palumbella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 255.
- Pempeliella Caradja,1916 (Pyralidae) Synonym(s): Pempeliella Caradja,1916 Original Reference: Pempeliella Caradja,1916, Dt. ent. Z., Iris 30: 8. Type-species: Pempelia fraternella Ragonot,1887, by monotypy.
- 1208. Peoria Ragonot,1887 (Pyralidae) Synonym(s): Peoria Ragonot,1887; Aurora Ragonot,1887; Statina Ragonot,1887; Calera Ragonot,1888; Ceara Ragonot,1888; Cayuga Hulst,1888; Altoona Hulst,1888; Volusia Hulst,1890; Wekiva Hulst,1890; Osceola Hulst,1891; Chipeta Huslt,1892; Chipota Hulst,1903; Trivolusia Dyar,1903; Ollia Dyar,1904; Fondoukia Chrétien,1911 Original Reference: Peoria Ragonot,1887,

- Diagnoses N. Am. Phycitidae Galleridae: 19. Type-species: Anerastia haematica Zeller,1872, by original designation.
- 1209. Phlyctaenomorpha Amsel,1970 (Pyralidae) Synonym(s): *Phlyctaenomorpha Amsel,1970* Original Reference: Phlyctaenomorpha Amsel,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 55. Type-species: Phlyctaenodes sinuosalis Le Cerf,[1910], by original designation.
- **1210. Phycita Curtis,1828** (Pyralidae) Synonym(s): *Phycis Fabricius,1798 nec Walbaum,1792; Phycita Curtis,1828; Ceratium Thienemann,1828 nec Schrank,1793; Gyra Gistl,1848 Original Reference*: Phycita Curtis,1828, Br. Ent. 5: folio 233. Type-species: Tinea spissilicella Fabricius,1794, Ent. Syst. 3(2): 289, by original designation.
- 1211. Phycitodes Hampson,1917 (Pyralidae) Synonym(s): Phycitodes Hampson,1917; Rotruda Heinrich,1956. Original Reference: Phycitodes Hampson,1917, Novit. zool. 24: 26. Type-species: Phycitodes albistriata Hampson,1917, by original designation.
- Plodia Guenée,1845 (Pyralidae) Synonym(s): Plodia Guenée,1845 Original Reference: Plodia Guenée,1845, Annls Soc. ent. Fr. (2) 3: 318. Type-species: Tinea interpunctella Hübner,[1813], by monotypy.
- 1213. Polyochodes Chrétien,1911 (Pyralidae) Synonym(s): Polyochodes Chrétien,1911; Ardekania Amsel,1951 Original Reference: Polyochodes Chrétien,1911, Bull. Soc. ent. Fr. 1911: 13. Typespecies: Polyochodes stipella Chrétien,1911, by monotypy.
- 1214. Praerhinaphe Amsel,1954 (Pyralidae) Synonym(s): Praerhinaphe Amsel,1954 Original Reference: Praerhinaphe Amsel,1954, Ark. Zool. (2) 6: 270. Type-species: Praerhinaphe monotona Amsel,1954, by original designation.
- 1215. Prionapteryx Stephens,1834 (Pyralidae) Synonym(s): Prionapteryx Stephens,1834; Prionopteryx Zeller,1863; Surattha Walker,1863; Pindicitora Walker,1863; Nuarace Walker,1863; Calarina Walker,1866; Hypotomorpha Rebel,1892; Platytesia Strand,1919; Alloea Turner,1947 nec Haliday,1833; #Naurace Bleszynski,1962 Original Reference: Prionapteryx Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 316. Type-species: Prionapteryx nebulifera Stephens,1834, by monotypy.
- 1216. Pristocerella Kiefer,1909 (Pyralidae) Synonym(s): Pristocera Ragonot,1893 nec Klug,1808; Pristocerella Kiefer,1909; #Pristocera Osthelder,1935; #Pristocerelia Whalley,1970. Original Reference: Pristocerella Kiefer,1909, Bull. Soc. Hist. nat. Hist. Metz 26: 35 (nom. nov. pro Pristocera Ragonot,1893 nec Klug,1808). Type-species: Myelois solskyi Christoph,1877, by original designation.
- 1217. Pristophorodes Amsel,1953 (Pyralidae) Synonym(s): Pristophora Ragonot,1887 nec Newman,1837; Pristophorodes Amsel,1953 Original Reference: Pristophorodes Amsel,1953, Beitr. naturk. Forsch. SüdwDtl. 12: 14 (nom. nov. pro Pristophora Ragonot,1887 nec Newman,1837). Type-species: Pristophora ruptifasciella Ragonot,1887, by original designation
- 1218. Prochoristis Meyrick,1890 (Pyralidae) Synonym(s): Prochoristis Meyrick,1890 Original Reference: Prochoristis Meyrick,1890, Trans. ent. Soc. London 1890: 438, 459. Type-species: Botys rupicapralis Lederer,1855, by subsequent designation by Hampson,1899.
- 1219. Prolais Amsel,1961 (Pyralidae) Synonym(s): Prolais Amsel,1961 Original Reference: Prolais Amsel,1961, Ark. Zool. 13 (17): 410. Type-species: Prolais elbursalis Amsel,1961, by original designation.
- **1220. Prorophora (Aproceratia) Amsel,1950** (Pyralidae) Synonym(s): *Epischidia Ragonot,1901 nec Rbl.,1901*; *Aproceratia Amsel,1950*. <u>Original Reference:</u> Aproceratia Amsel,1950, Ark. Zool. (2) 1: 224. Type-species: Proceratia rhectogramma Meyrick,1937, by original designation.
- 1221. Prorophora (s.str.) Ragonot,1887 (Pyralidae) Synonym(s): *Prorophora Ragonot,1887*Original Reference: Prorophora Ragonot,1887, Annls Soc. ent. Fr. 1887: 252. Type-species: Prorophora curvibasella Ragonot,1887, by monotypy.
- 1222. **Prorophora Ragonot,1887** (Pyralidae) Synonym(s): *Prorophora Ragonot,1887* Original Reference: Prorophora Ragonot,1887, Annls Soc. ent. Fr. 1887: 252. Type-species: Prorophora curvibasella Ragonot,1887, by monotypy.
- **1223. Psammotis Hübner,[1825]** (Pyralidae) Synonym(s): *Psammotis Hübner,[1825]*; *Lemia Guenée,1845*; *Lemiodes Guenée,1854* Original Reference: Psammotis Hübner,[1825], Verz. bekannt. Schmett.: 350. Type-species: Pyralis pulveralis Hübner,1796, by monotypy.
- 1224. Psara Snellen,1875 (Pyralidae) Synonym(s): Psara Snellen,1875; Pilemia Möschler,1881 nec Fairm.,1863; Epichronistis Meyrick,1886; Rhectocraspeda W.Warren,1892; Rapoona Hedemann,1894 Original Reference: Psara Snellen,1875, Tijdschr. Ent. 18: 239. Type-species: Psara pallicaudalis Snellen,1875, by monotypy.

- 1226. Psorosa Zeller,1846 (Pyralidae) Synonym(s): *Psorosa Zeller,1846; Ectyposa Joannis,1929*Original Reference: Psorosa Zeller,1846, Isis Oken 1846: 731, 749. Type-species: Phycis dahliella Treitschke,1832, by subsequent designation by Hampson,1899.
- Psorosodes Amsel,1954 (Pyralidae) Synonym(s): Psorosodes Amsel,1954 Original Reference: Psorosodes Amsel,1954, Ark. Zool. (2) 6: 274. Type-species: Psorosodes dalakiella Amsel,1954, by original designation.
- **Pterothrixidia Amsel,1954** (Pyralidae) Synonym(s): *Pterothrixidia Amsel,1954* Original Reference: Pterothrixidia Amsel,1954, Ark. Zool. 6 (16): 285 (nomen novum pro Pterothrix Ragonot). Type-species: Phycis rufella Duponchel,1836, by original designation.
- Pyralis Linnaeus,1758 (Pyralidae) Synonym(s): Pyralis Linnaeus,1758; Spyrella Rafinesque,1815; Asopia Treitschke,1828; Sacatia Walker,1863 Original Reference: Pyralis Linnaeus,1758, Syst. Nat. (Edn. 10)1: 533. Type-species: Phalaena farinalis Linnaeus,1758, Syst. Nat. (Edn. 10)1: 533, by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn zool. Nom. 15 (Opinion 450): 254.
- **1230. Pyrasia Martin,1986** (Pyralidae) Synonym(s): *Pyrasia Martin,1986* <u>Original Reference:</u> Pyrasia Martin,1986, Vestn. zool. 1986 (3): 70. Type-species: Botys gutturalis Staudinger,1879, by original designation.
- 1231. Pyrausta Schrank,1802 (Pyralidae) Synonym(s): Pyrausta Schrank,1802 [Apr.]; Botys Latreille,1802 [Nov.]; Haematia Hübner,1818; Pyraustes Billberg,1820; Botis Swainson,1821; Heliaca Hübner,1822; Tholeria Hübner,[1823]; Porphyritis Hübner,[1825]; Leimonia Hübner,[1825]; Panstegia Hübner,[1825]; Perilypa Hübner,[1825]; Osterophena Sodoffsky,1837; Rhodaria Guenée,1854; Limonia Agassiz,1847; Herbula Guenée,1854; Synchromia Guenée,1854; Cindaphia Lederer,1863; Sciorista W.Warren,1890; Autocosmia W.Warren,1892; Mardinia Amsel,1952; Trigonuncus Amsel,1952; Rattana Pajni & Rose,1979 Original Reference: Pyrausta Schrank,1802, Fauna Boica 2 (2): 163. Type-species: Phalaena cingulata Linnaeus,1758, by subsequent designation by Grote,1895.
- **Repetekiodes Amsel,1961** (Pyralidae) Synonym(s): Repetekia Amsel,1955 nec Osh.,1913; Repetekiodes Amsel,1961 Original Reference: Repetekiodes Amsel,1961, Ark. Zool. (2) 13: 364. Typespecies: Repetekia gozmanyi Amsel,1955, by original designation (for Repetekia Amsel,1955).
- 1233. Rhodophaea Guenée,1845 (Pyralidae) Synonym(s): Rhodophaea Guenée,1845; Aurana Walker,1863; #Rohdophaea Caradja,1927; #Rhodphaea Amsel,1950; Longiculcita Roesler,1975 Original Reference: Rhodophaea Guenée,1845, Annls Soc. ent. Fr. (2) 3: 312. Type-species: Phycis dubiella Duponchel,1836, by subsequent designation by Desmarest,1857.
- **1234. Saluria Ragonot,1887** (Pyralidae) Synonym(s): *Saluria Ragonot,1887*; *Baroda Ragonot,1888* Original Reference: Saluria Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 258. Type-species: Saluria maculivittella Ragonot,1887, loc. cit., by subsequent designation by Hampson,1899, J. Bombay nat. Hist. Soc. 12: 308.
- 1235. Schoenobius Duponchel,1836 (Pyralidae) Synonym(s): Schoenobius Duponchel,1836; Erioproctus Zeller,1839 Original Reference: Schoenobius Duponchel,1836, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons 10: 8, 22. Type-species: Tinea gigantella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 135, by original designation.
- **Sciota Hulst,1888** (Pyralidae) Synonym(s): *Sciota Hulst,1888; Apodentinodia Roesler,1969; Clasperopsis Roesler,1969; Paranephopterix Roesler,1969* Original Reference: Sciota Hulst,1888, Entomologica am. 4: 115. Type-species: Sciota croceella Hulst,1888, by original designation.
- **Neurotomia Chrétien,1911** (Pyralidae) Synonym(s): *Neurotomia Chrétien,1911*; *Ciliocerodes Amsel,1961* Original Reference: Neurotomia Chrétien,1911, Annls Soc. ent. Fr. 79: 515. Typespecies: Neurotomia algeriella Chrétien,1911, by monotypy.
- 1238. Scirpophaga Treitschke,1832 (Pyralidae) Synonym(s): Scirpophaga Treitschke,1832; Schoenophaga Duponchel,1836; Spartophaga Duponchel,1836; Schoinophaga Sodoffsky,1837; Schoenophaga Agassiz,1847 nec Dup.,1836; Apurima Walker,1863; Tryporyza Common,1960. Original Reference: Scirpophaga Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 55. Type-species: Tinea phantasmatella Hübner,1796, Samml. eur. Schmett. 8: 23, pl.8, fig.56, by monotypy.
- 1239. Sclerobiodes Amsel,1951 (Pyralidae) Synonym(s): Sclerobiodes Amsel,1951 Original Reference: Sclerobiodes Amsel,1951, Ark. zool. (2) 1: 535. Type-species: Sclerobiodes persica Amsel,1951, by monotypy.

- 1240. **Scoparia Haworth,[1811]** (Pyralidae) Synonym(s): *Scoparia Haworth,[1811]; Eudorea Curtis,1827; Scopea Haworth,1828; Cholius Guenée,1845; Phegea Gistl,1848; Tetraprosopus Butler,1882; Xeroscopa Meyrick,1884; Eudoria Chapman,1912* Original Reference: Scoparia Haworth,[1811], Lepid. Br.: 498. Type-species: Tinea pyralella Hübner,1796, by subsequent designation by Curtis,1827.
- 1241. Sefidia Amsel,1950 (Pyralidae) Synonym(s): Sefidia Amsel,1950; #Sefida Whalley,1970 Original Reference: Sefidia Amsel,1950, Ark. Zool. (2) 1: 235. Type-species: Sefidia persica Amsel,1950, by monotypy.
- **Selagia Hübner,[1825]** (Pyralidae) Synonym(s): *Selagia Hübner,[1825]; Anacria Chrétien,1910* Original Reference: Selagia Hübner,[1825], Verz. bekannter Schmett.: 371. Type-species: Tinea argyrella [Denis & Schiffermüller],1775, Ankündung syst. Werkes Schmett. Wienergegend: 135, by subsequent designation by Hulst,1890, Trans. Am. ent. Soc. 17: 159.
- **Seleucia Ragonot,1887** (Pyralidae) Synonym(s): *Seleucia Ragonot,1887*; *Lymira Ragonot,1888* Original Reference: Seleucia Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 259. Type-species: Seleucia semirosella Ragonot,1887, by monotypy.
- **Sengania Amsel,1951** (Pyralidae) Synonym(s): *Sengania Amsel,1951* Original Reference: Sengania Amsel,1951, Ark. Zool. (2) 1: 538. Type-species: Sengania ruehmekorfi Amsel,1951, by monotypy.
- **Shirazia Amsel,1954** (Pyralidae) Synonym(s): *Shirazia Amsel,1954* Original Reference: Shirazia Amsel,1954, Ark. Zool. (2) 6: 268. Type-species: Shirazia monotona Amsel,1954, by original designation.
- **1246. Sitochroa Hübner,[1825]** (Pyralidae) Synonym(s): *Sitochroa Hübner,[1825]*; *Spilodes Guenée,1849* Original Reference: Sitochroa Hübner,[1825], Verz. bekannt. Schmett.: 356. Typespecies: Pyralis palealis [Denis & Schiffermüller],1775, by subsequent designation by Marion,1957.
- 1247. Spoladea Guenée,1854 (Pyralidae) Synonym(s): Spoladea Guenée,1854; Hymenia auct. Original Reference: Spoladea Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type-species: Phalaena recurvalis Fabricius,1775, by subsequent designation by Shibuya,1928, J. Fac. Agric. Hokkaido imp. Univ. 22: 178.
- 1248. Stemmatophora Guenée,1854 (Pyralidae) Synonym(s): Stemmatophora Guenée,1854; Actenia Guenée,1854; Maradana Moore,[1884]; Koremalepis Hampson,1891; Libora Ragonot,1891; Elicia Ragonot,1892; Scotomerodes Ragonot,1895; Stygiochroa Ragonot,1895 Original Reference: Stemmatophora Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 129. Typespecies: Asopia combustalis Fischer von Rösslerstamm,[1842], by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 210.
- 1249. Stiphrometasia Zerny,1914 (Pyralidae) Synonym(s): Stiphrometasia Zerny,1914 Original Reference: Stiphrometasia Zerny,1914, Annln. naturh. Mus. Wien 28: 331. Type-species: Botys monialis Erschoff,1871, by original designation.
- **Sultania Koçak,1987** (Pyralidae) Synonym(s): *Sultania Koçak,1987* Original Reference: Sultania Koçak,1987, Priamus 4 (3): 117-120, figs. Type-species: Macalla lophotalis Hampson,1900, by original designation.
- **Susia Ragonot,1888** (Pyralidae) Synonym(s): *Susia Ragonot,1888; Anephopteryx Amsel,1955*. Original Reference: Susia Ragonot,1888, Nouv. Genres Especes Phycitidae Galleriidae: 5. Typespecies: Susia discomaculella Ragonot,1888, by monotypy.
- **Synaphe Hübner,[1825]** (Pyralidae) Synonym(s): *Synaphe Hübner,[1825]*; *Cledeobia Stephens,1829*; *Mitopoda Mann,1854*. Original Reference: Synaphe Hübner,[1825], Verz. bekannt. Schmett.: 347. Type-species: Pyralis angustalis [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2: 105.
- 1253. Synclera Lederer,1863 (Pyralidae) Synonym(s): Synclera Lederer,1863; #Syncleta Möschler,1886 Original Reference: Synclera Lederer,1863, Wien. ent. Monatschr. 7: 274 (key), 444. Type-species: Eudioptis traducalis Zeller,1852, Lepid. Microptera: 54, by subsequent designation by Moore,[1886], Lepid. Ceylon 3: 315.
- **1254. Syrianarpia Leraut,1982** (Pyralidae) Synonym(s): *Syrianarpia Leraut,1982* <u>Original Reference</u>: Syrianarpia Leraut,1982, Alexanor 12 (Suppl.6): [2]-[4]. Type-species: Syrianarpia osthelderi Leraut,1982, by original designation.
- **Taftania Amsel,1951** (Pyralidae) Synonym(s): *Taftania Amsel,1951* Original Reference: Taftania Amsel,1951, Ark. Zool. 1 (36): 533. Type-species: Pristophora oxycyma Meyrick,1937, by monotypy.

- **Talis Guenée,1845** (Pyralidae) Synonym(s): *Talis Guenée,1845; Prosmixis Zeller,1846; Araxates Ragonot,1888; Drasa Kapur,1950 nec Bryant,1941* Original Reference: Talis Guenée,1845, Annls Soc. ent. Fr. (2) 3: 324. Type-species: Tinea quercella ([Denis & Schiffermüller],1775), by monotypy.
- **Tegostoma Zeller,1847** (Pyralidae) Synonym(s): *Tegostoma Zeller,1847* Original Reference: Tegostoma Zeller,1847, Isis 1847: 581. Type-species: Pyralis comparalis Hübner,1796, by monotypy.
- **Tephris Ragonot,1891** (Pyralidae) Synonym(s): *Tephris Ragonot,1891*; *Aphyletes Ragonot,1893* Original Reference: Tephris Ragonot,1891, Annls Soc. ent. Fr. (6) 10 (Bull.): ccxiii. Type-species: Pempelia cyriella Erschoff,1874, by original designation.
- 1259. **Tephroniopsis** Amsel,1961 (Pyralidae) Synonym(s): *Tephroniopsis Amsel,1961* Original Reference: Tephroniopsis Amsel,1961, Ark. Zool. 13 (17): 402. Type-species: Tephroniopsis geometridalis Amsel,1961, by original designation.
- **1260. Thopeutis Hübner,1818** (Pyralidae) Synonym(s): *Thopeutis Hübner,1818; Cephis Ragonot,1892; Stenochilo Hampson,1896; Hombergia De Joannis,1910.* <u>Original Reference:</u> Thopeutis Hübner,1818, Zuträge Samml. exot. Schmett. 1: 23. Type-species: Thopeutis respersalis Hübner,1818, by subsequent designation by Bleszynski,1965.
- **Thospia Ragonot,1888** (Pyralidae) Synonym(s): *Thospia Ragonot,1888* Original Reference: Thospia Ragonot,1888, Nouv. Genres Especès Phycitidae Galleridae: 28. Type-species: Thospia crassipalpella Ragonot,1888, by original designation.
- **1262. Thyridiphora W.Warren,1888** (Pyralidae) Synonym(s): *Thyridiphora W.Warren,1888;* #Thyridophora Hampson,1896 Original Reference: Thyridiphora W.Warren,1888, Proc. zool. Soc. Lond. 1888: 310-311. Type-species: Thyridiphora fenestrata W.Warren,1888, by monotypy.
- **1263. Titanio Hübner,[1825]** (Pyralidae) Synonym(s): *Titanio Hübner,[1825]*; *Titania Agassiz,1846*; *Noctuomorpha Guenée,1854*; *Cleptotypodes Minet,1983*; *Denticornutia Martin,1986* Original Reference: Titanio Hübner,[1825], Verz. bekannt. Schmett.: 350. Type-species: Pyralis normalis Hübner,1796, by subsequent designation by Hampson,1899.
- 1264. Trissonca Meyrick,1882 (Pyralidae) Synonym(s): Trissonca Meyrick,1882 Original Reference: Trissonca Meyrick,1882, Proc. Linn. Soc. N.S.W. 7 (2): 158. Type-species: Spermatophthora mesactella Meyrick,1879, by monotypy.
- **Tulaya Özdikmen,2007** (Pyralidae) Synonym(s): Hercynella Bethune-Baker,1893 nec Kayser,1878; Tulaya Özdikmen,2007 Original Reference: Tulaya Özdikmen,2007, Mun. ent. Zool. 2 (1): 115 (nom. nov. pro Hercynella Bethune-Baker,1893 nec Kayser,1878). Type-species: Hercynella staudingeri Bethune-Baker,1893, by subsequent designation by Collins,1962 (for Hercynella staudingeri B-Baker,1893).
- **Turania Ragonot,1891** (Pyralidae) Synonym(s): *Turania Ragonot,1891* Original Reference: Turania Ragonot,1891, Annls Soc. ent. Fr. (6) 10: 449. Type-species: Emprepes pentodonalis Erschoff,1874, by monotypy.
- 1267. Udea Guenée,[1845] (Pyralidae) Synonym(s): Udea Guenée,[1845]; Stantira Walker,1863; Melanomecyna Butler,1883; Mnesictena Meyrick,1884; Protocolletis Meyrick,1888; Mimudea W.Warren,1892; Prototaulacistis Meyrick,1899; Eudaimonisma Lucas,1902; Otiophora Turner,1908; Emphylica Turner,1913; Notophytis Meyrick,1932 Original Reference: Udea Guenée,[1845],[in] Duponchel, Cat. méth. Lépid. Eur.: 209. Type-species: Pyralis ferrugalis Hübner,1796, by monotypy.
- 1268. Uncinus Amsel,1951 (Pyralidae) Synonym(s): *Uncinus Amsel,1951* Original Reference: Uncinus Amsel,1951, Ark. Zool. (2) 1: 537. Type-species: Uncinus hypogryphellus Amsel,1951, by monotypy.
- 1269. Uresiphita Hübner,[1825] (Pyralidae) Synonym(s): *Uresiphita Hübner,[1825]; Uresiphoeta Agassiz,1847; Mecyna Guenée,1854 nec Doubl.,[1849]* Original Reference: Uresiphita Hübner,[1825], Verz. bekannt. Schmett.: 353. Type-species: Pyralis limbalis [Denis & Schiffermüller],1775, by subsequent designation by Bisset,1938.
- 1270. Valdovecaria Zerny,1927 (Pyralidae) Synonym(s): Valdovecaria Zerny,1927 Original Reference: Valdovecaria Zerny,1927, Eos 3: 449. Type-species: Valdovecaria bradyrrhoella Zerny,1927, by monotypy.
- 1271. Valva Amsel,1961 (Pyralidae) Synonym(s): Valva Amsel,1961 Original Reference: Valva Amsel,1961, Ark. Zool. (N.S.) (2) 13: 373. Type-species: Valva candiopella Amsel,1961, by original designation.

- Vietteia Amsel,1955 (Pyralidae) Synonym(s): Vietteia Amsel,1955 Original Reference: Vietteia Amsel,1955, Bull. Inst. r. Sci. nat. Belg. 31: 36. Type-species: Myelois terstrigella Chrétien, 1877, by original designation.
- Witlesia Chapman,1912 (Pyralidae) Synonym(s): Witlesia Chapman,1912 Reference: Witlesia Chapman,1912, Trans. ent. Soc. Lond. 1911: 507. Type-species: Eudorea pallida Curtis, 1827, by monotypy.
- (Pyralidae) 1274. Xanthocrambus Bleszynski,1957 Synonym(s): Bleszynski,1955; Xanthocrambus Bleszynski,1957 Original Reference: Xanthocrambus Bleszynski,1957, Acta zool. cracov. 1: 450. Type-species: Crambus delicatellus Zeller, 1863, by original designation.
- **Zitha Walker**,[1866] (Pyralidae) Synonym(s): Zitha Walker,[1866]; Tegulifera Saalmüller,1880; Tamraca Moore,1887; Angenora Ragonot,1891; Katja Amsel,1951; Praekatja Amsel,1961 Original Reference: Zitha Walker, [1866], List Specimens lepid. Insects Colln Br. Mus. 34: 1264. Type-species: Zitha punicealis Walker,[1866], by monotypy.
- 1276. Zonora Swinhoe, 1890 (Pyralidae) Synonym(s): Zonora Swinhoe, 1890 Original Reference: Zonora Swinhoe,1890, Proc. zool. Soc. Lond. 1889: 419. Type-species: Zonora opiparalis Swinhoe, 1890, by monotypy.

### Saturniidae

- **Aglia Ochsenheimer,1810** (Saturniidae) Synonym(s): #Echidna Hübner,1806; Aglia **1277.** Original Reference: Aglia Ochsenheimer,1810; Tachyptena Germar,1910; #Aglaia Kirby,1884 Ochsenheimer, 1810, Schmett. Eur. 3: 11. Type-species: Phalaena tau Linnaeus, 1758, by monotypy.
- 1278. Saturnia (Heraea) Hübner,1822 (Saturniidae) Synonym(s): Heraea Hübner,1822 Original Reference: Heraea Hübner, 1822, Syst.-alphab. Verz. eur. Schmett.: 15, 19. Type-species: Bombyx carpini [Denis & Schiffermüller],1775, by subsequent designation by Grote,1874.
- 1279. Saturnia (Neoris) Moore,1862 (Saturniidae) Synonym(s): Neoris Moore,1862 Original Reference: Neoris Moore, 1862, Trans. ent. Soc. Lond. (3) 1: 321. Type-species: Neoris huttoni Moore, 1862, by monotypy.
- 1280. Saturnia (s.str.) Schrank, 1802 (Saturniidae) Synonym(s): Saturnia Schrank, 1802; Nyctaon Billberg,1820; Eriogyna Jordan,1913 Original Reference: Saturnia Schrank,1802, Fauna Boica 2 (2): 149. Type-species: Bombyx pyri [Denis & Schiffermüller],1775, by subsequent designation by Grote.1895.
- **Saturnia Schrank,1802** (Saturniidae) Synonym(s): Saturnia Schrank,1802; Nyctaon Billberg,1820; Eriogyna Jordan,1913 Original Reference: Saturnia Schrank,1802, Fauna Boica 2 (2): 149. Type-species: Bombyx pyri [Denis & Schiffermüller],1775, by subsequent designation by Grote, 1895.

### **Scythridae**

- **1282.** Bactrianoscythris Passerin d'Entrèves & Roggero, 2009 (Scythridae) Synonym(s): Bactrianoscythris Passerin d'Entrèves & Roggero,2009 Original Reference: Bactrianoscythris Passerin d'Entrèves & Roggero,2009, Zootaxa 2263:
- Eretmocera Zeller,1852 (Scythridae) Synonym(s): Eretmocera Zeller,1852; Staintonia Staudinger,1859; Exodomorpha Walker,1864; Castorura Meyrick,1887; Aeraula Meyrick,1897; Leuroscelis Turner,1927 Original Reference: Eretmocera Zeller,1852, K. svenska VetenskAkad. Handl. 40 (3): 96. Type-species: Eretmocera fuscipennis Zeller,1852, by subsequent designation by Walsingham, 1889.
- 1284. Scythris (Catascythris) Amsel,1935 (Scythridae) Synonym(s): Catascythris Amsel,1935 Original Reference: Catascythris Amsel,1935, Veröff. dt. Kolon. u. Übersee-Mus. Bremen 1: 212. Type-species: Catascythris kebirella Amsel,1935, by monotypy.
- **1285. Scythris Hübner**,[**1825**] (Scythridae) Synonym(s): Scythris Hübner,[1825]; Galanthia Hübner,[1825]; Butalis Treitschke,1833 nec Boie,1826; Copida Sodoffsky,1837 Original Reference: Scythris Hübner, [1825], Verz. bekannt. Schmett.: 414. Type-species: Tinea chenopodiella Hübner, [1813], by subsequent designation by Walsingham & Durrant (1909, Entomologist's mon. Mag. 45: 51).

#### Sesiidae

- 1286. Bembecia (Ductispina) Capuse,1973 (Sesiidae) Synonym(s): Ductispina Capuse,1973 Original Reference: Bembecia (Ductispina) Capuse,1973, Mitt. münch. ent. Ges. 63: 137, 149. Type-species: Dipsosphecia turcmena Bartel,1912, by original designation.
- **1287. Bembecia (Pseudosphecia) Capuse,1973** (Sesiidae) Synonym(s): *Pseudosphecia Capuse,1973* Original Reference: Bembecia (Pseudosphecia) Capuse,1973, Mitt. münch. ent. Ges. 63: 137, 147. Type-species: Dipsosphecia tenebrosa Püngeler,1914, by original designation.
- **1288. Bembecia Hübner,[1819]** (Sesiidae) Synonym(s): *Bembecia Hübner,[1819]* Original Reference: Bembecia Hübner,[1819], Verz. bekannt. Schmett.: 128. Type-species: Sphinx ichneumoniformis [Denis & Schiffermüller],1775, by subsequent designation by Newman,1840.
- **1289. Chamaesphecia Spuler,1910** (Sesiidae) Synonym(s): *Chamaesphecia Spuler,1910; Scopulosphecia Lastuvka,[1990]* <u>Original Reference:</u> Chamaesphecia Spuler,1910, [in] Hoffmann, Schmett. Eur. 2: 311. Type-species: Sphinx empiformis Esper,1783, by original designation.
- 1290. **Dipchaspecia Capuse,1973** (Sesiidae) Synonym(s): *Dipchaspecia Capuse,1973* Original Reference: Dipchaspecia Capuse,1973, Mitt. münch. ent. Ges. 63: 161. Type-species: Dipsosphecia roseiventris Bartel,1912, by original designation.
- Edwards,1881; Gaea Beutenmüller,1896 Original Reference: Euhagena Edwards,1881; Papilio 1: 180. Type-species: Euhagena nebraskae Edwards,1881, by monotypy.
- **Eusphecia Le Cerf,1937** (Sesiidae) Synonym(s): *Eusphecia Le Cerf,1937* Original Reference: Eusphecia Le Cerf,1937, Z. öst. EntVer. 22: 106. Type-species: Sesia pimplaeformis Oberthür,1872, by original designation.
- 1293. Microsphecia Bartel,1912 (Sesiidae) Synonym(s): *Microsphecia Bartel,1912* Original Reference: Microsphecia Bartel,1912, [in] Seitz, Gross-Schmett. Erde 2: 414. Type-species: Sphinx tineiformis Esper,1793, by original designation.
- 1294. Negotinthia Gorbunov,2001 (Sesiidae) Synonym(s): Negotinthia Gorbunov,2001 Original Reference: Negotinthia Gorbunov,2001, Melittia 1: 139. Type-species: Paranthrena myrmosaeformis Herrich-Schäffer,1846, by original designation.
- **1295. Paranthrene Hübner,[1819]** (Sesiidae) Synonym(s): Paranthrena auct.; Paranthrene Hübner,[1819]; Memythrus Newman,1832; Sciapteron Staudinger,1854; Tarsa Walker,1856; Pseudosesia Felder,1861; Pramila Moore,1879; Fatua Edwards,1882 nec Dej.,1835; Phlogothauma Butler,1882; Sciapterum Bartel,1912; Leptocimbicina Bryk,1947 Original Reference: Paranthrene Hübner,[1819], Verz. bekannt. Schmett.: 128. Type-species: Sphinx asiliformis [Denis & Schiffermüller],1775, by subsequent designation by Newman,1840.
- 1296. Pyropteron Newman,1832 (Sesiidae) Synonym(s): *Pyropteron Newman,1832; Pyropterum Agassiz,1847* Original Reference: Pyropteron Newman,1832, Ment. Mag. 1 (1): 75. Type-species: Sphinx chrysidiformis Esper,1782, by monotypy.
- **Synansphecia Capuse,1973** (Sesiidae) Synonym(s): *Synansphecia Capuse,1973* Original Reference: Chamaesphecia (Synansphecia) Capuse,1973, Mitt. münch. ent. Ges. 63: 161, 166. Type-species: Sesia triannuliformis Freyer,1842, by original designation.
- 1298. Synanthedon Hübner,[1819] (Sesiidae) Synonym(s): Synanthedon Hübner,[1819]; Conopia Hübner,[1819]; Pyrhotaeni Grote,1875; Vespamima Beutenmüller,1894; Thamnosphecia Spuler,1910; Sylvora Engelhardt,1946; Tipulia Kralicek & Povolny,1977 Original Reference: Synanthedon Hübner,[1819], Verz. bekannt. Schmett.: 129. Type-species: Sphinx oestriformis Rottemburg,1775, by subsequent designation by Newman,1840.
- **Tinthia Walker,[1865]** (Sesiidae) Synonym(s): *Tinthia Walker,[1865]; Soronia Moore,1877 nec Erichson,1843; Zenodoxus auct.* Original Reference: Tinthia Walker,[1865], List Specimens lepid. Insects Colln Br. Mus. 31: 23. Type-species: Tinthia varipes Walker,[1865], by monotypy.

## **Sphingidae**

**1300. Acherontia** [Laspeyres],1809 (Sphingidae) Synonym(s): #Manduca Hübner,[1806]; Acherontia [Laspeyres],1809; #Atropos Oken,1815; Brachyglossa Boisduval,1828; Atropos Agassiz,1846 Original

- <u>Reference:</u> Acherontia [Laspeyres],1809, Jena allg. Lit.-Ztg. 4 (240): 100. Type-species: Sphinx atropos Linnaeus,1758, by original designation.
- 1301. Agrius Hübner,[1819] (Sphingidae) Synonym(s): *Agrius Hübner,[1819]; Timoria Kaye,1919*Original Reference: Agrius Hübner,[1819], Verz. bekannt. Schmett.: 140. Type-species: Sphinx cingulata Fabricius,1775, by subsequent designation by Tutt,1902.
- 1302. Akbesia Rothschild & Jordan,1903 (Sphingidae) Synonym(s): Akbesia Rothschild & Jordan,1903 Original Reference: Akbesia Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 173, 191. Type-species: Smerinthus davidi Oberthür,1884, by original designation.
- 1303. Clarina Tutt,1903 (Sphingidae) Synonym(s): Clarina Tutt,1903; Berutana Rothschild & Jordan,1903. Original Reference: Clarina Tutt,1903, Entomologist's Rec. J. Var. 15 (3): 76. Typespecies: Deilephila syriaca Lederer,1855, by original designation.
- **1304. Daphnis Hübner,[1819]** (Sphingidae) Synonym(s): *Daphnis Hübner,[1819]; Regia Tutt,1903; Histriosphinx,1976.* Original Reference: Daphnis Hübner,[1819], Verz. bekannt. Schmett.: 134. Type-species: Sphinx nerii Linnaeus,1758, by subsequent designation by Curtis,1837.
- 1305. Deilephila [Laspeyres],1809 (Sphingidae) Synonym(s): #Eumorpha Hübner,1806; Deilephila [Laspeyres],1809; Elpenor Oken,1815; Choerocampa Duponchel,1835; Metopsilus Duncan,1836; Elpenor Agassiz,1846; Cinogon Butler,1881 Original Reference: Deilephila [Laspeyres],1809, Jena allg. Lit.-Ztg. 4 (240): 100. Type-species: Sphinx elpenor Linnaeus,1758, by subsequent designation by Curtis,1824.
- **1306. Dolbina Staudinger,1887** (Sphingidae) Synonym(s): *Dolbina Staudinger,1887*; *Dolbinopsis Rothschild & Jordan,1903*; *Elegodolba Eitschberger & Zolotuhin,1997*. <u>Original Reference:</u> Dolbina Staudinger,1887, [in] Romanoff, Mém. Lépid. 3: 155. Type-species: Dolbina tancrei Staudinger,1887, by monotypy.
- 1307. Hemaris (Cochrania) Tutt,1902 (Sphingidae) Synonym(s): Cochrania Tutt,1902 Original Reference: Cochrania Tutt,1902, Nat. Hist. Br. Lepid. 3: 503. Type-species: Sphinx croatica Esper,1800, by monotypy.
- 1308. Hemaris (Eitschbergera) Kemal & Koçak,2005 (Sphingidae) Synonym(s): *Mandarina Eitschberger, Danner & Surholt,1998 nec Pilsbry,1894; Eitschbergera Kemal & Koçak,2005* Original Reference: Hemaris (Eitschbergera) Kemal & Koçak,2005, Cent. ent. Stud., Misc. Pap. 91/92: 13 (nom. nov. pro Mandarina Eitschberger, Danner & Surholt,1998 nec Pilsbry,1894).
- 1309. Hemaris (s.str.) Dalman,1816 (Sphingidae) Synonym(s): Hemaris Dalman,1816; Hemaria Billberg,1820; Haemorrhagia Grote & Robinson,1865; Chamaesesia Grote,1873; Jilinga Eitschberger, Danner & Surholt,1998 (homonym), Saudersia Eitschberger, Danner & Surholt,1998 (homonym) Original Reference: Hemaris Dalman,1816, K. svenska VetenskAkad. Handl. 1816 (2): 207. Type-species: Sphinx fuciformis Linnaeus,1758, by original designation.
- 1310. Hemaris Dalman,1816 (Sphingidae) Synonym(s): Hemaris Dalman,1816; Hemaria Billberg,1820; Haemorrhagia Grote & Robinson,1865; Chamaesesia Grote,1873; Jilinga Eitschberger, Danner & Surholt,1998 (homonym), Saudersia Eitschberger, Danner & Surholt,1998 (homonym) Original Reference: Hemaris Dalman,1816, K. svenska VetenskAkad. Handl. 1816 (2): 207. Type-species: Sphinx fuciformis Linnaeus,1758, by original designation.
- 1311. **Hippotion Hübner,[1819]** (Sphingidae) Synonym(s): *Hippotion Hübner,[1819]; Panacra Walker,1856; Lilina Tutt,1903* Original Reference: Hippotion Hübner,[1819], Verz. bekannt. Schmett.: 135. Type-species: Sphinx celerio Linnaeus,1758, by subsequent designation by Kirby,1892.
- 1312. Hyles Hübner,[1819] (Sphingidae) Synonym(s): Hyles Hübner,[1819]; Thaumas Hübner,[1819]; Celerio Agassiz,1846; Turneria Tutt,1903; Hawaiina Tutt,1903; Weismannia Tutt,1904; Danneria Eitschberger & Zolotuhin,1998; Eremohyles Eitschberger & Zolotuhin,1998; Rommeliana Eitschberger & Zolotuhin,1998; Surholtia Eitschberger & Zolotuhin,1998 Original Reference: Hyles Hübner,[1819], Verz. bekannt. Schmett.: 137. Type-species: Sphinx euphorbiae Linnaeus,1758, by subsequent designation by Tutt,1902.
- **1313. Laothoe Fabricius,1807** (Sphingidae) Synonym(s): #Amorpha Hübner,[1806]; Laothoe Fabricius,1807. Original Reference: Laothoe Fabricius,1807, Mag. Insektenk. 6: 287. Type-species: Sphinx populi Linnaeus,1758, by subsequent designation by Grote,1873.
- 1314. Macroglossum Scopoli,1777 (Sphingidae) Synonym(s): Macroglossum Scopoli,1777; #Bombylia Hübner,[1806]; Macroglossa Ochsenheimer,1816; Psithyros Hübner,[1819]; Bombylia Hübner,1822; Macroglossa Boisduval,1833 (praeocc.); Rhamphosschisma Wallengren,1858; Rhopalopsyche Butler,1875 Original Reference: Macroglossum Scopoli,1777, Intr. Hist. Nat.: 414. Type-species: Sphinx stellatarum Linnaeus,1758, by monotypy.

- 1315. Marumba Moore,[1882] (Sphingidae) Synonym(s): Marumba Moore,[1882]; Burrowsia Tutt,1902; Kayeia Tutt,1902; Sichia Tutt,1902. Original Reference: Marumba Moore,[1882], Lepid. Ceylon 2: 8. Type-species: Smerinthus dyras Walker,1856, by subsequent designation by Kirby,1883 ([in] Rye, Zool. Record 19 (Ins.): 183).
- 1316. Proserpinus Hübner,[1819] (Sphingidae) Synonym(s): Proserpinus Hübner,[1819]; Pterogon Boisduval,1828; Pteropogon Meigen,1829; Lepisesia Grote,1865; Pogocolon Boisduval,1875; Dieneces Butler,1881 Original Reference: Proserpinus Hübner,[1819], Verz. bekannt. Schmett.: 132. Type-species: Sphinx oenotherae [Denis & Schiffermüller],1775, by subsequent designation by Grote,1873.
- 1317. Rethera Rothschild & Jordan,1903 (Sphingidae) Synonym(s): Rethera Rothschild & Jordan,1903; Borshomia Austaut,1905. Original Reference: Rethera Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 500, 547. Type-species: Deilephila komarovi Christoph,1885, by original designation.
- 1318. Smerinthus Latreille,[1802] (Sphingidae) Synonym(s): Smerinthus Latreille,[1802]; Dilina Dalman,1816; Merinthus Meigen,1830; Bebroptera Sod.,1837; Eusmerinthus Grote,1877; Copismerinthus Kirby,1892; Bellia Tutt,1902 (praeoc.); Daddia Tutt,1902; Nicholsonia Tutt,1902 (praeoc.); Bellinca, Niia Strand,1943. Original Reference: Smerinthus Latreille,[1802], [in] Sonnini, Consid. gén. Ordre nat. Anim.: 357. Type-species: Sphinx ocellata Linnaeus,1758, by subsequent designation by Latreille,1810.
- 1319. Sphingonaepiopsis Wallengren,1858 (Sphingidae) Synonym(s): Sphingonaepiopsis Wallengren,1858; #Sphingonaepeopsis Tutt,1904; Pterodonta Austaut,1905 nec R.L.,1817; Neopterodonta Eitschberger,1999 Original Reference: Sphingonaepiopsis Wallengren,1858, Öfvers. Vet. Akad. Förh. 15: 138. Type-species: Sphingonaepiopsis gracilipes Wallengren,1858.
- **1320. Theretra Hübner,[1819]** (Sphingidae) Synonym(s): *Theretra Hübner,[1819]*; *Oreus Hübner,[1819]*; *Gnathostypsis Wallengren,1858*; *Hathia Moore,[1882]*; *Florina Tutt,1903*. <u>Original</u> <u>Reference</u>: Theretra Hübner,[1819], Verz. bekannt. Schmett.: 135. Type-species: Sphinx euestris Fabricius,1793, by subsequent designation by Kirby,1892.

# Stathmopodidae

- 1321. Stathmopoda Herrich-Schäffer,[1853] (Stathmopodidae) Synonym(s): Stathmopoda Herrich-Schäffer,[1853]; Boocara Butler,1880; Placostola Meyrick,1887; Erineda Busck,1909; Agrioscelis Meyrick,1913; Kakivoria Nagano,1916. Original Reference: Stathmopoda Herrich-Schäffer,[1853], Syst. Bearb. Schmett. Eur. 5: 14, 54. Type-species: Phalaena pedella Linnaeus,1761, by subsequent designation by Meyrick,1914.
- **1322. Tortilia Chrétien,1908** (Stathmopodidae) Synonym(s): *Tortilia Chrétien,1908*; *Diadoxastis Meyrick,1913*; *Apertodiscus Amsel,1935* <u>Original Reference</u>: Tortilia Chrétien,1908, Bull. Soc. ent. Fr. 1908: 201. Type-species: Tortilia flavella Chrétien,1908, by monotypy.

# Thaumetopoeidae

- **Thaumetopoea (s.str.) Hübner,[1820]** (Thaumetopoeidae) Synonym(s): *Thaumetopoea Hübner,[1820]*; *Cnethocampa Stephens,1828*; *Helianthocampa De Freina & Witt,1985* Original Reference: Thaumetopoea (s.str.) Hübner,[1820], Verz. bekannt. Schmett.: 185. Type-species: Phalaena processionea Linnaeus,1758, by subsequent designation by Kirby,1892.
- 1324. Thaumetopoea Hübner,[1820] (Thaumetopoeidae) Synonym(s): *Thaumetopoea Hübner,[1820]; Cnethocampa Stephens,1828; Helianthocampa De Freina & Witt,1985* Original Reference: Thaumetopoea (s.str.) Hübner,[1820], Verz. bekannt. Schmett.: 185. Type-species: Phalaena processionea Linnaeus,1758, by subsequent designation by Kirby,1892.

# **Thyatiridae**

**1325. Habrosyne Hübner,[1821]** (Thyatiridae) Synonym(s): *Habrosyne Hübner,[1821]; Gonophora Bruand,1845 nec Dejean,1835; Cymatochrocis Houlbert,1921; Hannya Matsumura,1927; Miothyatira Matsumura,1933; Habrosynula Bryk,1943 Original Reference:* Habrosyne Hübner,[1821], Verz. bekannt. Schmett.: 236. Type-species: Phalaena derasa Linnaeus,1767, by monotypy.

- **1326. Polyploca Hübner,[1821]** (Thyatiridae) Synonym(s): *Polyploca Hübner,[1821]; Parmelina Houlbert,1921* Original Reference: Polyploca Hübner,[1821], Verz. bekannt. Schmett.: 237. Typespecies: Phalaena xanthoceros Borkhausen,1792, by monotypy.
- **1327. Tethea Ochsenheimer,1816** (Thyatiridae) Synonym(s): *Tethea Ochsenheimer,1816*; *Palimpsestis Hübner,[1821]*; *Bombycia Hübner,1822*; *Ceropacha Stephens,1829*; *Ceratopacha Stephens,1850*; *Saronaga Moore,1881*; *Eutethia Grote,1902*; *Episaronaga Matsumura,1933* Original Reference: Tethea Ochsenheimer,1816, Schmett. Eur. 4: 64. Type-species: Noctua or [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1829.
- 1328. Thyatira Ochsenheimer,1816 (Thyatiridae) Synonym(s): Thyatira Ochsenheimer,1816; Strophia Ochsenheimer,1816; Calleida Sodoffsky,1837 nec Latr.,1824; Thyathira Bruand,1845 Original Reference: Thyatira Ochsenheimer,1816, Schmett. Eur. 4: 77. Type-species: Phalaena batis Linnaeus,1758, by subsequent designation by Curtis,1825.

#### **Tineidae**

- 1329. Anomalotinea Spuler,1910 (Tineidae) Synonym(s): Anomalotinea Spuler,1910; Fermocelina Hartig,1950; Subpentagona Agenjo,1952; Praetinea Amsel,1955 Original Reference: Anomalotinea Spuler,1910, [in] Hoffmann, Schmett. Eur. 2: 458. Type-species: Tinea cubiculella Staudinger,1859, by monotypy.
- 1330. Ateliotum Zeller,1839 (Tineidae) Synonym(s): Ateliotum Zeller,1839 Original Reference: Ateliotum Zeller,1839, Isis Oken, Leipzig 1839: 189. Type-species: Ateliotum hungaricellum Zeller,1839, ibidem 1839: 189, by monotypy.
- 1331. Cephimallota Bruand,1851 (Tineidae) Synonym(s): Cephimallota Bruand,1851; Anemallota Zagulyaev,1965 Original Reference: Cephimallota Bruand,1851, Mem. Soc. Emul. Doubs (1) 3 (3, livr.5,6): 32. Type-species: Cephimallota crassiflavella Bruand,1851, by monotypy.
- 1332. Ceratuncus G.Petersen,1957 (Tineidae) Synonym(s): Ceratuncus G.Petersen,1957 Original Reference: Ceratuncus G.Petersen,1957, Beitr. Ent. 7: 105. Type-species: Myrmecozela danubiella Mann,1866, Verh. zool.-bot. Ges. Wien 16 (Abh.): 349, pl.1 figs 3,4, by original designation.
- 1333. Cinnerethica Amsel,1935 (Tineidae) Synonym(s): Cinnerethica Amsel,1935 Original Reference: Cinnerethica Amsel,1935, Mitt. zool. Mus. Berl. 20: 312. Type-species: Cinnerethica tabghaella Amsel,1935, by monotypy.
- 1334. Edosa Walker,1866 (Tineidae) Synonym(s): Edosa Walker,1866; Chrysoryctis Meyrick,1886; Episcardia Ragonot,1895; Bilobatana Zagulyaev,1975; Neoepiscardia Petersen & Gaedike,1982 Original Reference: Edosa Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1818. Typespecies: Edosa hemichrysella Walker,1866, by monotypy.
- 1335. Elatobia Herrich-Schäffer,[1853] (Tineidae) Synonym(s): Elatobia Herrich-Schäffer,[1853]; Tineomima Staudinger,1892; Abacobia Dietz,1905; Dietzia Busck,1906 Original Reference: Elatobia Herrich-Schäffer,[1853], Syst. Bearb. Schmett. Eur. 5: 22. Type-species: Tinea fuliginosella Lienig & Zeller,1846, by monotypy.
- **1336. Eudarcia (Pseudobesoceras) Gaedike,1985** (Tineidae) Synonym(s): *Pseudobesoceras Gaedike,1985* Original Reference: Pseudobesoceras Gaedike,1985, Ent. Abh. Mus. Tierk. Dresden 48: 177. Type-species: Tinea holtzi Rebel,1902, by original designation.
- 1337. Eudarcia Clemens,1860 (Tineidae) Synonym(s): Eudarcia Clemens,1860; Demobrotis Meyrick,1893; Leptochersa Meyrick,1919; Colchiromis Zagulyaev,1979; Gallis Zagulyaev,1979; Haugresis Zagulyaev,1979; Nigris Zagulyaev,1979; Zagulyaevella Koçak,1981 Original Reference: Eudarcia Clemens,1860, Proc. Acad. nat. Sci. Philad. 1860: 10. Type-species: Eudarcia simulatricella Clemens,1860, by monotypy.
- 1338. Euplocamus Latreille,1809 (Tineidae) Synonym(s): Euplocamus Latreille,1809 Original Reference: Euplocamus Latreille,1809, Genera crustaceorum Insectorum 4: 223. Type-species: Tinea guttella Fabricius,1781, Species Insect 2: 509, by subsequent designation by Latreille, 1810, Considérations gén. Ordre nat. Anim.: 441.
- **1339. Hapsifera Zeller,1847** (Tineidae) Synonym(s): *Hapsifera Zeller,1847*; *Euplocera Ragonot,1895*; *Pseudohapsifera Amsel,1935*; *Ptochoglyptis Meyrick,1938* <u>Original Reference</u>: Hapsifera Zeller,1847, Isis Oken, Leipzig 1847: 32. Type-species: Hapsifera luridella Zeller,1847, ibidem 1847: 33, by monotypy.

- 1340. Infurcitinea Spuler,1910 (Tineidae) Synonym(s): Infurcitinea Spuler,1910; Omichlospora Meyrick,1928; Tineiforma Amsel,1952; Atinea Amsel,1954; Microtinea Amsel,1954; Gozmanytinea Capuse,1966; Finalis Zagulyaev,1979; Atris Zagulyaev,1979; Rumelis Zagulyaev,1979; Pseudorumelis Satschkov,1995. Original Reference: Infurcitinea Spuler,1910, Schmett. Eur. 2: 458. Type-species: Tinea argentimaculella Stainton,1849, Attempt syst. Cat. Br. Tineidae Pterophoridae: 6, by monotypy.
- **1341. Kermania Amsel,1964** (Tineidae) Synonym(s): *Kermania Amsel,1964* <u>Original Reference:</u> Kermania Amsel,1964, Beitr. naturk. Forsch. SW-Dtl. 23 (2): 107-108. Type-species: Kermania pistaciella Amsel,1964, by original designation and monotypy.
- **1342. Monopis Hübner,[1825]** (Tineidae) Synonym(s): *Monopis Hübner,[1825]*; *Blabophanes Zeller,1852* Original Reference: Monopis Hübner,[1825], Verz. bekannter Schmett.: 401. Typespecies: Tinea rusticella Hübner, 1796, Samml. eur. Schmett. 8: 61, pl.3 fig.17, pl.49 fig.339, by monotypy.
- 1343. Morophaga Herrich-Schäffer,[1853] (Tineidae) Synonym(s): Morophaga Herrich-Schäffer,[1853]; Atabyria Snellen,1884; #Atabryia Rebel,1901; Osphretica Meyrick,1908; Microscardia Amsel,1952 Original Reference: Morophaga Herrich-Schäffer,[1853], Syst. Bearbeitung Schmett. Eur. 5: 7, 22. Type-species: Euplocamus morellus Duponchel,1838, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 11: 79, pl.288 fig.5, by subsequent monotypy.
- 1344. Morophagoides G.Petersen,1957 (Tineidae) Synonym(s): *Morophagoides G.Petersen*,1957 Original Reference: Morophagoides G.Petersen,1957, Beitr. Ent. 7: 593. Type-species: Scardia ussuriensis Caradja,1920, by original designation.
- 1345. Myrmecozela (Flavida) Zagulyaev,1975 (Tineidae) Synonym(s): Flavida Zagulyaev,1975 Original Reference: Myrmecozela (Flavida) Zagulyaev,1975, Fauna SSSR (n.s.) 108 (Lepid. 4 (5)): 314, 326. Type-species: Tinea lutosella Eversmann,1844, by original designation.
- 1346. Myrmecozela Zeller,1852 (Tineidae) Synonym(s): Myrmecozela Zeller,1852 Original Reference: Myrmecozela Zeller,1852, Linn. ent. 6: 153. Type-species: Tinea ochraceella Tengström, 1848, Notis. Sällsk. Faun. Fl. fenn. Förh. 1: 111, by monotypy.
- 1347. Nemapogon Schrank,1802 (Tineidae) Synonym(s): Nemapogon Schrank,1802; Brosis Hübner,1822 nec Billb.,1820; Diaphthirusa Hübner,[1825]; Petalographis Zagulyaev,1962; Anemapogon Zagulyaev,1963; Longiductus Zagulyaev,1964; Paranemapogon Zagulyaev,1964 Original Reference: Nemapogon Schrank,1802, Fauna Boica 2 (2): 167. Type-species: Phalaena granella Linnaeus,1758, Syst. Nat. (Edn 10) 1: 537, by subsequent designation by Fletcher, 1929, Mem. Dep. Agric. India (Ent.) 11: 146.
- 1348. Neurothaumasia Marchand,1934 (Tineidae) Synonym(s): Neurothaumasia Marchand,1934 Original Reference: Neurothaumasia Marchand,1934, Amat. Papillons 7: 24. Type-species: Neurothaumasia burdigalensis Marchand,1934, by original designation.
- 1349. Niditinea G.Petersen,1957 (Tineidae) Synonym(s): Niditinea G.Petersen,1957; Tineidia Zagulyaev,1960 Original Reference: Niditinea Petersen,1957, Beitr. Ent. 7: 134. Type-species: Tinea fuscipunctella Haworth,1828, Lepid. Br.: 562, by original designation.
- 1350. Opogona Zeller,1853 (Tineidae) Synonym(s): Opogona Zeller,1853; Lozostoma Stainton,1859; Conchyliospila Wallengren,1861; Cachura Walker,1864; Dendroneura Walsingham,1892; Hieroxestis Meyrick,1893; Exala Meyrick,1912; Lissocarena Turner,1923 Original Reference: Opogona Zeller,1853, Bull. Soc. imp. Nat. Moscou 26(2): 504. Type-species: Opogona dimidiatella Zeller,1853, ibidem 26(2): 507, pl.4 figs 13-16, by monotypy.
- 1351. Pachyarthra Amsel,1940 (Tineidae) Synonym(s): Pachyarthra Amsel,1940; #Pacharthra Gaedike & Alipanah,2011 Original Reference: Pachyarthra Amsel,1940, Veröff. dt. Kolon. u. Übersee-Mus. Bremen 3: 55. Type-species: Amydria ochroplicella Chrétien,1915, by monotypy.
- **1352. Perissomastix (Aphrodoxa) Gozmany,1959** (Tineidae) Synonym(s): *Aphrodoxa Gozmany,1959* Original Reference: Aphrodoxa Gozmany,1959, Acta zool. hung. 5: 345. Typespecies: Aphrodoxa astarte Gozmany,1959, by original designation.
- 1353. Perissomastix W.Warren & Rothshild,1905 (Tineidae) Synonym(s): Perissomastix W.Warren & Rothshild,1905; Malacyntis Meyrick,1908; Catabola Durrant,1913; Boviceras Turati,1919; Crassicornella Agenjo,1952; Praelongicera Amsel,1956; Tineomorpha Amsel,1956; Lazocatena Gozmany,1959; Petersenia Gozmany,1960 (praeocc.); Denticlunicula G.Petersen,1988; Betroka G.Petersen,1988 (praeocc.); G.Neopsolarcha Petersen,1988; Trokabe Viette,1993 Original Reference: Perissomastix W.Warren & Rothshild,1905, Novit. zool. 12: 33. Type-species: Perissomastix nigriceps W.Warren & Rothshild,1905, by original designation.

- 1354. Praelongicera Amsel,1956 (Tineidae) Synonym(s): Praelongicera Amsel,1956 Original Reference: Praelongicera Amsel,1956, Z. wien. ent. Ges. 41: 29. Type-species: Praelongicera palaestinella Amsel,1956, by original designation.
- Rhodobates Ragonot, 1895 (Tineidae) Synonym(s): Rhodobates Ragonot, 1895; Paraplutella Rebel, 1900; Tineodoxa Amsel, 1955. Original Reference: Rhodobates Ragonot, 1895, Bull. Soc. ent. Fr. 1895: civ. Type-species: Euplocamus laevigatellus Herrich-Schäffer, [1854], Syst. Bearbeitung Schmett. Eur. 5: 82; 1851, ibidem 5: pl.39 fig. 270 (non-binominal), by monotypy.
- 1356. Stenoptinea Dietz,1905 (Tineidae) Synonym(s): Stenoptinea Dietz,1905; Celestica Meyrick,1917 Original Reference: Stenoptinea Dietz,1905, Trans. amer. ent. Soc. 31: 86. Type-species: Homosetia ornatella Dietz,1905, by subsequent designation by Fletcher,1929.
- 1357. Tinea Linnaeus,1758 (Tineidae) Synonym(s): Tinea Linnaeus,1758; Tinaea Geoffroy,1762; Tinearia Rafinesque,1815; Ses Hübner,1822; Acedes Hübner,[1825]; Autoses Hübner,[1825]; Scleroplasta Meyrick,1919; Dystinea Börner,1925; #Monopina Zagulyaev,1955; Tineopis Zagulyaev,1960; Tineopsis Bradley,1972 Original Reference: Tinea Linnaeus,1758, Syst. Nat. (Edn 10) 1: 534. Type-species: Phalaena pellionella Linnaeus, 1758, ibidem: 536. by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn zool. Nom. 15 (Opinion 450):254.
- **1358. Trichophaga Ragonot,1894** (Tineidae) Synonym(s): *Trichophaga Ragonot,1894* Original Reference: Trichophaga Ragonot,1894, Annls Soc. ent. Fr. 63: 120-123. Type-species: Trichophaga coprobiella Ragonot, 1894, ibidem 63: 120-121, text, figs, by original designation.

### **Tortricidae**

- 1359. Acleris Hübner,[1825] (Tortricidae) Synonym(s): Peronea Curtis,1824 nec Raf.,1815; Acleris Hübner,[1825]; Lopas Hübner,[1825]; Rhacodia Hübner,[1825]; Eclectis Hübner,[1825]; Teleia Hübner,[1825]; Oxigrapha Hübner,[1825]; Leptogramma Stephens,1829; Glyphisia Stephens,1829; Cheimatophila Stephens,1829; Teras Treitschke,1829; Phloiophila Duponchel,1834; Phloeophila Duponchel,1835; Glyphiptera Duponchel,1835; Chimatophila Agassiz,1847; Glyphidia Agassiz,1847; Oxygrapha Agassiz,1847; Telia Agassiz,1847; Phylacophora Filipjev,1931; Original Reference: Acleris Hübner,[1825], Verz. bekannt. Schmett.: 384. Typespecies: Tortrix aspersana Hübner,[1817], by subsequent designation by Fernald,1908.
- 1360. Aethes Billberg, 1820 (Tortricidae) Synonym(s): Aethes Billberg, 1820; Chlidonia Hübner, [1825]; Phalonia Hübner, [1825]; Lozopera Stephens, 1834; Argyridia Stephens, 1852; Coecaethes Obraztsov, 1943; Cirriaethes Obraztsov, 1943. Original Reference: Aethes Billberg, 1820, Enumeratio Insect. Mus. G.J. Billberg: 90. Pyralis smeathmanniana Fabricius, 1781, Species Insect 2: 278, by subsequent designation by Fernald, 1908, Genera Tortricidae Types: 51,54.
- 1361. Agapeta Hübner,1822 (Tortricidae) Synonym(s): Agapeta Hübner,1822; Agapete Hübner,[1825]; Euxanthis Hübner,[1825]; Xanthosetia Stephens,1829. Original Reference: Agapeta Hübner,1822, Syst.-alphab. Verz.: 58-66. Type-species: Phalaena zoegana Linnaeus,1767, Syst. nat. (Edn 12) 1: 876, by subsequent designation by Walsingham,1915, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 458.
- **1362. Aleimma Hübner,[1825]** (Tortricidae) Synonym(s): *Aleimma Hübner,[1825]; Dictyopteryx Stephens,1829; Alimma Agasiz,1847; Gastrolatrix Gistl,1848* <u>Original Reference:</u> Aleimma Hübner,[1825], Verz. bekannt. Schmett.: 391. Type-species: Tortrix plumbana Hübner,1799, by subsequent designation by Fernald,1908.
- 1363. Ancylis Hübner,[1825] (Tortricidae) Synonym(s): Ancylis Hübner,[1825]; Epicharis Hübner,[1825] nec Klg.,1907; Anchylopera Stephens,1829; Phoxopteris Treitschke,1830; Anticlea Stephens,1834 nec Stph.,1831; Philaclea Stephens,1835; Phoxopteryx Sodoffsky,1837; Sideria Guenée,1845; #Siderea Stainton,1859; Palaeobia Meyrick,1881; Lamyrodes Meyrick,1910; Ancyloides Diakonoff,1982 nec Kuzn.,1964; Ancylophyes Diakonoff,1988; Diakonoffiella Kuznetsov,1997 Original Reference: Ancylis Hübner,[1825], Verz. bekannt. Schmett.: 376. Type-species: Tortrix harpana Hübner,1799, by subsequent designation by Fletcher,1929.
- 1364. Aphelia (Zelotherses) Lederer,1859 (Tortricidae) Synonym(s): Zelotherses Lederer,1859 Original Reference: Zelotherses Lederer,1859, Wien. ent. Monatschr. 3: 123. Type-species: Cochylis albociliana Herrich-Schäffer,1851, by subsequent monotypy [No species included until Lederer (1859)].
- 1365. Aphelia (s.str.) Hübner,[1825] (Tortricidae) Synonym(s): *Aphelia Hübner,[1825]* Original Reference: Aphelia Hübner,[1825], Verz. bekannt. Schmett.: 390. Type-species: Tortrix viburnana [Denis & Schiffermüller],1775, by subsequent designation by Fernald,1908.

- **1366. Aphelia Hübner,[1825]** (Tortricidae) Synonym(s): *Aphelia Hübner,[1825]* Original Reference: Aphelia Hübner,[1825], Verz. bekannt. Schmett.: 390. Type-species: Tortrix viburnana [Denis & Schiffermüller],1775, by subsequent designation by Fernald,1908.
- 1367. Archips Hübner,1822 (Tortricidae) Synonym(s): Archips Hübner,1822; Cacoecia Hübner,[1825]; Archippus Freeman,1958; Pararchips Kuznetsov,1970 Original Reference: Archips Hübner,1822, Syst.- alphab. verz. eur. Schmett.: 58-66. Type-species: Phalaena oporana Linnaeus,1758, by subsequent designation by Meyrick,1913.
- **1368. Argyrotaenia Stephens,1852** (Tortricidae) Synonym(s): *Argyrotaenia Stephens,1852; Subargyrotaenia Obraztsov,1961.* Original Reference: Argyrotaenia Stephens,1852, List Specimens Br. Anim. Colln Br. Mus. 10: 67. Type-species: Tortrix politana Haworth,1811, by subsequent designation by Fernald,1908.
- 1369. Bactra (s.str.) Stephens,1834 (Tortricidae) Synonym(s): Bactra Stephens,1834 Original Reference: Bactra Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 124. Type-species: Tortrix plagana Haworth,1811, by subsequent designation by Curtis,1836.
- 1370. Bactra Stephens,1834 (Tortricidae) Synonym(s): *Bactra Stephens,1834* Original Reference: Bactra Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 124. Type-species: Tortrix plagana Haworth,1811, by subsequent designation by Curtis,1836.
- 1371. Celypha Hübner,[1825] (Tortricidae) Synonym(s): Euchromia Stephens,1829 nec Hübn,[1819]; Celypha Hübner,[1825]; Syricoris Treitschke,1829; Sericoris Treitschke,1830; Loxoterma Busck,1906; Paracelypha Obraztsov,1960; Celyphoides Obraztsov,1960 Original Reference: Celypha Hübner,[1825], Verz. bekannt. Schmett.: 382. Type-species: Tortrix striana [Denis & Schiffermüller],1775, by subsequent designation by Fernald,1908
- 1372. Ceratoxanthis Razowski,1960 (Tortricidae) Synonym(s): *Ceratoxanthis Razowski,1960*Original Reference: Ceratoxanthis Razowski,1960, Polskie Pismo ent. 30: 286, 301. Typespecies: Conchylis argentomixtana Staudinger,1870, Berl ent. Z. 14: 277, by original designation.
- 1373. Choristoneura Lederer,1859 (Tortricidae) Synonym(s): *Choristoneura Lederer*,1859; *Cornicacoecia Obraztsov*,1954; *Hoshinoa Kawabe*,1965 <u>Original Reference</u>: Choristoneura Lederer,1859, Wien. ent. Monatschr. 3: 242, 246. Type-species: Tortrix diversana Hübner,[1817], by monotypy.
- 1374. Clepsis Guenée, 1845 (Tortricidae) Synonym(s): Clepsis Guenée, 1845; Smicrotes Clemens, 1860; Siclobola Diakonoff, 1948; Pseudamelia Obratzsov, 1954; Clepsodes Diakonoff, 1957; Mochlopyga Diakonoff, 1964 Original Reference: Clepsis Guenée, 1845, Annls Soc. ent. Fr. (2) 3: 168. Type-species: Tortrix rusticana Hübner sensu Treitschke, 1830 (=senecionana Hübner, [1819]), by monotypy.
- 1375. Cnephasia (Cnephasiella) Adamczewski,1936 (Tortricidae) Synonym(s): Cnephasiella Adamczewski,1936; #Cnephasianella Benander,1950 Original Reference: Cnephasiella Adamczewski,1936, Annls Mus. zool. pol. 11: 268. Type-species: Sciaphila incertana Treitschke,1835, by original designation.
- 1376. Cnephasia (s.str.) Curtis,1826 (Tortricidae) Synonym(s): *Cnephasia Curtis,1826; Sciaphila Treitschke,1829; Hypostephanuntia Réal,1951; Anoplocnephasia Réal,1953; Brachycnephasia Réal,1953* Original Reference: Cnephasia Curtis,1826, Br. Ent. 6: 100. Type-species: [Phalaena] logiana Clerck sensu Curtis,1826 (=Tortrix pasluana Hübner,[1799]), by original designation.
- 1377. Cnephasia Curtis,1826 (Tortricidae) Synonym(s): Cnephasia Curtis,1826 Original Reference: Cnephasia Curtis,1826, Br. Ent. 6: 100. Type-species: [Phalaena] logiana Clerck sensu Curtis,1826 (=Tortrix pasluana Hübner,[1799]), by original designation.
- 1378. Cochylidia Obraztsov,1956 (Tortricidae) Synonym(s): *Cochylidia Obraztsov,1956* Original Reference: Cochylidia Obraztsov,1956, Mitt. münch. ent. Ges. 46: 14. Type-species: Tortrix moguntiana Rössler,1864, Wien. ent. Monatschr. 8: 131, by original designation.
- 1379. Cochylimorpha Razowski,1959 (Tortricidae) Synonym(s): Stenodes Guenée,1845 nec Dujard.,[1844]; Cochylimorpha Razowski,1959; Euxanthoides Razowski,1960; Substenodes Razowski,1960; Eustenodes Razowski,1960; Bipenisia Razowski,1960; Bleszynskiella Razowski,1960;Paraxanthoides Raz.,1960;Parastenodes Raz.,1960 Original Reference: Cochylimorpha Razowski,1959, Polskie Pismo ent.29: 440. Type-species: Cochylis favillana Staudinger,1859, Ent. Ztg. Stettin 20: 230, by original designation.
- 1380. Cochylis Treitschke,1929 (Tortricidae) Synonym(s): Cochylis Treitschke,1829; Conchylis Sodoffsky,1837; Ponturania Obraztsov,1943; Acornutia Obraztsov,1944; Cochylichroa Obraztsov & Swatschek,1958; Longicornutia, Neocochylis, Paracochylis, Brevicornutia Razowski,1960. Original Reference: Cochylis Treitschke,1829, Schmett. Eur. 7: 233. Type-species: Tortrix rubellana Hübner,[1823], Samml. eur. Schmett.7: pl.46 figs 285-287, by subsequent designation by Curtis,1834, Br. Ent. 11: 491.

- **1381. Crocidosema Zeller,1847** (Tortricidae) Synonym(s): *Crocidosema Zeller,1847*; #*Crocidosoma Walker,1863*; *Heligmocera Walsingham,1892*; *Parasuleima Clarke,1965* Original Reference: Crocidosema Zeller,1847, Isis, Leipzig 1847: 721. Type-species: Crocidosema plebejana Zeller,1847, by monotypy.
- 1382. Croesia Hübner,[1825] (Tortricidae) Synonym(s): *Croesia Hübner,[1825]; Argyrotoza Stephens,1829; Argyrotoxa Agassiz,1847; Ergasia Issiki & Stringer,1932* Original Reference: Croesia Hübner,[1825], Verz. bekannt. Schmett.: 392. Type-species: Phalaena holmiana Linnaeus,1758, by subsequent designation by Fernald,1908.
- 1383. Cydia Hübner,[1825] (Tortricidae) Synonym(s): Cydia Hübner,[1825]; Laspeyresia Hübner,[1825] nec R.L.,1817; Eucelis Hübner,[1825]; Erminea Kirby & Spence,1826 nec Hw.,1811; Semasia Stephens,1829; Carpocapsa Treitschke,1829; Coccyx Treitschke,1829; Grapholita Treitschke,1829; Aspila Stephens,1834; Euspila Stephens,1834; Ephippiphora Duponchel,1834; Strobila Sodoffsky,1837 nec Sars,1829; Carpocampa Harris,1841; Trycheris Guenée,1845; Orchemia Guenée,1845; Opadia Guenée,1845; Endopisa Guenée,1845; Stigmonota Guenée,1845; Cerata Stephens,1852; Coptoloma Lederer,1859; Melissopus Riley,1882; Adenoneura Walsingham,1907; Crobylophora Kennel,1908 nec Meyr.,1880; Kenneliola Paclt,1951; Pseudotomoides Obraztsov,1968; Danilevskia Kuznetsov,1970; Dicraniana Diakonoff,1984. Original Reference: Cydia Hübner,[1825], Verz. bekannt. Schmett.: 375. Type-species: Phalaena pomonella Linnaeus,1758, by subsequent designation by Walsingham,1897.
- 1384. Diceratura Djakonov,1929 (Tortricidae) Synonym(s): Diceratura Djakonov,1929 Original Reference: Diceratura Djakonov,1929, Revue russk. Ent. 23: 155. Type-species: Cochylis purpuratana Herrich-Schäffer,1851, Syst. Bearbeitung Schmett. Eur. 4: 186; 1847, ibidem 4: pl.Tortricides 12 fig.81, by original designation.
- 1385. Dichrorampha Guenée,1845 (Tortricidae) Synonym(s): Amaurosetia Stephens,1835 (suppressed, ICZN,1999); Dichrorampha Guenée,1845; Lipoptycha Lederer,1859; Balbis Walsingham,1897; Dichroramphoides Obraztsov,1953; Lipoptychodes Obraztsov,1953; Paralipoptycha Obraztsov,1958 Original Reference: Dichrorampha Guenée,1845, Annls Soc. ent. Fr. (2) 3: 185. Type-species: Grapholitha plumbagana Treitschke,1830, by subsequent designation by Fernald,1908.
- **1386. Eana (Eutrachia) Hübner,1822** (Tortricidae) Synonym(s): *Eutrachia Hübner,1822; Ablabia Hübner,[1825]; Argyroptera Duponchel,1834* Original Reference: Eutrachia Hübner,1822, Syst.-alphab. Verz. eur. Schmett.: 58-65, 77. Type-species: [Phalaena] argentana Clerk,1759, by subsequent designation by Bradley,1966 ([Phalaena] argentana Clerk,1759 was uninominal. The valid name is goiiana Linnaeus,1761).
- 1387. Eana Billberg, 1820 (Tortricidae) Synonym(s): Eana Billberg, 1820; Nephodesme Hübner, [1825] Original Reference: Eana Billberg, 1820, Enum. Ins. Mus. Billberg: 90. Type-species: Tortrix penziana Thunberg & Becklin, 1791, by subsequent designation by Fernald, 1908.
- 1388. Endothenia Stephens,1852 (Tortricidae) Synonym(s): Orthotaenia Stainton,1859 nec Stt.,1829; Endothenia Stephens,1852; Taniva Heinrich,1926; Tia Heinrich,1926; Hulda Heinrich,1926; Alloendothenia Oku,1963; Neothenia Diakonoff,1973 Original Reference: Endothenia Stephens,1852, List Specimens Br. Anim. Colln Br. Mus. 10: 28. Type-species: Tortrix gentianaeana Hübner,1799, by subsequent designation by Fernald,1908.
- **1389. Epiblema Hübner,[1825]** (Tortricidae) Synonym(s): *Epiblema Hübner,[1825]*; #Epiblemma Hübner,[1825]; Cacochroea Lederer,1859; Monosphragis Clemens,1860; Euryptychia Clemens,1865; #Eurytychia Heinrich,1923 Original Reference: Epiblema Hübner,[1825], Verz. bekannt. Schmett.: 375. Typespecies: Phalaena foenella Linnaeus,1758, by subsequent designation by Fernald,1908.
- 1390. Epinotia Hübner,[1825] (Tortricidae) Synonym(s): Epinotia Hübner,[1825]; Astatia Hübner,[1825]; Asthenia Hübner,[1825]; Evetria Hübner,[1825]; Panoplia Hübner,[1825]; Acalla Hübner,[1825]; Poecilochroma Stephens,1829; Paedisca Treitschke,1830; Steganoptycha Stephens,1834; Paragrapha Sodoffsky,1837; Hypermecia Guenée,1845; Phlaeodes Guenée,1845; Pamplusia Guenée,1845; Cartella Stephens,1852; Halonota Stephens,1852; Lithographia Stephens,1852; #Curtella Stainton,1859; Proteopteryx Walsingham,1879; #Epinotis Kearfott,1907; Neurasthenia Pierce & Metcalfe,1922; Griselda Heinrich,1923; Hamuligera Obraztsov,1946 Original Reference: Epinotia Hübner,[1825], Verz. bekannt. Schmett.: 377. Type-species: Phalaena similana Hübner,1793, by subsequent designation by Fernald,1908.
- 1391. Eucosma Hübner,1823 (Tortricidae) Synonym(s): Eucosma Hübner,1823; Catoptria Guenée,1845 nec Hübner,[1825]; Phaneta Stephens,1852; Calosetia Stainton,1859; Pygolopha Lederer,1859; Ioplocama Clemens,1860; Affa Walker,1863; Exentera Grote,1877; Exenterella Grote,1883; Palpocrinia Kennel,1919; Astenodes Kuznetsov,1966. Original Reference: Eucosma Hübner,1823, Zutr. Samml. exot. Schmett. 2: 28. Type-species: Eucosma circulana Hübner,1823, by subsequent designation by Fernald,1908.
- 1392. Eugnosta Hübner,[1825] (Tortricidae) Synonym(s): Eugnosta Hübner,[1825]; Argyrolepia Stephens,1829; Safra Walker,1863. Original Reference: Eugnosta Hübner,[1825], Verz. bakennter

- Schmett.: 394. Type-species: Tortrix lathoniana Hübner,[1800], Samml. eur. Schmett. 7: pl.30 fig.189, by subsequent designation by Fernald,1908, Genera Tortricidae Types: 17,54.
- 1393. Fulvoclysia Obraztsov,1943 (Tortricidae) Synonym(s): Fulvoclysia Obraztsov,1943 Original Reference: Fulvoclysia Obraztsov,1943, Z. wien. ent. Ges. 28: 43. Type-species: Fulvoclysia armeniaca Obraztsov,1943, ibidem 28: 44, figs 1,2, by original designation.
- **1394. Gynnidomorpha Turner,1916** (Tortricidae) Synonym(s): *Gynnidomorpha Turner,1916; Piercea Filipjev,1940*. <u>Original Reference:</u> Gynnidomorpha Turner,1916, Trans. R. Soc. S. Aust. 40: 518. Type-species: Gynnidomorpha mesoxutha Turner,1916, by monotypy.
- 1395. Gypsonoma Meyrick,1895 (Tortricidae) Synonym(s): *Gypsonoma Meyrick,1895* Original Reference: Gypsonoma Meyrick,1895, Handbk. Br. Lepid.: 481. Type-species: Tortrix dealbana Frölich,1828, by subsequent designation by Fernald,1908.
- 1396. Hedya Hübner,[1825] (Tortricidae) Synonym(s): Hedya Hübner,[1825]; Episagma Hübner,[1825]; Pendina Treitschke,1829; Penthina Treitschke,1830. Original Reference: Hedya Hübner,[1825], Verz. bekannt. Schmett.: 380. Type-species: Phalaena salicella Linnaeus,1758, by subsequent designation by Fermald,1908.
- 1397. Lobesia (s.str.) Guenée,1845 (Tortricidae) Synonym(s): Lobesia Guenée,1845; Lomaschizodes Diakonoff,1954 Original Reference: Lobesia Guenée,1845, Annls Soc. ent. Fr. (2) 3: 297. Type-species: Asthenia reliquana Hübner,[1825], by subsequent designation by Fernald,1908.
- 1398. Lobesia Guenée,1845 (Tortricidae) Synonym(s): Lobesia Guenée,1845; Lomaschizodes Diakonoff,1954 Original Reference: Lobesia Guenée,1845, Annls Soc. ent. Fr. (2) 3: 297. Typespecies: Asthenia reliquana Hübner,[1825], by subsequent designation by Fernald,1908.
- 1399. Notocelia Hübner,[1825] (Tortricidae) Synonym(s): *Notocelia Hübner,[1825]; Aspis Treitschke,1829; Aspidia Duponchel,1835; Pardia Guenée,1845* Original Reference: Notocelia Hübner,[1825], Verz. bekannt. Schmett.: 380. Type-species: Phalaena uddmanniana Linnaeus,1758, by subsequent designation by Westwood,1840.
- 1400. Olethreutes (Argyroploce) Hübner,[1825] (Tortricidae) Synonym(s): Argyroploce Hübner,[1825]; Phiaris Hübner,[1825]; Mixodia Guenée,1845; Stictea Guenée,1845; Biscopa Diakonoff,1973 Original Reference: Argyroploce Hübner,[1825], Verz. bekannt. Schmett.: 379. Type-species: Phlaaena arbutella Linnaeus,1758, by subsequent designation by Fernald,1908.
- 1401. Olethreutes Hübner,1822 (Tortricidae) Synonym(s): Olethreutes Hübner,1822; Phiaris Hübner,[1825]; Roxana Stephens,1834; Mixodia Guenée,1845; Exartema Clemens,1860; Biscopa Diakonoff,1973 Original Reference: Olethreutes Hübner,1822, Syst.- alphab. Verz. eur. Schmett.: 58-67, 69, 72. Type-species: [Phalaena] arcuella Clerck,1759, by subsequent designation by Walsingham,1895 ([Phalaena] arcuella Clerck,1759 is uninominal. Valid name is P. arcuana Linn.,1761).
- 1402. Osthelderiella Obraztsov,1961 (Tortricidae) Synonym(s): Osthelderiella Obraztsov,1961 Original Reference: Osthelderiella Obratzsov,1961, Mitt. münch. ent. Ges. 51: 150. Type-species: Osthelderiella amardiana Obratzsov,1961, by original designation.
- **1403. Oxypteron Staudinger,1871** (Tortricidae) Synonym(s): *Oxypteron Staudinger,1871; Gynoxypteron Speiser,1902; Mauginia Turati,1924; Oporopsamma Gozmany,1954; Psammozesta Gozmany,1954* <u>Original Reference:</u> Oxypteron Staudinger,1871, Berl. ent. Z. 14: 276. Type-species: Oxypteron impar Staudinger,1871, by monotypy.
- 1404. Pammene Hübner,[1825] (Tortricidae) Synonym(s): Palla Billberg,1820 nec Hbn.,[1819]; Pammene Hübner,[1825]; Eucelis Hübner,[1825]; Hemimene Hübner,[1825]; Pseudotomia Stephens,1829; Heusimene Stephens,1834; Orchemia Guenée,1845; Pyrodes Guenée,1845; Trycheris Guenée,1845; Halonota Stephens,1852; Hemerosia Stephens,1852; Phthoroblastis Lederer,1859; Sphaeroeca Meyrick,1895; Metasphaeroeca Fernald,1908 Original Reference: Pammene Hübner,[1825], Verz. bekannt. Schmett.: 378. Typespecies: Tortrix trauniana [Denis & Schiffermüller],1775, by subsequent designation by Ragonot,1894.
- 1405. Pandemis Hübner,[1825] (Tortricidae) Synonym(s): Pandemis Hübner,[1825]; #Pandemia Stephens,1834; Selenodes Guenée,1845; #Pandennis Moffat,1886 Original Reference: Pandemis Hübner,[1825], Verz. bekannt. Schmett.: 388. Type-species: Tortrix textana Hübner,[1799], by subsequent designation by Fernald,1908.
- 1406. Paramesia Stephens,1829 (Tortricidae) Synonym(s): *Paramesia Stephens,1829; Ramapesia Razowski,1981; #Ramapezia Chambon & Khous,1993* Original Reference: Paramesia Stephens,1829, Nom. Br. Insects: 48. Type-species: [Phalaena] gnomana Clerck,1759, by subsequent designation by Fernald,1908 ([Phalaena] gnomana Clerck,1759 has been proposed uninominally).

- 1407. **Pelochrista Lederer,1859** (Tortricidae) Synonym(s): *Pelochrista Lederer,1859; Callimosema Clemens,1865; Pseudeucosma Obraztsov,1946; Eucosmoides Obraztsov,1946*. <u>Original Reference:</u> Pelochrista Lederer,1859, Wien. ent. Monatschr. 3: 331, 337. Type-species: Paedisca mancipiana Mann,1855, by subsequent designation by Fernald,1908.
- 1408. Phalonidia Le Marchand,1933 (Tortricidae) Synonym(s): *Phalonidia Le Marchand,1933; Brevisociaria Obraztsov,1943*. Original Reference: Phalonidia Le Marchand,1933, Amat. Papillons 6: 242. Type-species: Cochylis affinitana Douglas,1846, Zoologist 4 (39): 1269, fig.7, by original designation.
- 1409. Phtheochroa Stephens,1829 (Tortricidae) Synonym(s): Phtheochroa Stephens,1829; Trachysmia Guenée,1845; Hysterosia Stephens,1852; Idiographis Lederer,1859; Propira Durrant,94; Arce Joannis,1919; Parahysterosia Razowski,1960; Durrantia Razowski,1960 nec Busck,1908. Original Reference: Phtheochroa Stephens,1829 [June], Nom. Br. Insects: 48. Type-species: Tortrix rugosana Hübner,[1799], Samml. eur. Schmett. 7: pl.14 fig.82, by monotypy.
- 1410. Ptycholoma Stephens,1929 (Tortricidae) Synonym(s): *Ptycholoma Stephens*,1929 <u>Original Reference</u>: Ptycholoma Stephens,1929, Nom. Br. Insects: 47. Type-species: Phalaena lecheana Linnaeus,1758, by monotypy.
- 1411. Rhopobota Lederer,1859 (Tortricidae) Synonym(s): Rhopobota Lederer,1859; Erinaea Meyrick,1907; Norma Heinrich,1923; Kundrya Heinrich,1923; Eumarissa Clarke,1976. Original Reference: Rhopobota Lederer,1859, Wien. ent. Monatschr. 3: 124. Type-species: Tortrix naevana Hübner,[1817], by subsequent monotypy.
- **1412. Selania Stephens,1834** (Tortricidae) Synonym(s): *Selania Stephens,1834; Chretienia Obraztsov,1968 nec Splr.,1910; Mevlanaia Koçak,1981* Original Reference: Selania Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 121. Type-species: Carpocapsa leplastriana Curtis,1831, by subsequent designation by Fernald,1908.
- **1413. Sparganothis Hübner,[1825]** (Tortricidae) Synonym(s): Sparganothis Hübner,[1825]; #Sparganothris Stephens,1834; Oenectra Guenée,1845; Oenophthira Duponchel,1845; #Aenectra Doubleday,1849; #Onectra Wocke,1871; #Sparganythis Matsumura,1931; #Sparganotis Kodama,1956 Original Reference: Sparganothis Hübner,[1825], Verz. bekannt. Schmett.: 386. Type-species: Tortrix pilleriana [Denis & Schiffermüller],1775, by subsequent designation by Fernald,1908.
- 1414. Spilonota Stephens,1829 (Tortricidae) Synonym(s): Spilonota Stephens,1829; Tmetocera Lederer,1859. Original Reference: Spilonota Stephens,1829, Nom. Br. Insects: 46. Type-species: Tortrix comitana [Denis & Schiffermüller],1775 sensu Hübner,1799 (=Tortrix ocellana [Denis & Schiffermüller],1775), by subsequent designation by Curtis,1835.
- **1415. Thiodia Hübner,[1825]** (Tortricidae) Synonym(s): *Thiodia Hübner,[1825]; Botropteryx Caradja,1916; Gypsonomoides Obraztsov,1946; Foveifera Obraztsov,1946.* Original Reference: Thiodia Hübner,[1825], Verz. bekannt. Schmett.: 391. Type-species: Tortrix citrana Hübner,1799, by subsequent designation by Fernald,1908.
- **1416. Tortrix Linnaeus,1758** (Tortricidae) Synonym(s): *Tortrix Linnaeus,1758*; *Heterognomon Lederer,1859* Original Reference: Tortrix Linnaeus,1758, Systema Naturae (Edn.10) 1: 530. Typespecies: Phalaena viridana L,innaeus,1758, by subsequent designation by Int. Commn. zool. Nom. 1957 (Opinion 450).
- **Treitschke,1829** (Tortricidae) Synonym(s): Zeiraphera Treitschke,1829; Charlotta Forbes,1923; Sinusia Caradja,1916 Original Reference: Zeiraphera Treitschke,1829, [in] Ochsenheimer, Schmett. Eur. 7: 231. Type-species: Tortrix corticana [Denis & Schiffermüller],1775 sensu Hübner,[1813] (= Epinotia kuhlweiniana Hübner,[18125]), by subsequent designation by Curtis,1838.

# **Yponomeutidae**

- 1418. Argyresthia (s.str.) Hübner,[1825] (Yponomeutidae) Synonym(s): Argyresthia Hübner,[1825]; Argyrosetia Stephens,1829; Oligos Treitschke,1830; Ederesa Curtis,1833; Ismene Stephens,1834 nec Savigny,1816; Paraargyresthia Moriuti,1969; #Parargyresthia Kyrki,1984 Original Reference: Argyresthia Hübner,[1825], Verz. bekannt. Schmett.: 422. Type-species: Phalaena goedartella Linnaeus,1758, by subsequent designation by Busck,1907.
- 1419. **Argyresthia Hübner,[1825]** (Yponomeutidae) Synonym(s): *Argyresthia Hübner,[1825]; Argyrosetia Stephens,1829; Oligos Treitschke,1830; Ederesa Curtis,1833; Ismene Stephens,1834 nec Savigny,1816;*

- Paraargyresthia Moriuti,1969; #Parargyresthia Kyrki,1984 <u>Original Reference:</u> Argyresthia Hübner,[1825], Verz. bekannt. Schmett.: 422. Type-species: Phalaena goedartella Linnaeus,1758, by subsequent designation by Busck,1907.
- 1420. **Digitivalva Gaedike,1970** (Yponomeutidae) Synonym(s): *Digitivalva Gaedike,1970* Original Reference: Digitivalva Gaedike,1970, Ent. Abh. Mus. Tierk. Dresden 38: 3,4. Type-species: Acrolepia valeriella Snellen,1878, Tijdschr. Ent. 21: 44, pl.2 fig.a, by original designation.
- 1421. Ochsenheimeria Hübner,[1825] (Yponomeutidae) Synonym(s): Ochsenheimeria Hübner,[1825]; Lepidocera Stephens,1829; Phygas Treitschke,1833; Aeria Gistl,1848 nec Hübn.,1816 Original Reference: Ochsenheimeria Hübner,[1825], Verz. bekannter Schmett.: 416. Type-species: Tinea bubalella Hübner,[1813], Samml. eur. Schmett. 8: pl.55, fig.376, by subsequent designation by Hampson,1918, Novit. zool. 25: 387.
- **1422. Paraswammerdamia Friese,1960** (Yponomeutidae) Synonym(s): *Paraswammerdamia Friese,1960* Original Reference: Paraswammerdamia Friese,1960, Beitr. Ent. 10: 35, 101. Typespecies: Swammerdamia lapponica Petersen,1932, Arch. Naturgesch. (N.F.) 1: 210, fig. 18, by original designation.
- **Plutella (s.str.) Schrank,1802** (Yponomeutidae) Synonym(s): *Plutella Schrank,1802; Euota Hübner,[1825]; Creagria Sodoffsky,1837; Evota Agassiz,1847.* Original Reference: Plutella Schrank,1802, Fauna Boica 2 (2): 169. Type-species: Phalaena xylostella Linnaeus,1758, Syst. Nat. (Edn 10): 1: 538, by monotypy.
- 1424. Plutella Schrank,1802 (Yponomeutidae) Synonym(s): Plutella Schrank,1802; Euota Hübner,[1825]; Creagria Sodoffsky,1837; Evota Agassiz,1847. Original Reference: Plutella Schrank,1802, Fauna Boica 2 (2): 169. Type-species: Phalaena xylostella Linnaeus,1758, Syst. Nat. (Edn 10): 1: 538, by monotypy.
- 1425. Rhigognostis Staudinger,1857 (Yponomeutidae) Synonym(s): Rhigognostis Staudinger,1857; Caunaca Wallengren,1880; Eumachaeristis Meyrick,1938; #Subeidophasia Weber,1938; Subeidophasia Moriuti,1977 Original Reference: Rhigognostis Staudinger,1857, Stettin ent. Ztg. 18 (7/9): 273. Type-species: Plutella dalella Stainton,1849.
- 1426. Swammerdamia Hübner,[1825] (Yponomeutidae) Synonym(s): Swammerdamia Hübner,[1825]; #Swammerdammia Dugdale, Kristensen, Robinson & Scoble,1999 Original Reference: Swammerdamia Hübner,[1825], Verz. bekannt. Schmett.: 425. Type-species: Swammerdamia heroldella Hübner,[1825], by subsequent designation by Walsingham & Durrant,1909.
- 1427. Yponomeuta Latreille,1796 (Yponomeutidae) Synonym(s): *Yponomeuta Latreille,1796*Original Reference: Yponomeuta Latreille,1796, Précis Caractres génériques Insectes: 146. Typespecies: Phlaena evonymella, Linnaeus,1758, Syst. Nat. (Edn 10) 1: 534, by subsequent monotypy.
- 1428. Ypsolopha Latreille,[1796] (Yponomeutidae) Synonym(s): Ypsolopha Latreille,1796; Ypsolophus Fabricius,1798; Cerostoma Latreille,1802; Hypsolopha Billberg,1820; Theristis Hübner,[1825]; Harpipterix Hübner,[1825]; Abebaea Hübner,[1825]; Harpipteryx Stephens,1834; Chaetochilus Stephens,1834; Pteroxia Guenée,1845; Hypolepia Guenée,1845; Credemnon Wallengren,1880; Periclymenobius Wallengren,1880; Trachoma Wallengren,1880; Pycnopogon Chrétien,1922 nec Loew,1847 Original Reference: Ypsolopha Latreille,[1796], Précis Caracteres génériques Insectes: 145. Type-species: Phalaena sylvella Linnaeus,1767, Syst. Nat. (Edn 12) 1(2): 893, by subsequent designation by Desmarest,1857, in Chenu, Encycl. Hist. nat. (Papillons nocturnes): 255.

# Zygaenidae

- 1429. Adscita (s.str.) Retzius,1783 (Zygaenidae) Synonym(s): Adscita Retzius,1783; Procris Fabricius,1807; Atychia Ochsenheimer,1808; Ino Leach,[1815]; Bradyptesis Sodoffsky,1837 Original Reference: Adscita Retzius,1783, [in] Degeer, Genera et Species Insect.: 8, 35. Type-species: Adscita turcosa Retzius,1783, by subsequent designation by Kirby,1892.
- 1430. Adscita Retzius,1783 (Zygaenidae) Synonym(s): Adscita Retzius,1783; Procris Fabricius,1807; Atychia Ochsenheimer,1808; Ino Leach,[1815]; Bradyptesis Sodoffsky,1837 Original Reference: Adscita Retzius,1783, [in] Degeer, Genera et Species Insect.: 8, 35. Type-species: Adscita turcosa Retzius,1783, by subsequent designation by Kirby,1892.
- 1431. Jordanita (Praviela) Alberti,1954 (Zygaenidae) Synonym(s): Praviela Alberti,1954 Original Reference: Procris (Praviela) Alberti,1954, Mitt. zool. Mus. Berl. 30: 329. Type-species: Procris anatolica Naufock,1929, by original designation.

1433. **Jordanita (Roccia) Alberti,1954** (Zygaenidae) Synonym(s): *Roccia Alberti,1954* Original Reference: Procris (Roccia) Alberti,1954, Mitt. zool. Mus. Berl. 30: 326. Type-species: Ino budensis Speyer & Speyer,1858, by original designation.

1434. Jordanita (Tremewania) Efetov & Tarmann,1999 (Zygaenidae) Synonym(s): Tremewania Efetov & Tarmann,1999 Original Reference: Jordanita (Tremewania) Efetov & Tarmann,1999, Forester moths: 42. Type-species: Atychia notata Zeller,1847, Isis, Leipzig 40: 294, by original designation.

**1435. Jordanita (s.str.) Verity,1946** (Zygaenidae) Synonym(s): #Jordanita Agenjo,1940; Jordanita Verity,1946 Original Reference: Procris (Jordanita) Verity,1946, Redia (2) 31: 134. Type-species: Sphinx chloros Hübner,[1813], by original designation (vide: Koçak,1982, Priamus 2: 99).

1436. **Jordanita Verity,1946** (Zygaenidae) Synonym(s): #Jordanita Agenjo,1940; Jordanita Verity,1946 Original Reference: Procris (Jordanita) Verity,1946, Redia (2) 31: 134. Type-species: Sphinx chloros Hübner,[1813], by original designation (vide: Koçak,1982, Priamus 2: 99).

1437. **Praezygaena Alberti,1954** (Zygaenidae) Synonym(s): *Epizygaena Jordan,1907 (praeocc.); Praezygaena Alberti,1954; Epizygaenella Tremewan & Povolny,1968* Original Reference: Praezygaena Alberti,1954, Mitt. zool. Mus. Berl. 30: 185. Type-species: Zygaena myodes Druce,1899, by original designation.

1438. Rhagades (Naufockia) Alberti,1954 (Zygaenidae) Synonym(s): *Naufockia Alberti,1954*Original Reference: Rhagades (Naufockia) Alberti,1954, Mitt. zool. Mus. Berl. 30: 317. Typespecies: Procris brandti Alberti,1938, by monotypy.

**Rhagades (Wiegelia) Efetov & Tarmann,1995** (Zygaenidae) Synonym(s): *Wiegelia Efetov & Tarmann,1995* Original Reference: Rhagades (Wiegelia) Efetov & Tarmann,1995, Entomologist's Gaz. 46 (1): 66. Type-species: Procris amasina Herrich-Schäffer,1851, by original designation.

1440. Rhagades Wallengren,1863 (Zygaenidae) Synonym(s): Rhagades Wallengren,1863 Original Reference: Rhagades Wallengren,1863, Skand. Heterocer-fjärilar 1: 110. Type-species: Sphinx pruni [Denis & Schiffermüller],1775, by monotypy.

**1441. Zygaena (Agrumenia) Hübner,[1819]** (Zygaenidae) Synonym(s): *Agrumenia Hübner,[1819]; Epizygaena Jordan,1907; Agrumenoidea Holik,1937; Coelestina Holik,1953* Original Reference: Agrumenia Hübner,[1819], Verz. bekannt. Schmett.: 116. Type-species: Sphinx onobrychis [Denis & Schiffermüller],1775, by subsequent designation by Tremewan,1961.

1442. Zygaena (Mesembrynus) Hübner,[1819] (Zygaenidae) Synonym(s): Mesembrynus Hübner,[1819]; Heschia Hübner,[1819]; Hyala Burgeff,1926 nec Adams,1852; Santolinophaga Burgeff,1926; Peucedanophila Burgeff,1926; Coelestis Burgeff,1926; Yasumatsuia Strand,1936; #Cirsiphaga Holik,1953; Libania Holik & Sheljuzhko,1956; Usgenta Holik & Sheljuzhko,1956; Mesembrynoidea Holik & Sheljuzhko,1956; Cirsiphaga Tremewan,1961 Original Reference: Mesembrynus Hübner,[1819], Verz. bekannt. Schmett.: 119. Type-species: Zygaena pluto Ochsenheimer,1808, by subsequent designation by Tremewan,1961.

1443. Zygaena (s.str.) Fabricius,1775 (Zygaenidae) Synonym(s): Zygaena Fabricius,1775; Anthrocera Scopoli,1777; Euthychia Hübner,[1819]; Anthilaria Hübner,[1819]; Aeacis Hübner,[1819]; Thermophila Hübner,[1819]; Lycastes Hübner,[1819]; Silvicola Burgeff,1926; Lictoria Burgeff,1926; Peristygia Burgeff,1926; Polymorpha Burgeff,1926 nec Soldani,1791; Biezankoia Strand,1936; Huebneriana Holik & Sheljuzhko,1957; Burgeffia Holik & Sheljuzhko,1957; Rhaphidozygaena Burgeff,1975 Original Reference: Zygaena Fabricius,1775, Syst. Ent.: 550. Type-species: Sphinx filipendulae Linnaeus,1758, by subsequent designation by Latreille,1810.

1444. Zygaena Fabricius,1775 (Zygaenidae) Synonym(s): Zygaena Fabricius,1775; Anthrocera Scopoli,1777; Euthychia Hübner,[1819]; Anthilaria Hübner,[1819]; Aeacis Hübner,[1819]; Thermophila Hübner,[1819]; Lycastes Hübner,[1819]; Silvicola Burgeff,1926; Lictoria Burgeff,1926; Peristygia Burgeff,1926; Polymorpha Burgeff,1926 nec Soldani,1791; Biezankoia Strand,1936; Huebneriana Holik & Sheljuzhko,1957; Burgeffia Holik & Sheljuzhko,1957; Rhaphidozygaena Burgeff,1975 Original Reference: Zygaena Fabricius,1775, Syst. Ent.: 550. Type-species: Sphinx filipendulae Linnaeus,1758, by subsequent designation by Latreille,1810.

**Zygaenoprocris (Molletia)** Efetov, 2001 (Zygaenidae) Synonym(s): *Molletia Efetov*, 2001 Original Reference: Zygaenoprocris (Molletia) Efetov, 2001, Entomologist's Gaz. 52 (1): 45. Typespecies: Procris taftana Alberti, 1939, by original designation.

**1446. Zygaenoprocris (s.str.) Hampson,1900** (Zygaenidae) Synonym(s): *Zygaenoprocris Hampson,1900* Original Reference: Zygaenoprocris Hampson,1900, J. Bombay nat. Hist. Soc. 13: 225. Type-species: Zygaenoprocris chalcochlora Hampson,1900, by original designation.

**Zygaenoprocris Hampson,1900** (Zygaenidae) Synonym(s): *Zygaenoprocris Hampson,1900* Original Reference: Zygaenoprocris Hampson,1900, J. Bombay nat. Hist. Soc. 13: 225. Typespecies: Zygaenoprocris chalcochlora Hampson,1900, by original designation.

#### Contents:

Koçak, A.Ö. & M.Kemal, Annotated list of the genus group names of Lepidoptera of Iran. p.1 - Editorial, p.104.

# Centre for Entomological Studies Ankara



(A scientific Consortium) (co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)<sup>5</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>6</sup>, Memoirs (ISSN-8227)<sup>7</sup> DVD Films<sup>8</sup>, Iconographia Insectorum<sup>9</sup> Cesa Publications on African Lepidoptera (series)<sup>10</sup>, Cesa News [online]<sup>11</sup>, Cesa Books <sup>12</sup> Owners / Sahipleri - Editors / Yayıncılar: Prof. em. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Plant taxonomy, flora and vegetation: Assoc. Prof. Dr. Murat Ünal, Asst. Prof. Dr. Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

## ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa tr@yahoo.com.tr

All serials are archived regularly by the Internet Archive in accordance with the rules of the ICZN <a href="https://archive.org/">https://archive.org/</a>

and Zoological Record,
Thomson Reuters,
Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
ts-emea-york.dcsadmins@thomson.com

<sup>&</sup>lt;sup>5</sup> http://www.cesa-tr.org/Pri.htm - pdf available after corresponding

<sup>&</sup>lt;sup>6</sup> http://www.cesa-tr.org/Miscell.htm - pdf available after corresponding

<sup>7</sup> http://www.cesa-tr.org/Memoirs.htm -

<sup>8</sup> http://www.cesa-tr.org/CDF.htm

<sup>9</sup> http://www.cesa-tr.org/Icon.htm

 $<sup>^{10}\;\</sup>underline{\text{http://www.metafro.be/Members/Cesa/internet}}\;\;\underline{\text{sayfas305/base}\;\;\underline{\text{view}}}\;\text{-}\;\underline{\text{pdf}}\;\underline{\text{available}}$ 

<sup>11</sup> http://www.cesa-tr.org/Cesanews.htm

<sup>12</sup> http://www.cesa-tr.org/Cesabooks.htm